

RECEIVED
APR 8 1968

Permit No. 33448

CERTIFICATE NO. 36997

STATE ENGINEER

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Leon W. Konkright and Margaret J. Konkright
(Name of applicant)

of 2687 Whistler's Park Road, Roseburg,
(Mailing address)

State of Oregon 97470, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is North Umpqua River
(Name of stream)
a tributary of Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is .01
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic including 1/2 acre lawn and
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
garden.

4. The point of diversion is located 600 ft. N. and 150 ft. W. from the E 1/4
(N. or S.) (E. or W.)
corner of Section 18
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NE 1/4 of Sec. 18, Tp. 26S.
(Give smallest legal subdivision) (N. or S.)

R. LW., W. M., in the county of Douglas
(E. or W.)

5. The pipeline to be 440 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SW 1/4 NW 1/4 of Sec. 17, Tp. 26S.
(Smallest legal subdivision) (N. or S.)

R. LW., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 HP. Jet Pump
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one.....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1,232.90.....

12. Construction work will begin on or before April 5, 1968.....

13. Construction work will be completed on or before July 1, 1968.....

14. The water will be completely applied to the proposed use on or before July 1, 1968.....

Leon W. Honkright
(Signature of applicant)
Margaret J. Honkright

Remarks: Legal Description: Lot 32 of Whistler's Park Estates of Township
26 South, Range 4 West, W.M., Douglas County, Oregon.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Umpqua River

The use to which this water is to be applied is domestic use of one family including the irrigation of not to exceed one-half acre lawn and garden

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 8, 1968

Actual construction work shall begin on or before December 24, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 24th day of December, 1968

Chris L. Wheeler
STATE ENGINEER

Application No. 44676
Permit No. 33448

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of April, 1968, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

December 24, 1968

Recorded in book No. 33448 of Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 16 page 26D
Fees \$25.00