

RECEIVED
MAY 8 1968
STATE ENGINEER
SALEM, OREGON

*APPLICATION FOR PERMIT

CERTIFICATE NO. 39973

To appropriate the Public Waters of the State of Oregon

I, Fred B. Cooksley
(Name of applicant)
of Rte 1, Box 324, Myrtle Creek, Oregon 97457
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Umpqua River
(Name of stream)
a tributary of Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.02
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic, to include not more
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
than 1/2 acre lawn, and garden.

4. The point of diversion is located 139.5 ft. N and 300 ft. E from the Center
(N. or S.) (E. or W.)
corner of Sec. 20
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 NE 1/4 of Sec. 20, Tp. 30S
(Give smallest legal subdivision) (N. or S.)

R. 5 W, W. M., in the county of Douglas
(E. or W.)

5. The Pipe line to be 1050 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SE 1/4 NW 1/4 of Sec. 20, Tp. 30S
(Smallest legal subdivision) (N. or S.)

R. _____, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 1/2 or 2 HP pump
(Size and type of pump)
electric
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of ' in 19.....

(b) If for domestic use state number of families to be supplied 5 dwellings.....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... 1000.00 to \$1500.00

12. Construction work will begin on or before 4 - 1 - 69.....

13. Construction work will be completed on or before 4 - 1 - 70.....

14. The water will be completely applied to the proposed use on or before 10 - 1 - 70.....

Fred B. Cooksey
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 10th 19..... 68

WITNESS my hand this 10th day of May, 19..... 68

RECEIVED
JUL 10 1968

STATE ENGINEER
SALEM OREGON

CHRIS L. WHEELER
STATE ENGINEER

[Signature]
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Umpqua River

The use to which this water is to be applied is domestic use of five families including the irrigation of not to exceed one-half acre lawn and garden

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 8, 1968

Actual construction work shall begin on or before January 20, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970.

Complete application of the water to the proposed use shall be made on or before October 1, 1971.

WITNESS my hand this 20th day of January, 1969.

Chris L. Wheeler

STATE ENGINEER

4 P

Application No. 44882

Permit No. 33557

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6th day of May, 1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

January 20, 1969

Recorded in book No. _____ of _____

Permits on page 33557

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 16 page 30A

Fees: 25.00