*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Robert P. Mobley	Of the state of th
6402 Ganon St. S.E.,	Salem
(Mailing address)	, do hereby make application for a permit to appropriate th
	he State of Oregon, SUBJECT TO EXISTING RIGHTS:
·	give date and place of incorporation
1) тие аррисант із а сотротатон,	give date and place of incorporation
1. The source of the proposed ap	propriation is unnamed creek
	(Name of stream) Little North Fork, Santiam R:
2. The amount of water which th	he applicant intends to apply to beneficial use is
ıbic feet per second	(If water is to be used from more than one source, give quantity from each)
\$\$2. The was to subject the sustants	to be applied is Domestic supply, campgrounds
5. The use to which the water is	(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is local transfer of Sec 15 T95 R2E	ted 2,156 ft. S and 82 ft. E from the NE (N. or S.)
•••••••••••••••••••••••••••••••••••••••	
••••••••••	
\-	rable, give distance and bearing to section corner)
(If there is more than one point	of diversion, each must be described. Use separate sheet if necessary)
(If there is more than one point eing within the SE 1/4 of the (Give smaller	of diversion, each must be described. Use separate sheet if necessary) AE 1/4 of Sec. 15 , Tp. 98 t legal subdivision) (N. or S.)
cing within the SE 1/4 of the Give smaller W. M., in the county of	of diversion, each must be described. Use separate sheet if necessary) NE 1/4 of Sec. 15 , Tp. 98 It legal subdivision) (N. or S.)
eing within the SE 1/4 of the Give smaller W. M., in the county of	of diversion, each must be described. Use separate sheet if necessary) NE 1/4 of Sec. 15 , Tp. 98 It legal subdivision) (N. or S.)
eing within the SE 1/4 of the Give smaller W. M., in the county of	of diversion, each must be described. Use separate sheet if necessary) NE 1/4 of Sec. 15 , Tp. 98 It legal subdivision) (N. or S.)
(Expert is more than one point eing within the SE 1/4 of the Give smalles (Give smalles (E. or w.) 5. The 2" Rigid plasti (Main ditch, c.) 1 length, terminating in the SE 1/4	of diversion, each must be described. Use separate sheet if necessary) AE 1/4 of Sec. 15 , Tp. 98 It legal subdivision) C pipe to be 6,000 (Miles or feet) of the SW 1/4 of Sec. 9 , Tp. 98 mailest legal subdivision) (N. or 2.)
(Expert is more than one point eing within the SE 1/4 of the Give smalles (Give smalles (E. or w.) 5. The 2" Rigid plasti (Main ditch, c.) 1 length, terminating in the SE 1/4	of diversion, each must be described. Use separate sheet if necessary) AE 1/4 of Sec. 15 , Tp. 98 It legal subdivision) C pipe to be 6,000 (Miles or feet) of the SW 1/4 of Sec. 9 , Tp. 98 mailest legal subdivision) (N. or 2.)
(E. or W.) (Give smalless (Main ditch, of Main ditc	of diversion, each must be described. Use separate sheet if necessary) NE-1/4 of Sec. 15 , Tp. 98 It legal subdivision) C pipe to be 6,000 (Miles or feet) of the SW 1/4 of Sec. 9 , Tp. 98 mallest legal subdivision) (N. or S.) ed location being shown throughout on the accompanying map.
(E. or W.) (Main ditch, or SE 1/4 (St.) (E. or W.) (E. or W.) (No. M.) (SE 1/4 (of diversion, each must be described. Use separate sheet if necessary) AE 1/4 of Sec. 15 , Tp. 98 It legal subdivision) C pipe to be 6,000 (Miles or feet) of the SW 1/4 of Sec. 9 , Tp. 98 mailest legal subdivision) (N. or 2.)
(E page is more than one point eing within the SE 1/4 of the Give smaller 2E , W. M., in the county of 5. The 2" Rigid plasti (Main ditch, c) 1 length, terminating in the SE 1/4 (ST. W.) W. M., the propose	of diversion, each must be described. Use separate sheet if necessary) NE 1/4 of Sec. 15 , Tp. 98 It legal subdivision) (N. or 2.) Marion c pipe to be 6,000 (Milles or feet) of the SW 1/4 of Sec. 9 , Tp. 98 mallest legal subdivision) (N. or 2.) ed location being shown throughout on the accompanying map.
(Expert is more than one point eing within the SE 1/4 of the Give smalles (Give smalles (E. or w.) 5. The 2" Rigid plasti (Main ditch, c) (Smain ditch, c) (Sm	of diversion, each must be described. Use separate sheet if necessary) AF 1/4 of Sec. 15 , Tp. 98 It legal subdivision) (N. or 2.) Marion c pipe to be 6,000 (Miles or feet) of the SW 1/4 of Sec. 9 , Tp. 98 mailest legal subdivision) (N. or 2.) ed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS feet, length on top feet, length at bottom
eing within the SE 1/4 of the Give smalles 2E , W. M., in the county of 5. The 2" Rigid plasti (Main ditch, controlled), terminating in the SE 1/4 (SE), W. M., the propose (E. or W.) iversion Works— '6. (a) Height of dam	of diversion, each must be described. Use separate sheet if necessary) NE 1/4 of Sec. 15 , Tp. 98 It legal subdivision) C pipe to be 6,000 (Milles or feet) of the SW 1/4 of Sec. 9 , Tp. 98 mallest legal subdivision) ed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS feet, length on top feet, length at bottom sed and character of construction (Loose rock, concrete, massons)
eing within the SE 1/4 of the Give smalles 2E , W. M., in the county of 5. The 2" Rigid plasti (Main ditch, controlled), terminating in the SE 1/4 (SE), W. M., the propose (E. or W.) iversion Works— '6. (a) Height of dam	of diversion, each must be described. Use separate sheet if necessary) NE 1/4 of Sec. 15 , Tp. 98 It legal subdivision) C pipe to be 6,000 (Milles or feet) of the SW 1/4 of Sec. 9 , Tp. 98 mallest legal subdivision) ed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS feet, length on top feet, length at bottom sed and character of construction (Loose rock, concrete, massons)
(Expert is more than one point eing within the SE 1/4 of the Give smalles (Give smalles (E. or w.) 5. The 2" Rigid plasti (Main ditch, c) (SE 1/4) 1 length, terminating in the SE 1/4 (SE 1/4) 1 (c diversion, each must be described. Use separate sheet if necessary) NE- 1/4
(Expert is more than one point eing within the SE 1/4 of the Give smalles (Give smalles (E. or W.) 5. The 2" Rigid plasti (Main ditch, c) length, terminating in the SE 1/4 (ST)	of diversion, each must be described. Use separate sheet if necessary) NK 1/4 of Sec. 15 , Tp. 98 It legal subdivision) C pipe to be 6,000 (Miles or feet) of the SW 1/4 of Sec. 9 , Tp. 98 mailest legal subdivision) ed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS feet, length on top feet, length at bottom sed and character of construction (Loose rock, concrete, masons and dam) (Timber, concrete, etc., number and size of openings)
(Expert is more than one point eing within the SE 1/4 of the Give smalles (Give smalles (E. or W.) 5. The 2" Rigid plasti (Main ditch, condition) (Main ditch, condition) (SE 1/4 (SE	et diversion, each must be described. Use separate sheet if necessary) RE 1/4 of Sec. 15 , Tp. 98 It legal subdivision) (N. or 8.) Marion C pipe to be 6,000 (Miles or feet) of the SW 1/4 of Sec. 9 , Tp. 98 mailest legal subdivision) (N. or 8.) ed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS feet, length on top feet, length at bottom sed and character of construction (Loose rock, concrete, masons and dam) (Timber, concrete, etc., number and size of openings)
(Expert is more than one point eing within the SE 1/4 of the Give smalles (Give smalles (E. or W.) 5. The 2" Rigid plasti (Main ditch, condition) (Main ditch, condition) (SE 1/4 (SE	of diversion, each must be described. Use separate sheet if necessary) NK 1/4 of Sec. 15 , Tp. 98 It legal subdivision) C pipe to be 6,000 (Miles or feet) of the SW 1/4 of Sec. 9 , Tp. 98 mailest legal subdivision) ed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS feet, length on top feet, length at bottom sed and character of construction (Loose rock, concrete, masons and dam) (Timber, concrete, etc., number and size of openings)
(Experience is more than one point eing within the SE 1/4 of the Give smaller (Give smaller (E. or W.) 5. The 2" Rigid plasti (Main ditch, or length, terminating in the SE 1/4 (St.) 1.	et diversion, each must be described. Use separate sheet if necessary) RE 1/4 of Sec. 15 , Tp. 98 It legal subdivision) (N. or 8.) Marion C pipe to be 6,000 (Miles or feet) of the SW 1/4 of Sec. 9 , Tp. 98 mailest legal subdivision) (N. or 8.) ed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS feet, length on top feet, length at bottom sed and character of construction (Loose rock, concrete, masons and dam) (Timber, concrete, etc., number and size of openings)

[•]A different form of application is provided where storage works are contemplated.

^{*}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the Sinta Engineer, Balem, Oregon.

10. (a) To supply the	city of	••••••	******************		······································
<u></u>	County, having a pr	esent population	of	******************	********
					,
an estimated population				;	:
(b) If for domestic	c use state numb <mark>er</mark>	of families to b	که e supplied	00	***************************************
	(Answer question	w 11, 43, 13, and 14 in all o) (a.o.e.)	- 23	
Con Mark was a sea of a					
11. Estimated cost of pr		I		ŽŽ.	,
12. Construction work	will begin on or be	fore June 1,	1968		·····
13. Construction work	will be completed	on or before	September 1	L968	** *** *** *** ** ** **
14. The water will be c	nompletely applied t	o the monored ev	es on on hefons	June 196	
11. The water will be c	ompietely applied i	o the proposed as	se on or dejore	• • • • • • • • • • • • • • • • • • • •	·
		1) 10	ID 111	1 20	·····
	•	poven		NHCe	,
	Sec	1 600000	(Signature o	r applicant)	
	· · · · · · · · · · · · · · · · · · ·	4	1	·····	, /
Remarks:	D. J. L. H. H.	hall de la constant d	aulk	att	•
The Can	efg sound	a we	l con	ist	of ten
and pera of	- ward	ion to	alless	wi	Zh-n
hook-sups					
			and the tenter	Land Land	
used by	applie	anto	***************************************		
	***************************************			**************	
	·		******************************		
!					1
***************************************			·		********
			••••••••		

			*******************		****
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			***************************************		
188 AT AT AT	· ·				
ATE OF OREGON, }	8.				
County of Marion,		• •		1	•
This is to certify that	t I have examined	the foregoing app	plication, togeth	er with the	accompany
ps and data, and return t	the same for				••••••
······································	•			••••••	
In order to retain its	priority, this appli	cation must be re	turned to the S	tate Enginee	r, with corr હાઢા દેશ
n s on or before		, 19			
(υ • υ >			व्यक्तियाः वर्षे	
	and in dimension of the	लर्च वीभागित ५४ का है।		in popular and	• • • • • •
WITNESS my hand t	his day o	of	***************************************	() (4.3.)	, 19
AND CONTRACTOR	n in the second of the second	The Condition		gride the	
7.35-20			4	,	
(49)		y			
		5.5			TATE ENGINEE
•		. By			

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

SUBJECT	T TO EXISTING	RIGHTS an	d the folk	owing limitat	ions and co	onditions:		·
	e right herein gra			٠.				
and shall	not exceed	0.05	cubic feet	per second r	neasured at	the point of	diversion	from the
stream, or	r its equivalent in	case of rot	ation with	other water	users, from	n an unna	med creek	
***************************************	***************************************	••••••	••••••		****************		•••••••	·····
***************************************			••••••	••••••			·····	.
The	e use to which thi	s water is to	be applie	d is domest	ic use in	campgroun	is	
	***************************************	••••••		••••••••••••••••••••••••••••••••••••••	•••••	••••••		
·			•••••••	*				
If fo	or irrigation, th is	appropriatio	n shall be	limited to			f one cubic	foot per
	its equivalent for	***						
								• •
			1 11	•••••••••••••••				
	······································	••••••••	`.'.'	••••••••		······································		
	•••••••••••••••••••••••••••••••••••••••		•••••••	•••••	••••••			,
						, · · ·		
. ,				••••••••••			***************************************	
		•••••	•••••••••	***************************************	••••••	•••••••		
		•••••••••••••••••••••••••••••••••••••••	,	••••••	•••••••••			,
, door		••••••			••••••••		•••••••	
	be subject to such						r state offi	cer.
The	priority date of t	this permit i	3	•••••	May 22,]	.968		
Act	ual construction	work shall b	egin on o	r before	Februa	xy 5, 1970		ınd shall
thereafter	r be prosecuted w	ith reasonab	le diligen	ce and be con	mpleted on	or before Octo	ber 1, 19.7	O
Con	nplete application	of the wate	r to the p	roposed use s	hall be mad	le on or befor	e October i	i, 19 71
, WI	TNESS my hand	this 5th	da ₁	y of Febr	uary /	, 19.6	9	
					Of in	L. ans	STATE &	NGINEER
	•							9
· · · · · · · · · · · · · · · · · · ·		, 2 t,	7.1 1.1	Leave 5	1			6
	្ឋ	in the)regon,	,	A COLLEGE	ned pola		INEER	073
4 2	PUBL	rived em, C	10 ×	ាំមួនអូច្រាំ	* TUCE	6961	TE EN	Dage C
33607	N E	rece t Sal	Mary	(Ox)		33607	WHEELER STATE	. pag
336	RMIT LATE TH OF THE OREGON	first eer a	d'	in - Mizai			بن	9
No.	PERIM PRIATE SS OF T	t was	day of	int:	:	ebruary ok No.	CHRIS	9
ation No.	PPROPE	ment tate I	day 00	plica		n boo	8	le R
Application No Permit No	PERM APPROPRIATE WATERS OF T	nstru he St	22 .5.	to at	÷	ded in b		Basi
A Y	10 J	This instrument was first received in the office of the State Engineer at Salem, Oregon	, se	Returned to applicant	Approved:	Pebru Recorded in book No Permits on page		ainage Basin No
; <u></u> !		I offic	on the 1968,	Reth	Арр	Per Per	:	D'ra Pees

9