

# To Appropriate the Public Waters of the State of Oregon

I, Douglas County Fair & Bert Allenby, Manager  
(Name of applicant)  
of P.O. Box 759, Roseburg  
(Mailing address)

State of Oregon 97470, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Umpqua River  
(Name of stream)

, a tributary of Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.275 cfs.  
cubic feet per second.  
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the  
(N. or S.) (E. or W.)

corner of #1. N. 47° 00' West 3620 feet  
(Section or subdivision)

#2. N. 30° 30' West 3280 feet

both to the NW corner of Section 25

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NW 1/4 of Sec. 25, Tp. 27S,  
NE 1/4 SW 1/4 (Give smallest legal subdivision) (N. or S.)

R. 6W., W. M., in the county of Douglas  
(E. or W.)

5. The pipeline to be 3200 feet  
(Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the NW 1/4 NE 1/4 of Sec. 25, Tp. 27S,  
(Smallest legal subdivision) (N. or S.)

R. 6W., W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

## DESCRIPTION OF WORKS

### Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet;  
material to be used and character of construction Loose rock, concrete, masonry,  
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Timber, concrete, etc., number and size of openings

(c) If water is to be pumped give general description Two 5 HP electric pumps  
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.  
\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of '..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... 14,000.....

12. Construction work will begin on or before .. 10-1-68.....

13. Construction work will be completed on or before .. 10-1-69.....

14. The water will be completely applied to the proposed use on or before .. 10-1-70.....

*Bert L. Allenby*  
(Signature of applicant)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By .....

ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.27 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Umpqua River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 24, 1968

Actual construction work shall begin on or before February 5, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970..

Complete application of the water to the proposed use shall be made on or before October 1, 1971..

WITNESS my hand this 5th day of February, 1969

*Chris L. Wheeler*  
STATE ENGINEER

PC  
44981  
Application No. 33621

Permit No. 33621

**PERMIT**  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of May, 1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

February 5, 1969

Recorded in book No. \_\_\_\_\_ of \_\_\_\_\_

Permits on page 33621

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 16 page 30K  
Fees 420.00