

RECEIVED
JUN 7 1968
STATE ENGINEER
SALEM OREGON

CERTIFICATE NO. 44835

Permit No. 33662

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, T. W. Dungan & Esther M. Dungan
(Name of applicant)
of Route 1, Box D, Lakeciew
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed slough
(Name of stream)
a tributary of Thomas Creek

2. The amount of water which the applicant intends to apply to beneficial use is 1.59 cubic ft./second
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation - both flood
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
irrigation and sprinkler irrigation

4. The point of diversion is located 2900 ft. N and 2500 ft. W from the SE
(N. or S.) (E. or W.)
corner of Section 12, Township 39S, Range 19E West Meridian
(Section or subdivision)
Diversion point in SW 1/4 NE 1/4 of the above section

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NE 1/4 of Sec. 12, Tp. 39S
(Give smallest legal subdivision) (N. or S.)
R. 19E, W. M., in the county of Lake
(E. or W.)

5. The ditch to be 4488 lin. ft.
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NE 1/4, SE 1/4 & SE 1/4 NE 1/4 of Sec. 12, Tp. 39S
(Smallest legal subdivision) (N. or S.)
R. 19E, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 6 x 7 ft feet, length on top 6 x 7 ft feet, length at bottom
feet; material to be used and character of construction Canals
(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 0
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description: 4 or 6 inch pump
(Size and type of pump)
Pump not purchased yet. Pulled by 35 HP tractor
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 2 feet; width on bottom 1 feet; depth of water 1 feet; grade 10 feet fall per one thousand feet. (1/2) north ditch (2) n. ditch
 (b) At 1/2 south ditch miles from headgate: width on top (at water line) 2 s. ditch (1) n. ditch (1) n. ditch feet; width on bottom 1 s. ditch feet; depth of water 1 s. ditch feet; grade 10 n. ditch 10 s. ditch feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
39S	19E	12	Flood irrigation SE 1/4 NE 1/4	23.5 ac.
			SW 1/4 NE 1/4	5.2 ac.
			NW 1/4 SE 1/4	4.5 ac.
			NE 1/4 SE 1/4	6.6 ac.
Sprinkler irrigation				
39S	19E	12	SE 1/4 NE 1/4	4.5 ac.
			SW 1/4 NE 1/4	33.5 ac.
			NW 1/4 SE 1/4	23.4 ac.
			NE 1/4 SE 1/4	9.6 ac.
			SW 1/4 SE 1/4	15.0 ac.
			SE 1/4 SE 1/4	1.0 ac.
			Total	126.8 ac.

(If more space required, attach separate sheet)

(a) Character of soil Draws - moderately fine textured Chestnut soils

(b) Kind of crops raised grass, pasture, alfalfa, grain

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of !..... in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 3000⁰⁰ ~~xx~~

12. Construction work will begin on or before Completed

13. Construction work will be completed on or before Completed

14. The water will be completely applied to the proposed use on or before Oct. 1969

J. W. Dungan

(Signature of applicant)

Esther M. Dungan

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 26th, 19 68

WITNESS my hand this 24th day of June, 1968

RECEIVED
JUN 27 1968
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
[Signature]
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.59 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed slough

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 7, 1968

Actual construction work shall begin on or before February 14, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 14th day of February, 19 69

Chris L. Wheeler

STATE ENGINEER

Application No. 45040

Permit No. 33662

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th day of June, 1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

February 14, 1969

Recorded in book No. _____ of _____

Permits on page 33662

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 13 page 264E

Fee 131.85