

***APPLICATION FOR PERMIT**

To appropriate the Public Waters of the State of Oregon

1. TRIANGLE CAMP SPRING INCORPORATED
(Name of applicant)
of 1206 DAVIS ST. MILTON-FREEWATER
(Mailing address)
State of OREGON 97862, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation August 3, 1950
STATE OF OREGON No. 49369

1. The source of the proposed appropriation is TRIANGLE CAMP SPRING
(Name of stream)
a tributary of Walla Walla River
2. The amount of water which the applicant intends to apply to beneficial use is 5 g.p.s. P.E.A. Min.
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is DOMESTIC USE FOR COBINS
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 105 ft. N. and 710 ft. E. from the S. 1/4
(N. or S.) (E. or W.)
corner of Sec. 26, T. 4 N., R. 37 E. W.M.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4, SE 1/4 of Sec. 26, Tp. 4 N.
(Give smallest legal subdivision) (N. or S.)
R. 37 E., W. M., in the county of UMATILLA
(E. or W.)

5. The Pipelines to be 2850 FT.
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SW 1/4, SE 1/4 of Sec. 26, Tp. 4 N.
(Smallest legal subdivision) (N. or S.)
R. 37 E., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam None feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry)
Spring is dug out and covered by a concrete tank 3' x 3' x 4'
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description _____
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2850 ft.; size at intake, 3/4 in.; size at THROUGHOUT ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, -2.0 ft. Is grade uniform? Yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4 N.	37 E.	26	NE 1/4, SW 1/4	No Irrigation
4 N.	37 E.	26	SE 1/4, SW 1/4	No Irrigation
4 N.	37 E.	26	SW 1/4, SE 1/4	No Irrigation
4 N.	37 E.	26	SE 1/4, SE 1/4	No Irrigation

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of TRIANGLE CAMP SPRING INC. AREA
UMATILLA County, having a present population of 33 CABINS
(Name of) and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied 30

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 500.⁰⁰
- 12. Construction work will begin on or before Completed
- 13. Construction work will be completed on or before Completed
- 14. The water will be completely applied to the proposed use on or before already in use

Triangle Camp Spring, Inc.
[Signature]
(Signature of applicant) SEC-TAKES
+ Register. Agent of Corp

Remarks: The Triangle Camp Spring Corporation was formed to acquire and develop a water supply in the area known as Triangle Camp. The spring being applied for is on property owned by the Corp. and a distribution system in the form of pipelines and faucets has been developed. This application is being submitted by the Corporation in order to obtain a water right in the name of the Corp. so that the water of said spring can be administered, within the area marked on accompanying map, by the board of directors under the by-laws of the Corporation

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER
By _____ ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Triangle Camp Spring

The use to which this water is to be applied is domestic use in thirty-three cabins

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated _____

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 9, 1968

Actual construction work shall begin on or before February 24, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 24th day of February, 19 69

Chris L. Wheeler
STATE ENGINEER

Application No. 45151
Permit No. 33733

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 9th day of July, 1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved: _____
February 24, 1969
Recorded in book No. 33733 of _____
Permits on page _____

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 7 page 24E
Fees \$25.00