

RECEIVED
JUL 26 1968

Permit No. **33779**

STATE ENGINEER
SALM OREGON

CERTIFICATE NO. 42012

***APPLICATION FOR PERMIT**

To appropriate the Public Waters of the State of Oregon

I, Duane R. Eicher, C. S. Eicher and S. E. and Martha Eicher
(Name of applicant)

of R. 1, Box 237, Albany
(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation _____

1. The source of the proposed appropriation is South Santiam River
(Name of stream)

_____, a tributary of Santiam River

2. The amount of water which the applicant intends to apply to beneficial use is 0.015
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Livestock supplies
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1430 ft. N and 1050 ft. E from the SW
(N. or S.) (E. or W.)
corner of NW¼ of S. 19, T. 12 S., R. 1 W.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW¼ of NW¼ of Sec. 19, Tp. 12 S.
(Give smallest legal subdivision) (N. or S.)

R. 1 W., W. M., in the county of Linn
(E. or W.)

5. The Albany Ditch to be 16.5 miles
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NW¼ of NW¼ of Sec. 12, Tp. 11 S.
(Smallest legal subdivision) (N. or S.)

R. 4 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description _____
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

33779

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use S. 11, T. 11 S., R. 3 W.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
11 S	3 W.	11	SE $\frac{1}{4}$ of SE $\frac{1}{4}$	Livestock supplies 0.005
11 S	3 W.	11	SW $\frac{1}{4}$ of SE $\frac{1}{4}$	Livestock supplies 0.005
11 S	3 W.	11	NE $\frac{1}{4}$ of SW $\frac{1}{4}$	Livestock supplies 0.005

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.015 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Santiam River

The use to which this water is to be applied is stock use during irrigation season only

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated _____

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 26, 1968

Actual construction work shall begin on or before March 11, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970.

Complete application of the water to the proposed use shall be made on or before October 1, 1971.

WITNESS my hand this 11th day of March, 1969.

Chris L. Wheeler
STATE ENGINEER

Application No. 45223

Permit No. 33779

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26th day of July, 1968, at 8:00 o'clock A. M.

Returned to applicant: _____

Approved: _____

March 11, 1969

Recorded in book No. _____ of Permits on page 33779

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 02 page 40B
Fees 5.00