

RECEIVED
AUG 22 1968
STATE ENGINEER
SALEM OREGON

***APPLICATION FOR PERMIT**

To appropriate the Public Waters of the State of Oregon

I, Raymond L. and Juanita S. Pack
(Name of applicant)
of Route 1, Box 126, Myrtle Creek,
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Umpqua River
(Name of stream)
....., a tributary of Umpqua River.....

2. The amount of water which the applicant intends to apply to beneficial use is 0.128
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1325 ft. N. and 1590 ft. W. from the SE
(N. or S.) (E. or W.)
corner of Section 2
(Section or subdivision)

(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Lot 9 of Sec. 2, Tp. 29S.
(Give smallest legal subdivision) (N. or S.)
R. 6W., W. M., in the county of Douglas
(E. or W.)

5. The pipeline to be 400 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the Lot 10 of Sec. 2, Tp. 29S.
(Smallest legal subdivision) (N. or S.)
R. 6W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
..... feet; material to be used and character of construction
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 5 HP Electric pump
(Size and type of pump)
.....
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 3,500.....

12. Construction work will begin on or before Completed.....

13. Construction work will be completed on or before Completed.....

14. The water will be completely applied to the proposed use on or before Completed.....

X *Raymond Z. Luck*
(Signature of applicant)
X *Martha Luck*

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.13 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Umpqua River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 22, 1968

Actual construction work shall begin on or before March 19, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 19th day of March, 1969

Chris L. Wheeler
STATE ENGINEER

Application No. 45321
Permit No. 33832

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22nd day of August 1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

March 19, 1969

Recorded in book No. 33832 of Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 16 page 304

Fees \$20.00