

## \*APPLICATION FOR PERMIT

CERTIFICATE NO. 38945

## To Appropriate the Public Waters of the State of Oregon

I,Joseph A. Lane (Name of appl	icant)			••••••
of Box 179, Umpqua (Mailing address)				
State ofOregon, do hereby m				
following described public waters of the State of Oregon,	SUBJECT TO E	XISTIN	G RIGHT	s:
If the applicant is a corporation, give date and place	of incorporation	· •	·	•
1. The source of the proposed appropriation is	mpqua River	ame of stre		
, a tributary o				
2. The amount of water which the applicant intends	to apply to bene	ficial us	e is .0.02	cfs.
cubic feet per second. (If water is to be used from n	and then one course of		from each	
**3. The use to which the water is to be applied is in				pplemental
domestic 0.01 cfs. for a total of 0.02 cf	mileton, power, man	e, manuac	MI IIB, GOMES	sc supplies, eve.)
•				
4. The point of diversion is located 232 ft				
corner of Lot 12, Township 25 South, Range 7	W W. M Dou ubdivision)	glas C	ounty. O	regon
Plat of Rasmussen Hole	•			
(If there is more than one point of diversion, each must be do being within the	of Sec16		, Tp	
5. The pipeline (Main ditch, canal or pipe line)	to be		210 feet	; ; 
in length, terminating in the SWA NEW (Smallest legal subdivision)	of Sec	16	, Tp	258.
R				
(E. or W.)	, with the oughtout (	no one ac	,company	my map.
DESCRIPTION OF	WORKS			
Diversion Works—  6. (a) Height of dam feet, length	on top		feet len	ath at hottom
feet; material to be used and character of	construction	••••••	(Loose rock	, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)		•••••	***************************************	
(b) Description of headgate(Timber	, concrete, etc., number	and size of	openings)	
(b) Description of headgate(Timber)  (c) If water is to be pumped give general description		ectric		***************************************
	n 1½ HP EI	ectric		***************************************

A different form of application is provided where storage works are contemplated.

<sup>\*\*</sup>Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

	•	anted is limited to the amount of water which can be applied to beneficial u	
	•	0.02 cubic feet per second measured at the point of diversion from t in case of rotation with other water users, from Umpqua River	he
•••••••••••••••••••••••••••••••••••••••		***************************************	
•	•		
		is water is to be applied is irrigation and supplemental domestic us. Ol cfs for irrigation and 0.01 cfs for supplemental domestic	
		,	••••
If fo	or irrigation, this	s appropriation shall be limited to1/80th of one cubic foot p	)e <b>r</b>
		reach acre irrigated and shall be further limited to a diversion of	
		e feet per acre for each acre irrigated during the irrigation	••••
season (	of each year,		
***************			*****
			••••
************			••••
	,		••••
		th reasonable rotation system as may be ordered by the proper state officer.	
		this permit is September 3, 1968	
		work shall begin on or before	au
		on of the water to the proposed use shall be made on or before October 1, 19.7.2	2
•		this 9th day of April , 1969	
		Chia Laffue De STATE ENGINEES	 R 7
		sh the gon,	
	BLIC	Salem, Oregon tember tember A. M. A. M. 969 S59 STATE ENGINEER STATE ENGINEER STATE ENGINEER	
33859	E PUB	first receive for at Salem  Septem  19, 1969  333859	
33859	RMIT LATE TH OF THE OREGON	Signature of the state of the s	
	PERMI PPRIATE : SS OF TH	nent was  tte Engine day of DO o'clock Do o'clock licant:  CHRIS L.  CHRIS L.	\
Application No. Permit No.	PERMIT APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	be State E  A day  B.O.O. o  CHE.  CHE.	
Appu Perm	· •	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the ZCC day of September  1962, at A.O.O. o'clock	7
	OI	This im office of th on the ZL at . 196L, at . 196L, at . Returned t Records . Records . Records	Fees

State Printing 66