

RECEIVED

SEP 12 1968

*APPLICATION FOR PERMIT

CERTIFICATE NO.

53086

STATE ENGINEER

To Appropriate the Public Waters of the State of Oregon

I, West Extension Irrigation District

(Name of applicant)

of Irrigon, Oregon

(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Umatilla and Columbia Rivers

(Name of stream)

, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 250 CFS
160 CFS from Umatilla River)

cubic feet per second. 90 CFS from Columbia River) See remarks

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation & supplemental irrigation.
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

from Columbia River

4. The point of diversion is located 1730 ft. N. and 200' ft. W. from the SW.
(N. or S.) (E. or W.)corner of Sec. 17 T5N. R - 28E being within NWSW Sec. 17 T5NR28E.
(Section or subdivision)Point of diversion from Umatilla River is located 1000 feet N and 500 feet E from
the SW corner of Sec 28 T5N, R-28E, being within the SWSW Sect 28, T5N R - 28E.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the of Sec., Tp.
(Give smallest legal subdivision) (N. or S.)R., W. M., in the county of Umatilla
(E. or W.)5. The Canal to be 27 miles.
(Main ditch, canal or pipe line) (Miles or feet)in length, terminating in the NWSE of Sec. 23, Tp. 4N.
(Smallest legal subdivision) (N. or S.)R. 24E, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works for water from the Umatilla river--see remarks

6. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction

(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wastewater over or around dam)

(b) Description of headgate

(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 3 - two stage turbine pumps;

(Size and type of pump)

30" bowls, 20" discharge, 600 HP electric motors, total head 150 feet. The
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

pumps will pump water from the Columbia river.

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use see attached sheets

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated

(If more space required, attach separate sheet)

(a) Character of soil Sandy loam and loamy sand

(b) Kind of crops raised Alfalfa, potatoes, melons, pasture, grapes, asparagus

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Permit No.

Description of the land to be irrigated under the Application for a Permit to Appropriate the Public Waters of the State of Oregon. Columns headed 1893, 1906 and 1909 indicate lands on which primary rights from the Umatilla River exist under Decree Volume 3, pages 213 and 214; Decree Volume 16, page 457; and Certificate Number 10142. The column headed 1968 indicates lands for which primary permits from the Umatilla River is applied in this application. A supplemental permit from the Columbia River is applied for on all lands described below:

Town- ship	Range	Section	40-Acre Tract	Acres To Be Irrigated				Total
				1893	1906	1909	1968	
4N	24E	13	SWNE		34	6	40	
			SENE		33	7	40	
			SWNW		15	15	30	
			SENW		35	4	39	
			NESW		40		40	
			NSW		35	5	40	
			SWSW		35	5	40	
			SESW		34	6	40	
			NESE		40		40	
			NWSE		35	5	40	
			SWSE		30	10	40	
			SESE		40		40	
4N	24E	14	SWNE			24	24	
			SENE			28	28	
			SWSW		30		30	
			SESW		20		20	
			NESE			40	40	
			NWSE			40	40	
			SWSE			40	40	
			SESE		20	20	40	
4N	24E	23	NENE		40		40	
			NWNE		37		37	
			SWNE			40	40	
			SENE		38		38	
			NENW		40		40	
			NWNW		40		40	
			SWNW		15	20	35	
			SENW		37		37	
4N	24E	24	NENE		34	6	40	
			NWNE		40		40	
			SWNE		38	2	40	
			SENE		37	3	40	
			NENW		38	2	40	
			NWNW		40		40	
			SWNW		40		40	
			SENW		40		40	
			NESW		5	6	11	
			NWSW		2		2	
			NESE		5	6	11	
			NWSE		5	3	8	
4N	25E	8	NWSE		10		10	
			SWSE		10		10	
4N	25E	10	SENE		21		21	
4N	25E	11	SWNW		20		20	
			NESW		29		29	
			NWSW		25	10	35	
			SWSW			40	40	
			SESW		22	17	39	
			SWSE		40		40	
			SESE			25	25	
4N	25E	12	NWSW			40	40	
			SWSW			38	38	
			NESE			40	40	
			NWSE			40	40	
			SWSE			22	22	
			SESE			15	15	

RECEIVED

FEB 26 1969

STATE ENGINEER
SALEM, OREGON

Description = Page 2

Town-ship	Range	Section	40-Acre Tract	Acres To Be Irrigated				
				1893	1906	1909	1968	Total
4N	25E	13	NENW			28	28	
			NWNW		35	5	40	
			SWNW		40		40	
			SENW		7	5	12	
			SENE					
			NENE				40	
			NWNE	Cert. No. 34288-1962 → 20				20 40
			SWNE			40	40	
			SENE			28.8	28.8	
			NENW	28	12		40	
			SWNW	39		39		
			SENW	40		40		
			NESW	40		40		
			NWSW	31	9		40	
			SWSW			26	26	
			SESW	16	8		24	
			NESE	35	5		40	
			NWSE	25	15		40	
			SWSE			5	5	
			SESE	5	6		11	
4N	25E	15	NWNE			40	40	
			SWNE	31	9		40	
			SENE	40			40	
			NENW			40	40	
			NWNW			40	40	
			SWNW	30	10		40	
			SENW	35	5		40	
			NESW	37	3		40	
			NWSW	38	2		40	
			SWSW	39		39		
			SESW	39		39		
			NESE	40			40	
			NWSE	40			40	
			SWSE	37		37		
			SESE	24			24	
4N	25E	16	SWNE			40	40	
			SENE	32	8		40	
			SWNW			40	40	
			SENW			40	40	
			NESW			40	40	
			NWSW			40	40	
			SWSW			40	40	
			SESW			40	40	
			NESE			40	40	
			NWSE			40	40	
			SWSE			40	40	
			SESE		20	20		40
4N	25E	17	NENW		25	5		30
			NWNW		25			25
			SWNW		25	15		40
			SENW		25	15		40
			NESW		15			15
			NWSW		30	10		40
			SWSW		31	9		40

Town-ship	Range	Section	40Acre Tract	Acres To Be Irrigated				
				1893	1906	1909	1918	Total
4N	25E	18NE	NENE		18			18
			NWNE		15			15
			SWNE		40			40
			SENE		33	7		30
			Lot 2 SWNW		47	8		55
			SENW		38	2		40
			NESW		40			40
			Lot 3 NWSW		52	3		55
			Lot 4 SWSW		55			55
			SESW		40			40
			NESE		20	20		40
			NWSE		35	5		40
			SWSE		25	15		40
			SESE		39			39
4N	25E	19	NENE		40			40
			NWNE		30	10		40
			SWNE		40			40
			SENE		40			40
			NENW		40			40
			Lot 1 NWNW		55			55
			Lot 2 SWNW		55			55
			SENW		40			40
			NESW			12		12
			Lot 3 NWSW			16		16
			NESE			22		22
			NWSE			15		15
4N	25E	20	NENE		29	11		40
			NWNE		22	18		40
			SWNE			33		33
			SENE			10		10
			NENW		32	8		40
			NWNW		35	5		40
			SWNW		36	4		40
			SENW			12	25	37
			NESW			5		5
			NWSW			15		15
4N	25E	21	NENE			30		30
			NWNE			40		40
			SWNE			8		8
			NENW			36		36
			NWNW		15	17		32
			SENW			3		3
4N	25E	22	NWNE		7	5		12
			NENW		19	3		22
			NWNW		19	6		25
4N	26E	1	Lot 2 NWNE			16		16
			Lot 3 NENW		10	17		27
			Lot 4 NWNW		20	17		37
			SWNW			6		6
4N	26E	2	Lot 5 NENE			20		20
			Lot 6 NENE			18		18
			Lot 2 NWNE			40		40
			SWNE			20		20
			SENE			18		18
			Lot 7 & part of Lot 10 NENW		10	30		40
			Lot 8 & part of Lot 9 NWNW		14	26		40
			Part of Lot 9 SWNW		40			40
			Part of Lot 10 SENW		30			30
			NWSW			8		8

Description - Page 4

Town-ship	Range	Section	40-Acre Tract	Acres To Be Irrigated				Total
				1893	1906	1909	1968	
4N	26E	3	SWNE		5	35	40	
			SENE		25	22-10	37	40
			NESW		40	40		
			NWSW		40	40		
			SWSW		15	12	27	
			SESW		15	7	22	
			NESE			28	28	
			NWSE		20	18	38	
			SWSE			4	4	
4N	26E	7	NENE			40	40	
			NWNE			40	40	
			SWNE			40	40	
			SENE			35-38	35	38
			NESW			28	28	
			NWSW			39	39	
			SWSW			8	8	
4N	26E	8	NENE			40	40	
			NWNE			40	40	
			SWNE			24	24	
			SENE			5	5	
			NENW			40	40	
			NWNW			40	40	
			SWNW			40	40	
			SENW			35-37	35	37
5N	26E	15	SESW	23.8				23.8
			Lot 3 SWSE	5				5
5N	26E	22	Lot 2 SWNE	5				5
			Lot 1 SENE	20		18		38
			NESE	34.4				34.4
			NWSE	6.2		3.8		10.0
5N	26E	23	Lot 2 SWNE	21				21
			Lot 1 SENE	10				10
			Lot 7	1				1
			Lot 8	4	6			10
			Lot 4	20			22-20	37
			Lot 3	36				36
			NESW	40				40
			NWSW	40				40
			SWSW	6				6
			SESW		13.5	20		33.5
			NESE	29				29
			NWSE	26	11.6			37.6
			SWSE	12		23		35
			SESE	5	14.0	20		39
5N	26E	24	NESW	32				32
			SWSW	17	14.1		22-8.9	35-140
			SESW	27	3.7	9.3		40.0
			NESE	15		25		40.0
			NWSE	23 1/3	12.4 2.4			35.4 15.4
			SWSE	38 1/3				38.0 1/3
			SESE	28			22-12	38.0 1/0
5N	26E	25	NENE	24		16		40
			NWNE	34		5		37-39
			SWNE	30		10		40
			SENE	28		12		40
			NENW	34		5		37-39
			NWNW	22		22-12		35-34
			SWNW	5		30-34		35-34
			SENW	15	5	20		40
			NESW	20	12.7	7.3		40
			NWSW	21	5.2	12.8		39
			SWSW	27		13		40
			SESW	15		20		35
			NESE	8		22		30
			NWSE	5		32		37
			SWSE	10		8		18
			SESE	9				9

Town-ship	Range	Section	40-Acre Tract	Acres To Be Irrigated				
				1893	1906	1909	1968	Total
5N	26E	26 ¹	NENE		22.3		17.7	40
			NWNE	20	10		10	40
			SWNE		1.6		38.4	40
			SENE	10		30		40
			NENW	25		13		38
			NWNW	15		17		32
			SWNW			40.39.3		40
			SENW		1-2		38.840	1.2
			NESE	15	9.9	15.1		39.40
			SESE	15			5	20
5N	26E	27	NENE	19	0.5		20.5	40
			NWNE	6			34	40
5N	26E	35	NESE				40	40
			SESE			35	5	40
5N 26E	26E	36	NESW				38.10	38.40
			NWSW				40	40
			SWSW			30	10	40
			SESW			20	20	40
			NESE			38		38
			NWSE			20	120	37.40
			SWSE			27	3	30
			SESE				3	3
5N	27E	13	Lot 3 NESW	12				12
			Lot 4 NWSW		11			11
			SWSW		14	12		26.32
			SESW		13.6	14		27.6
			Lot 1 NESE	23.2				23.2
			Lot 2 NWSE	6	12			18
			SWSE		14	12		26
			SESE	3			12	15
5N	27E	14	SWSW	9	4.5			13.5
			SESW	10	3.2		5	18.2
			SWSE		7.6		22.4	30.0
			SESE		12		18	30.0
5N	27E	15	SWSE	2				2
			SESE	8				8
5N	27E	19	NESW	7				7
			SESW	36				36
			NESE				9	9
			NWSE	12				12
			SWSE	12			26	38
			SESE	5			35	40
5N	27E	20	SWNE	1				1
			SENE	6	4			10
			NESW	7				34.7
			NWSW	5			8.8	13.8
			SWSW	29			4	33
			SESW	26		8	5	39
			NESE	29			11	40
			NWSE	10.5			12	22.5
			SWSE	7			33	40
			SESE	5			30	35

4/20/83

Town- ship	Range	Section	40-Acre Tract	1893				1968	Total
				1893	1906	1909	1968		
5N	27E	21	NENE	30					30
			NWNE	20					20
			SWNE	29	3		8		40
			SENE	34		6			40
			NENW	2	4				6
			SWNE	29	2.4				31.4
			SENW	40					40
			NESW		14	6	14		34
			NWSW	12	8.6	11	8.4		40
			SWSW			5	8		13
			NESE			2			2
			NWSE			7	10		17
5N	27E	22	NENE	17		23			40
			NWNE	26		14			40
			SWNE		8.8	1.2			10
			SENE				8		8
			NENW	29			9		38
			NWNW	40					40
			SWNW	6	3.6	7	13.4		30
			SENW		16.5	5.5			22
5N	27E	23	NENE			7			7
			NWNE			8	5		13
			NENW		21.8	4.2			26
			NWNW		28.4	8			36.4
5N	27E	30	NWNE					40	40
			SENE					40	40
			NENW					40	40
			NWNW	21			19		40
5N	28E	17	NESE					3	3
			NWSE	29					29
			SWSE	10	23	7			40
			SESE	10				11	21
			NESW			21			21
			SWSW		1.7	6	14		21.7
			SESW		10.6	24			34.6
5N	28E	18	NESW	28	3	7			38
			NWSW	30		8			38
			SWSW			9			9
			SESW			6			6
			NESE		0.8		4		4.8
			NWSE	34		5			39
			SWSE			4			4
			SESE				2		2
5N	28E	20	NENE	5				30	35
			NWNE	5		10			15
				1,633.2		3,951.0		10,018.9	
					449.9			3,984.8	

1962 20.0 TOTAL 10038.9

RECEIVED
FEB 26 1969
STATE ENGINEER
SALEM, OREGON

10. (a) To supply the city of

..... County, having a present population of
(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 150,000.00

12. Construction work will begin on or before March 1, 1969

13. Construction work will be completed on or before May 15, 1969

14. The water will be completely applied to the proposed use on or before May 15, 1972

Maxwell C. Jones

Maxwell C. Jones, Secy.-Manager

Clarence Post

(Signature of applicant).

Clarence Post, Chairman

Remarks: Water to be diverted from the Umatilla River for lands described as
 primary when available and any deficiency to be made up by diversion from Columbia
 River. Water to be diverted from the Columbia River for irrigation of lands for
 which rights exist when there is not sufficient water available in the Umatilla
 River to satisfy these rights.

Item 6. (a)&(b). This dam was built by the Bureau of Reclamation in
 1914, and is known as the 3 mile diversion dam. Location is described
 under item 4 as diversion point from the Umatilla River.

STATE OF OREGON, {
 County of Marion, { ss.

This is to certify that I have examined the foregoing application, together with the accompanying
 maps and data, and return the same for correction.

In order to retain its priority, this application must be returned to the State Engineer, with correc-
 tions on or before January 20, 1969.

March 17th

69

WITNESS my hand this 18th day of October, 1968.
 15th January 69

RECEIVED
 FEB 26 1969 DEC 9 1968
 STATE ENGINEER SALEM, OREGON

CHRIS L. WHEELER
 STATE ENGINEER
 By *Chris L. Wheeler*
 ASSISTANT

PERMIT

STATE OF OREGON, {
 County of Marion, { ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,
 SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
 and shall not exceed 160.0 cubic feet per second measured at the point of diversion from the
 stream, or its equivalent in case of rotation with other water users, from from Umatilla River for
 irrigation and 90.0 cfs from Columbia River for supplemental irrigation.....

The use to which this water is to be applied is irrigation and supplemental irrigation.....

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per
 second or its equivalent for each acre irrigated and shall be further limited to a diversion of
 not to exceed 4½ acre feet per acre for each acre irrigated during the irrigation.....
 season of each year, provided further that the right allowed herein shall be limited
 to any deficiency in the available supply of any prior right existing for the same
 land and shall not exceed the limitation allowed herein.....

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

September 12, 1968 for 190.0 cfs

The priority date of this permit is February 26, 1969 for 60.0 cfs from Umatilla River.....

Actual construction work shall begin on or before April 9, 1970 and shall
 thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971.....

Extended to Oct. 1979

Complete application of the water to the proposed use shall be made on or before October 1, 1972.....

Extended to Oct. 1979

WITNESS my hand this 9th day of April , 1969..

STATE ENGINEER

Application No. 45384.
 Permit No. 33883

PERMIT

TO APPROPRIATE THE PUBLIC
 WATERS OF THE STATE
 OF OREGON

This instrument was first received in the

office of the State Engineer at Salem, Oregon,
 on the 12th day of September,

1968, at 8:00 o'clock A.M.

Returned to applicant:

April 9, 1969

Approved:
 Recorded in book No. of
 Permits on page 33883

CHRIS L. WHEELER
 STATE ENGINEER

Drainage Basin No. 7 page BB
 Fees 165.87