

RECEIVED
OCT 25 1968

STATE ENGINEER
SALEM OREGON

PRIME

74023

CERTIFICATE NO.

40572

76948 & 76949

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, SKYLINE FARMS, INC. (Name of applicant)

of Post Office Box 10, Ontario (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is SNAKE RIVER (Name of stream)

, a tributary of COLUMBIA RIVER

2. The amount of water which the applicant intends to apply to beneficial use is 29.93 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 390 ft. S. and 1990 ft. E. from the NW corner of Section 21, township 17 south, range 47 east of the Willamette Meridian (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the lot 1 (NW NE) of Sec. 21, Tp. 17 south, R. 47 east, W. M., in the county of Malheur (Give smallest legal subdivision) (N. or S.)

5. The pipeline to be 72,025 feet (Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the SE NW of Sec. 3, Tp. 18 south (Smallest legal subdivision) (N. or S.)

R. 46 east, W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction (Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 6 - 1500 HP short-coupled turbine (Size and type of pump)

pumps

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

lift - 440 ±

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

ATTACHMENT

Prime - Snake River

TOWN-SHIP	RANGE	SECTION	NE				NW				SE				SW				TOTAL ACRES		
			NE	NW	SE	SW	NE	NW	SE	SW	NE	NW	SE	SW	NE	NW	SE	SW			
17S	46E	2																			34
		1																			9
		3																			22
		4																			45
		9	40	40	40	34	40	17	24	9	40	10	40	10							344
		10					14	40	27	40	20	19	-	40	39	40	40	40			359
		11						6				10									41
		13																			43
		14																			23
		15					34	19													53
		16	4	7				17													28
		23	14	35±			15														76
		21																			80
		20																			40

RECEIVED
 MAR 17 1969
 STATE ENGINEER
 SALEM, OREGON

~~1186~~
 1197

10. (a) To supply the city of

..... County, having a present population of
(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... Same

12. Construction work will begin on or before

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before

[Handwritten Signature]
(Signature of applicant)

Remarks: This will complete the water right for the entire acreage of Skyline Farms. Additional acreage was acquired after submitting application 42408, permit 31231.

Note: Acreage outside the boundaries of Skyline Farms, Inc. will be deleted at the time of final proof.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Correction and Completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~January 14th~~ March 17th, 1969 69

WITNESS my hand this ~~14th~~ 16th day of ~~November~~ January, 1969 69

RECEIVED
MAR 17 1969
STATE ENGINEER
SALEM, OREGON

RECEIVED
JAN 14 1969
STATE ENGINEER
SALEM, OREGON

..... CHRIS. L. WHEELER STATE ENGINEER
By *[Handwritten Signature]* ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 29.9 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Snake River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 25, 1968

Actual construction work shall begin on or before April 9, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971

Complete application of the water to the proposed use shall be made on or before October 1, 1972

WITNESS my hand this 9th day of April, 1969

Chris L. Wheeler

STATE ENGINEER

Application No. 45490
Permit No. 33944

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of October, 1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

April 9, 1969

Recorded in book No. 33944 of Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 10 page 4C
Fees 17742

Refund 534
State Printing 98137