A26.90

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

Official desirability Official desirability Official desirability Official desirability Official desirability Official desirability If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is 1. The source of the proposed appropriation is 1. The amount of water which the applicant intends to apply to beneficial use is 2. The amount of water which the applicant intends to apply to beneficial use is 2. The use to which the water is to be applied is 1. The use to which the water is to be applied is 1. The point of diversion is located FOO ft. Intended to the control of the co	1, Tene 7. Belt and goyne Belt
And hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is 2. The amount of water which the applicant intends to apply to beneficial use is 2. The amount of water which the applicant intends to apply to beneficial use is 2. The use to which the water is to be applied is 3. The use to which the water is to be applied is 4. The point of diversion is located \$\overline{FOOD}\$ ft. \$\overline{E}\$ Solution \$\overline{A}\$ Solution \$\overline{A}	(Name of applicant)
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is	Of (Mailing address)
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is 2. The amount of water which the applicant intends to apply to beneficial use is 2. The amount of water which the applicant intends to apply to beneficial use is 2. The use to which the water is to be applied is (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is (If perfects is a possible give distance and bearing to section correct) (If there is more than one point of diversion as hours be described. The section correct) (If there is more than one point of diversion are model related) (If there is more than one point of diversion are model related) (If there is more than one point of diversion are model related) (If there is more than one point of diversion are model related) (If there is more than one point of diversion are model related) (If there is more than one point of diversion are model related application) (If there is more than one point of diversion are model and the section correct. (If there is no correct, managery is possible to the contents) (If there is no correct, managery is and the possible than the contents) (If there is no be pumped give general description and the contents of pumps)	State of
1. The source of the proposed appropriation is	following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
2. The amount of water which the applicant intends to apply to beneficial use is	If the applicant is a corporation, give date and place of incorporation
2. The amount of water which the applicant intends to apply to beneficial use is	
2. The amount of water which the applicant intends to apply to beneficial use is	1. The source of the proposed appropriation is
2. The amount of water which the applicant intends to apply to beneficial use is \$\int_{	· · · · · · · · · · · · · · · · · · ·
Cubic feet per second. (If wester is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is (frequition, bown, mining, manufacturing, domestic supplies, etc.) (4) The point of diversion is located \$\overline{DO}\$ ft. \$\overline{S}\$ S. and \$4.60. ft. \$\overline{S}\$ Accounty for the NE corner of SECTION 3.6. To S. \$\overline{S}\$ S. \$S	
**3. The use to which the water is to be applied is treatment meaning meaning demonstrate supplies, etc.) (4. The point of diversion is located \$500 ft. \$300 and \$400 ft. \$4	2. The amount of water which the applicant intends to apply to beneficial use is
**3. The use to which the water is to be applied is treatment meaning meaning demonstrate supplies, etc.) (4. The point of diversion is located \$500 ft. \$300 and \$400 ft. \$4	cubic feet per second. (If water is to be used from more than one source, give quantity from each)
(If there is more than one point of diversion, sive distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NEM NEM Of Sec. 36 Tp. 25 (Cive ma) (R. or w.) (R. o	**3. The use to which the water is to be applied is
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NEW MEY of Sec. 36 Tp. 25 R. 5W, W. M., in the country of Annual Completed in least subdivision (in length, terminating in the Gamaliest legal subdivision) X 5. The Land Mash dich, canal or pipe line) (Mash dich, canal or pipe line) (M. or 8.) R	(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NEW MEY of Sec. 36 Tp. 25 R. 5W, W. M., in the country of Annual Completed in least subdivision (in length, terminating in the Gamaliest legal subdivision) X 5. The Land Mash dich, canal or pipe line) (Mash dich, canal or pipe line) (M. or 8.) R	4) The point of diversion is located 500 ft. Soutand 460 ft. Swelfrom the NE
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NELL NELL of Sec. 36., Tp. 25 (Give smallest legal subdivision) R. 5W, W. M., in the county of New York. (Standard sites), canal or pipe line) (Rath ditch, canal or pipe line) (Rath dit	corner of Section 36 t as R5w yamlill county
being within the NEWN EA of Sec. 36 , Tp. 25 R. 5W, W. M., in the county of (Cive smallest legal subdivision) X 5. The fength (Smallest legal subdivision) R. (Smallest legal subdivision) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and site of openings)	(Section or subdivision)
being within the NEWN EA of Sec. 36 , Tp. 25 R. 5W, W. M., in the county of (Cive smallest legal subdivision) X 5. The fength (Smallest legal subdivision) R. (Smallest legal subdivision) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and site of openings)	
being within the NEWN EA of Sec. 36 , Tp. 25 R. 5W, W. M., in the county of (Cive smallest legal subdivision) X 5. The fength (Smallest legal subdivision) R. (Smallest legal subdivision) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and site of openings)	
being within the NEWN EA of Sec. 36 , Tp. 25 R. 5W, W. M., in the county of (Cive smallest legal subdivision) X 5. The fength (Smallest legal subdivision) R. (Smallest legal subdivision) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and site of openings)	
being within the NELL NEXT of Sec. 36 Tp. 25 R. 5W, W. M., in the county of (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Miles or feet) (Miles or feet) (In length, terminating in the (Simallest legal application) (R. or W.) (R. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	and preferable, give distance and bearing to section corner)
R. 5 W., W. M., in the county of Yam h. (E. or W.) X 5. The Length of Jam Main Length to be Associated (Miles or feet) in length, terminating in the (Smallest legal subdivision) R. W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonary rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Tumber, concrete, etc., number and size of openings)	,
X 5. The fength, families of pipe line) to be feet (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. Tp. (N. or S.) R. (R. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry rock and brush, timber crib, etc., westeway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	being within the
X 5. The fength, families of pipe line) to be feet (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. Tp. (N. or S.) R. (R. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry rock and brush, timber crib, etc., westeway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	R. 5W, W. M., in the county of Yam hill
in length, terminating in the	X 5. The fength of In main time to be 2850 feet (Miles or feet)
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry) rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	in length, terminating in the
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry) rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 30 Hour lentified Pum (Size and type of pump)	
Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	(E. or W.)
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description North Concrete for pump)	
feet; material to be used and character of construction (Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	
(b) Description of headgate	
(b) Description of headgate	
(c) If water is to be pumped give general description 30 House centuried Pun. (Size and type of pump)	rock and brush, timber crib, etc., wasteway over or around dam)
	(b) Description of headgate
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	(c) If water is to be pumped give general description 30 House Centrified Pump)
	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the Stete Engineer, Salem, Oregon.

10. (a) To supply the city of	,	••••••••••••	······································	***************************************	
(Name of)	g a present p	oopulation of		••••••	·····
d an estimated population of .f		. in 19	•		
(b) If for domestic use state n	umber of fa	milies to be su	pplied		
·		3, and 14 in all cases)	· · · · · · · · · · · · · · · · · · ·		
11. Estimated cost of proposed work				1 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
- Color	·	_	c 0	r a"	
12. Construction work will begin or					•••••
13. Construction work will be comp	,	. •			
14. The water will be completely ap	plied to the p	proposed use or	or before	Juno 1, 19	7/
		φ ~ 1	~ 0.#	<u>N</u>	
) .	x . I Zene Z!	, Bell	Joyce	Bel
	h.			присти	
Remarks:					
			<u> </u>		•••••••
······································	*******************		••••••		•••••
	,				••••••
		•••••••••••••	***************************************	•••••••••	
		•••••		•••••	
		**			4
· · · · · · · · · · · · · · · · · · ·	·	•••••••••••			***************************************
· · · · · · · · · · · · · · · · · · ·		•••••••••••••••••••••••••••••••••••••••			
		A			
		· · · · · · · · · · · · · · · · · · ·	•••		
TATE OF OREGON, ss.		; 		•	
County of Marion,					
This is to certify that I have exam	nined the for	regoing applica	tion, togeth	e r with the ac	companyi
aps and data, and return the same for .					•••••
					•••••
In order to retain its priority, this	application	must be return	ed to the St	ate Enginee r ,	with corre
ons on or before	, 1	9	• • • • • • • • • • • • • • • • • • • •		
•	1		de,		
***************************************	•	;			•
WITNESS my hand this	. day of		•••••		19
					•
	4.				

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same,

SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:
The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed
stream, or its equivalent in case of rotation with other water users, from North Yamhill River
The use to which this water is to be applied is irrigation
If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed $2\frac{1}{2}$ acre feet per acre for each acre irrigated during the irrigation
googen of each week
season of each year,
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The priority date of this permit isNovember 14, 1968
Actual construction work shall begin on or before May 23, 1970 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.71
Complete application of the water to the proposed use shall be made on or before October 1, 1972
WITNESS my hand this 23rd day of May ,1969
Charles Engineer
the the same of th
PUBLIC ATE PUBLIC ATE Ceived in the Ceived
PUBLIA PUBLIA NATE M. M. M. M. M. M.
MIT THE STATE EGON S. first receive RECON Ock. A. M. Ock. A. M. 33975 33975 33975 A. Page
No. 455 No. 455 339 STANIT IATE THE STOREGON Was first re ugineer at S of 100k Cho. 23, 1969 ENS. L. WHE RIS. L. WHE Z. T. Z. T.
PERMIT PERMIT PERMIT APPROPRIATE TH WATERS OF THE SOF OREGON OF OREGON OF OREGON OF State Engineer at A day of Mo Ito applicant: Ito applicant: A day of Mo A da
PER Permit No. Permit No. Permit No. APPROPRIA' WATERS OF
Application Permit No. Permit No. OF WATERS OF instrumen
This office of the conthe Approx Approx Permitts Fees