

STATE ENGINEER
SALEM OREGON

*APPLICATION FOR PERMIT

ASSIGNED, See Misc. Rec., Vol. 4 Page 2241

To Appropriate the Public Waters of the State of Oregon

I, Bill Rees,
(Name of applicant)
of Rt. 4, Box 1087,
(Mailing address) Roseburg,
State of Oregon 97470, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is 2 Unnamed Streams and nine Springs,
(Name of stream)
a tributary of Lookingglass Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.76 cfs
cubic feet per second. See Attached Sheet
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation: 0.70; Stk: 0.05; Dom: 0.01
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the
(N. or S.) (E. or W.)
corner of See attached Sheet
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the of Sec. , Tp. 27S.
(Give smallest legal subdivision) (N. or S.)

R. 7W., W. M., in the county of Douglas
(E. or W.)

5. The Pipe Line to be one mile
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SE 1/4 NW 1/4 of Sec. 32, Tp. 27S.
(Smallest legal subdivision) (N. or S.)

R. 7W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description electric - have not obtained yet
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

33987
RECEIVED
 NOV 22 1968
 STATE ENGINEER
 SALEM OREGON

Supplemental Sheet

Bill Rees, Route 4, Box 1087, Roseburg, Oregon 97470

- #2. Unnamed stream #1 0.60 cfs. primary irrigation, 0.005 cfs. stock
- Unnamed stream #2 0.10 cfs. primary irrigation 0.005 cfs. stock
- spring #3 0.11 cfs. supplemental irrigation, 0.005 cfs. stock
- spring #4 0.01 domestic for one family
- spring #5 0.11 cfs. supplemental irrigation, 0.005 cfs. stock
- spring #6 0.11 cfs. supplemental irrigation, 0.005 cfs. stock
- spring #7 0.11 cfs. supplemental irrigation, 0.005 cfs. stock
- spring #8 0.11 cfs. supplemental irrigation, 0.005 cfs. stock
- spring #9 ~~0.11 cfs. supplemental irrigation~~ 0.005 cfs. stock
- spring #10 0.005 cfs. stock
- spring #11 0.11 cfs. supplemental irrigation, 0.005 cfs. stock

The irrigation requirement will be 0.70 cfs. The water will pre-dominately be used from the two unnamed streams, but during the summer low flows, the supply must be supplemented by the springs. (Numbers 3, 5, 6, 7, 8, & 11.) The water from all sources will be gravity flow, piped to a holding pond (as shown on the enclosed map) and pumped onto the fields.

#4. Source	Number	Feet N. Or S.	Feet E. or W.	$\frac{1}{4}$ Section
Unnamed str.	1	1040 feet South	2680 feet West	NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 31
Unnamed str.	2	35 feet south	1100 feet West	NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 31
spring	3	180 feet south	2690 feet west	NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 31
spring	4	1020 feet south	1470 feet west	NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 31
spring	5	1030 feet south	1640 feet west	NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31
spring	6	1020 feet south	1600 feet west	NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31
spring	7	1030 feet south	1530 feet west	NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31
spring	8	860 feet south	1980 feet west	NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31
spring	9	1780 feet south	1360 feet west	SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31
spring	10	1930 feet south	1380 feet west	SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31
spring	11	160 feet north	240 feet east	SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 29

All from corner common to sections 29, 30, 31, and 32, Township 27 South, Range 7 West, W.M., Douglas County.

Application No. 45554
 Permit No.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	
27S.	7W.	32	NW ¹ / ₄ SW ¹ / ₄	0.6 acre	
			NW ¹ / ₄ NW ¹ / ₄	13.2 dom. & stock	
			SW ¹ / ₄ NW ¹ / ₄	29.8	
			SE ¹ / ₄ NW ¹ / ₄	10.2	
		31	NE ¹ / ₄ NW ¹ / ₄	2.2	
			NE ¹ / ₄ NE ¹ / ₄	stock	
			NW ¹ / ₄ NE ¹ / ₄	stock	
			SE ¹ / ₄ NE ¹ / ₄	stock	
			29	SW ¹ / ₄ SW ¹ / ₄	stock
				SE ¹ / ₄ SW ¹ / ₄	stock
				<u>56.0</u>	

(If more space required, attach separate sheet)

(a) Character of soil clay loam

(b) Kind of crops raised pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before one year after issued

13. Construction work will be completed on or before 10-1-70

14. The water will be completely applied to the proposed use on or before 10-1-71

W. R. (Bill) Rees

(Signature of applicant)

Remarks: stock will consist of 8-10 horses and 400 cattle.

Legal description already filed under Application 30653, Permit

No. 24172; Certificate 29344 in the name of R.E. Denzel.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.76 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from two unnamed streams and nine springs with any deficiency in the available supply from unnamed streams for irrigation to be made up by appropriation of 0.11 cfs from each of springs No. 3, 5, 6, 7, 8, 10 and 11 provided that the total quantity diverted from all sources shall not exceed 0.70 cubic foot per second for irrigation

The use to which this water is to be applied is irrigation, domestic use of one family and stock being 0.60 cfs from stream No. 1 and 0.10 cfs from stream No. 2 for irrigation, 0.01 cfs from spring No. 4 for domestic and 0.005 cfs from each of streams No. 1 and 2, springs No. 3, 5, 6, 7, 8, 9, 10 and 11 for stock

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 22, 1968

Actual construction work shall begin on or before May 23, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971

Complete application of the water to the proposed use shall be made on or before October 1, 1972

WITNESS my hand this 23rd day of May, 1969

Chris L. Wheeler

STATE ENGINEER

Application No. 45554
Permit No. 33987

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22nd day of November, 1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

May 23, 1969

Recorded in book No. 33987 of Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 16 page 371
Fees \$33.90