

RECEIVED
JAN 21 1969
STATE ENGINEER
SALEM OREGON

Permit No. 34077

SUPERSEDED
CERTIFICATE NO. 46661

*APPLICATION FOR PERMIT

CERTIFICATE NO. 46661

To appropriate the Public Waters of the State of Oregon

I, Green Valley Farms
(Name of applicant)
of Box 709, Myrtle Creek,
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Umpqua River
(Name of stream)
a tributary of Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 1.35 cfs.
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 500 ft. N. and 530 ft. E. from the N $\frac{1}{2}$
(N. or S.) (E. or W.)
corner of Section 18
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 7, Tp. 30S.
(Give smallest legal subdivision) (N. or S.)

R. 14W., W. M., in the county of Douglas
(E. or W.)

5. The pipeline to be 1 mile
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 18, Tp. 30S.
(Smallest legal subdivision) (N. or S.)

R. 14W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
..... feet; material to be used and character of construction

(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 50 H.p. Electric
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

31033

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
30S.	4W.	18	NW ¹ / ₄ NE ¹ / ₄	8.0 ac.
			SW ¹ / ₄ NE ¹ / ₄	40.0
			NW ¹ / ₄ SE ¹ / ₄	40.0
			SW ¹ / ₄ SE ¹ / ₄	20.0
				<u>108.0</u>

(If more space required, attach separate sheet)

(a) Character of soil loam and clay

(b) Kind of crops raised pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.35 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Umpqua River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 27, 1968

Actual construction work shall begin on or before July 17, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971

Complete application of the water to the proposed use shall be made on or before October 1, 1972

WITNESS my hand this 17th day of July, 1969

Chris L. Wheeler
STATE ENGINEER

96

Application No. 45673

Permit No. 34077

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of December, 1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

July 17, 1969

Recorded in book No. 34077 of

Permits on page 34077

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 16 page 30K
Fees \$30.90