

To appropriate the Public Waters of the State of Oregon

I, Wm. Wayne Crow (Name of applicant)
of 502 Greenwood St., Enterprise (Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Prairie Creek a Tributary of (Name of stream)
Wallowa River, a tributary of Grande Ronde River

2. The amount of water which the applicant intends to apply to beneficial use is 1/40
cubic feet per second. per acre but not to exceed 5 1/2 acre feet during any season.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation of lawn
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

Bears S 22° 20' W. 794.6 feet
4. The point of diversion is located ft. (N. or S.) and ft. (E. or W.) from the N 1/4
corner of Sec. 2, T 2 S., R 44 E.W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the NE 1/4 NW 1/4 of lot 3 (Give smallest legal subdivision) of Sec. 2, Tp. 2 S.
R. 44 E., W. M., in the county of Wallowa (N. or S.)

5. The Pipe line (Main ditch, canal or pipe line) to be 150 feet (Miles or feet)
in length, terminating in the NE 1/4 NW 1/4 (Smallest legal subdivision) of Sec. 2, Tp. 2 S.
R. 44 E., W. M., the proposed location being shown throughout on the accompanying map. (N. or S.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
..... feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate No headgate is required, as water will be pumped
directly from stream (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Make of pump Sta Rite
Centrifugal type, electric, with a total head of 30 gallons per minute (Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of
..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 175.00

12. Construction work will begin on or before Is completed

13. Construction work will be completed on or before Is completed

14. The water will be completely applied to the proposed use on or before Has been applied

Wm. Wayne Brown
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Prairie Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 8, 1969

Actual construction work shall begin on or before July 17, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971.

Complete application of the water to the proposed use shall be made on or before October 1, 1972.

WITNESS my hand this 17th day of July, 1969

Chris L. Wheeler
STATE ENGINEER

PK

Application No. 45695
Permit No. 34089

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 8th day of January, 1969, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

July 17, 1969

Recorded in book No. _____ of _____

Permits on page 34089

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 8 page 38B

Fees \$ 20.00