

10. (a) To supply the city of

..... County, having a present population of
(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied two families

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$500.....

12. Construction work will begin on or before February 1, 1970.....

13. Construction work will be completed on or before October 1, 1971.....

14. The water will be completely applied to the proposed use on or before October 1, 1972.....

Umar Kivunen
Frank Hustad
(Signature of applicant)

Remarks: Water from spring is to be shared equally between the two parties.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Correction.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before March 24th....., 1969....

WITNESS my hand this ...24th..... day ofJanuary....., 1969....

RECEIVED
JAN 28 1969
STATE ENGINEER
SALEM, OREGON

.....CHRIS L. WHEELER.....
STATE ENGINEER
By *Larry W. Jebousek*
Larry W. Jebousek ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed spring with any deficiency in the available supply from unnamed spring to be made up by appropriation from an unnamed stream provided that the total quantity diverted from both sources shall not exceed 0.01 cubic foot per second

The use to which this water is to be applied is domestic use of two families

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated _____

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 17, 1969

Actual construction work shall begin on or before July 17, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971.

Complete application of the water to the proposed use shall be made on or before October 1, 1972.

WITNESS my hand this 17th day of July, 1969.

Chris L. Wheeler
STATE ENGINEER

Application No. 45711
Permit No. 34102

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of January, 1969, at 8:00 o'clock A. M.

Returned to applicant:

Approved: _____
July 17, 1969

Recorded in book No. _____ of _____
Permits on page 34102

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 17 page 4K
Fees 25.00