

## \*APPLICATION FOR PERMIT

CERTIFICATE NO. 46268

## To Appropriate the Public Waters of the State of Oregon

f Forkale, Vegon  Challes educated  Oregon  As the eff Oregon, As the proposed appropriate the ollowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is	I,	Middle Fork Irriga				
Nate of Oregon ,do hereby make application for a permit to appropriate the collowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation	of	Parkdale, Oregon			*****************************	**
ollowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is		,				
If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is Eliot Creek and Clear Creek  The advance of the proposed appropriation is Eliot Creek and Clear Creek  The advance of the proposed appropriation is Eliot Creek and Clear Creek  (It was to be used from the control of the Eliot Eliot Creek of this Hood River  2. The amount of water which the applicant intends to apply to beneficial use is 2575  (at water is to be used from more than one source, give quantity from each)  **3. The use to which the water is to be applied is Irrigation  (Irrigation power, mining, manufacturing, donestic copplies, etc.)  4. The point of diversion is located ft						
1. The source of the proposed appropriation isEliot_Creekand Clear Creek			•			
	If the a	pplicant is a corporation,	give date and pid	се ој тсотротан	on	***************************************
	***************************************		•••••••••••••			1_
2. The amount of water which the applicant intends to apply to beneficial use is			•		(Name of stream)	
ubic feet per second. 1 cubic feet from Slict Crock and 1.75 from Clear Crack.  (If water it to be used from more than one source, give quantity from each)  **3. The use to which the water is to be applied is  Irrigation (treation, power, mining, manufacturing, domestic supplies, etc.)  4. The point of diversion is located ft. and ft. ft. from the corner of from the corner of corner			, a tribuţarı	ofMiddle F	ork of the Hood	River
**3. The use to which the water is to be applied is	2. The	amount of water which th	e applicant inten	ds to apply to ben	eficial use is	······
4. The point of diversion is located	ubic feet per	secondl cubic fee	t from Eliot C	reck and 4.75	from Clear Cree	k
Point of Diversion is a point on the Glacier Ditch which is 800! North of the N.W. Cor. of Sec. 30, TlS, Rl0 EMM.  Eliot Creek 2400! S & 125! F from N cor. of Sec. 26 & within SW NE Sec. 26, T (H preferable, give distance and bearing to section corner) (Permit 2 Clear Creek 425! S & 2220! M from NE cor. of Sec. 27 & within NM NE Sec. 27, T (U there is more than one point of diversion, each must be described. Use separate sheet if necessary) (Permit 277 teing within the (Give smallest legal subdivision) of Sec. 7, Tp. (N. or S.)  8	**3. The		,	-		supplies, etc.)
Point of Diversion is a point on the Glacier Ditch which is 800' North of the N.W. Cor. of Sec. 30, T 15, R 10 EMW.  Eliot Creek 2400' S & 125' F from M cor. of Sec. 26 & Within SW NE A Sec. 27, T (If preferable, give distance and bearing to section corner) (Permit 2 Clear Creek 425' S & 2220' M from M cor. of Sec. 27 & Within NW Hd Sec. 27, T (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (Permit 277 eeing within the (Give smallest legal subdivision) of Sec, Tp,  R	4. The	point of diversion is loca	ted ft	and	ft from	the
Point of Diversion is a point on the Glacier Ditch which is 800' North of the N.W. Cor. of Sec. 30, T 15, R 10 EMW.  Eliot Creek 2400' S & 125' From M. cor. of Sec. 26 & Within SW. NE. Sec. 26, T. M. preferable, give distance and bearing to section corner. (Permit 2 Clear Creek 425' S & 2220' M. from M. cor. of Sec. 27 & Within N.M. M. Sec. 27, 3. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (Permit 270 eeing within the (Give smallest legal subdivision) of Sec, Tp,  R	orner of		(Section	or subdivision)		
Eliot Creek 2400' S & 125' F from No. cor. of Sec. 26 & within Sw. NE., Sec. 26, 10 preferable, give distance and bearing to section corner)  Clear Creek 425' S & 2220' M from No. cor. of Sec. 27 & within Sw. NE. Sec. 27, 3 (It there is more than one point of diversion, each must be described. Use separate sheet if necessary)  eing within the (Give smallest legal subdivision) of Sec. , Tp. (N. or S.)  c. (E. or W.)  7. (Main ditch, canal or pipe line) (Milles or feet)  n length, terminating in the (Smallest legal subdivision) of Sec. , Tp. (N. or S.)  c. (E. or W.)  DESCRIPTION OF WORKS  Diversion Works— Existing Middle Fork Irrigation System will be used.  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, sock and brush, timber crib. etc., wasteway over or around dam)  (b) Description of headgate (C. If water is to be pumped give general description (Size and type of pump))	P	oint of Diversion is	a point on th	e Glacier Dito	h which is 800!	North of
Clear Creek	th	e N.W. Cor. of Sec.	30, T ls, R 10	EWW.		
Clear Creek 4251 5 2 2201 M from NN GOX and Section Cox 27 3. Sec.	Eliot Cre	ek 2400'S & 125'	E from Na cor	. of Sec. 26 &	within SW1 NE1	. Sec.26. T
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (Permit 277  (Permit 277  (Permit 277  (R		(If prefer	rable, give distance and be	of Sec. 27 &	rothin MMN NES	(Permit 2
R, W. M., in the county of Hood River  5. The		(If there is more than one point	of diversion, each must b	e described. Use separate	sheet if necessary)	(Permit 277
(E. or W.)  5. The (Main ditch, canal or pipe line) (Miles or feet)  n length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.)  R. (E. or W.)  DESCRIPTION OF WORKS  Diversion Works— Existing Middle Fork Irrigation System will be used.  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, ock and brush, timber crib. etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)						(N. or S.)
n length, terminating in the	(E. or W.)					,
DESCRIPTION OF WORKS  Diversion Works— Existing Middle Fork Irrigation System will be used.  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, ock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description (Size and type of pump)	5. The	(Main ditch, c	anal or pipe line)	to be	(Miles or feet	)
DESCRIPTION OF WORKS  Diversion Works— Existing Middle Fork Irrigation System will be used.  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, bock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description (Size and type of pump)	n length, ter	minating in the	naliest legal subdivision)	of Sec	, Tp	(N. or S.)
Diversion Works— Existing Middle Fork Irrigation System will be used.  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, ock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description (Size and type of pump)						
Diversion Works— Existing Middle Fork Irrigation System will be used.  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, ock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description (Size and type of pump)	(2.01 )	<b>"</b>	DESCRIPTION (	TE MODES		
feet; material to be used and character of construction  (Loose rock, concrete, masonry, ock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate	Diversion Wo				ill be used.	
(b) Description of headgate	6. (a)	Height of dam	feet, leng	th on top	feet, leng	th at bottom
(b) Description of headgate	***************************************	feet; material to be us	ed and character	of construction	<i>a</i>	
(b) Description of headgate			•			
(c) If water is to be pumped give general description(Size and type of pump)		ber crib, etc., wasteway over or aroun	d dam)			
	(U) De	screption of nearytte	(Tim	ber, concrete, etc., numbe	r and size of openings)	*****************
			. <i>!</i>		* ,	***************************************
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	(c) If t	water is to be pumped giv	e general descript	tion	(Size and type of pump)	*
		(Size and type of en	gine or motor to be used.	total head water is to be l	ifted, etc.)	••••••

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

<sup>\*\*</sup>Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

	feet; depth of u	oater	feet; grade	feet fall per
sand feet. (b) At		miles from hed	adgate: width on top (at wat	er line)
		•	feet; depth of	•
	feet fal			water
(c) Length	h of pipe,	ft.; s	sizę at intake,	in.; size at
ı intake	in.;	size at place of	f <b>u</b> se in.; di	fference in elevation betu
ke and place	of use,	ft. Is	grade uniform?	Estimated capa
8. Locatio		rrigated, or pla	ice of use	
Township	Range E. or W. of Williamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1S	10 EWM	Sec. 30	NW <sup>1</sup> / <sub>4</sub> NW <sup>1</sup> / <sub>4</sub> -	37 acres
			NE NW	5 acres
			SW <sup>1</sup> / <sub>4</sub> NW <sup>1</sup> / <sub>4</sub>	5 acres
			<del> </del>	
		•		
	. ,		<u> </u>	:
			<u> </u>	
		-		
		<del></del>		
	,			
(a) Ch	amantan of soil		equired, attach separate sheet)	•
			•	
		dd	Tree Farm	•
	g Purposes—		Janas	
•			eloped	
(b) Q1	uantity of water	to be used fo <del>r</del> p	owers	ec. ft.
(c) To	otal fall to be uti	lized	feet.	
			s of which the power is to be	e developed
(e) Si	ich works to be l	ocated in	(Legal subdivision)	of Sec
(No. N. or	, R	, W. M	<b>.</b>	
(f) Is	water to be retu	rned to any str	ream?(Yes or No)	
•			int of return	
			, Tp(No. N. or S.)	

	(a) To supply the city	J)			
		ty, having a pres	sent population of .		
i an es	stimated population of !		in 10		
an es					
•	(b) If for domestic use	state number o	of families to be su	ıpplied	
egra. Austri		(Answer questions 1	1, 12, 13, and 14 in all cases)	other and a second	
11	Estimated cost of propos	sed works \$ 12	2.000.00		
				<b>₽</b>	
12.	Construction work will	begin on or before	re		
13.	Construction work will	be completed on	l/ot/yesøtgApr	il 1968	•
14.	The water will be comp	letely applied to	the proposed use o	n or before hay	1971
		appara se	• • • • • • • • • • • • • • • • •		
• <b></b>				K IRRIGATION DIS	
		•	•	(Signature of applicant)	***************************************
				ubert, Manager	
D.			,		,
Re	emarks:				
•••••					,
			•	•	
			v : 1.5	20 m	
		,,			
			••••••		
			••••••		
	,				
·					
				•	
				*	
	,	4.			
•••••			••••••		***************************************
ATE	OF OREGON, )		:		
	ss.		<b>;</b>		
TATE	OF OREGON				
	>ss.		:		
	his is to certify that I h	ane eramined +h	ne foregoing applic	ation together with	the accompany
ips an	ed data, and return the s	ame forCorr	ection and Com	Terron	
••••••		•••••			
". 7-	n order to retain its prio	rity this applies	ition must he meter	ned to the State Fm	ringer with corr
. 17	i order to retain its prio	ruy, this applied	nion must de tetut	neu to the State Eng	jmeer, with cott
ons on	or beforeMarch31	st	, 1969		
		l l		•	



CHRIS L. WHEELER

Larry W. Jebousek

ASSISTANT

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The	e right herein gra		·	-	ater which can b		beneficial use
	not exceed						
	r its equival <del>en</del> t in				•	-	
	being 0.1 cfs						
	***************************************		•			·	*******************************
The	e use to which thi	s water is to be	applied	is irrigat	ion		
	or irrigation, this						-
second or	its equivalent for	each acre irriga	ted	d shall be	further limi	ted to a di	version of
not to	exceed 4 acre	feet per acr	e for	each acre	irrigated dur	ing the irr	rigation
season	of each year,						
	•••••			••••	***************************************		***************************************
•••••		***************************************		*****			*******
				,			
		•				•	
••••••	•		•••••••	·	······································		······································
***************************************			•••••••				
	be subject to such		•	Tame	be ordered by the	se proper state	officer.
	ual construction				July 17, 1	.970	and shall
	r be prosecuted w						
						t	
	nplete application	•					оет 1, 19
WI	TNESS my hand	thisIIII	day	ofا		, 19.69	
					the Z ghand	ST	ATE ENGINEER
				. :			
Application No. 42711.	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22 net day of	<b></b> : II	Returned to applicant:	Approved: July 17, 1969	Recorded in book No	Drainage Basin No. 11 page 26  Fees 22 52

2