

RECEIVED  
FEB 14 1969

STATE ENGINEER  
SALEM, OREGON

\*APPLICATION FOR PERMIT

CERTIFICATE NO. 40663

# To appropriate the Public Waters of the State of Oregon

I, U. S. Bureau of Land Management  
(Name of applicant)

of P. O. Box 151, Lakeview  
(Mailing address)

State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Schnipps Spring  
(Name of stream)

01-R-658, a tributary of Miller Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.0016  
cubic feet per second.  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is livestock, wildlife, and recreation  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 422 ft. S and 3274 ft. W from the NE  
(N. or S.) (E. or W.)  
corner of Sec. 25, T39S, R13E, W.M.  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 of Sec. 25, Tp. 39S,  
(Give smallest legal subdivision) (N. or S.)

R. 13E, W. M., in the county of Klamath  
(E. or W.)

5. The stock tank Spring box to be at spring site  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the \_\_\_\_\_ of Sec. \_\_\_\_\_, Tp. \_\_\_\_\_,  
(Smallest legal subdivision) (N. or S.)

R. \_\_\_\_\_, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

## DESCRIPTION OF WORKS

### Diversion Works—

6. (a) Height of dam \_\_\_\_\_ feet, length on top \_\_\_\_\_ feet, length at bottom \_\_\_\_\_ feet; material to be used and character of construction \_\_\_\_\_  
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate \_\_\_\_\_  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description \_\_\_\_\_  
(Size and type of pump)  
\_\_\_\_\_  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.  
\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 642.00 .....
- 12. Construction work ~~will begin~~ <sup>began</sup> on ~~or before~~ 9/20/66 .....
- 13. Construction work ~~will be completed~~ <sup>will be</sup> on ~~or before~~ 11/11/66 .....
- 14. The water will be completely applied to the proposed use on or before 11/11/66 .....

(Signature of applicant)

Donald H. Getty, Acting District Manager

Remarks: .....


STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... completion .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 21st, 1969.

WITNESS my hand this 19th day of February, 1969.

**RECEIVED**  
FEB 25 1969  
STATE ENGINEER  
SALEM, OREGON

By  Larry W. Jebousek ASSISTANT  
CHRIS L. WHEELER STATE ENGINEER

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.002 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Schnippa Spring

The use to which this water is to be applied is stock and wildlife

If for irrigation, this appropriation shall be limited to \_\_\_\_\_ of one cubic foot per second or its equivalent for each acre irrigated \_\_\_\_\_

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 14, 1969

Actual construction work shall begin on or before August 25, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971

Complete application of the water to the proposed use shall be made on or before October 1, 1972

WITNESS my hand this 25th day of August, 1969

*Chris L. Wheeler*

STATE ENGINEER

Application No. 45776  
Permit No. 34171

**PERMIT**  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14<sup>th</sup> day of FEBRUARY, 1969, at 8:00 o'clock A. M.

Returned to applicant:

Approved: \_\_\_\_\_  
August 25, 1969

Recorded in book No. \_\_\_\_\_ of \_\_\_\_\_  
Permits on page 34171

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 14 page 16H  
Fees \$25.00

pc