## MAR 17 1969 STATE ENGINEER SALEM. OREGON

\*APPLICATION FOR PERMIT

CERTIFICATE NO. 46446

## To Appropriate the Public Waters of the State of Oregon

•	I, Hilbert - Sim Farms, Inc. (Name of applicant)
_	Rt. 4, Box 415, Albany (Mading address)
State	of
f <b>o</b> llou	ving described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
	If the applicant is a corporation, give date and place of incorporation
•	Willamette River
	1. The source of the proposed appropriation is Lake Creek (Name of stream)
······································	Columbia River , a tributary of Willamette River
	2. The amount of water which the applicant intends to apply to beneficial use is 5.855 5.72375
	feet per second 21.955 CFS from Willamette River 0.9 from Lake Creek  (If water is to be used from more than one source, give quantity from each)
***	*3. The use to which the water is to be applied is
	4. The point of diversion is located ft and ft from the
corne	r of No. 1 - in SE% of SE% of S. 18 and N. 55° W. 1550 feet from SE corner S. 18;
	(Section or subdivision) 2 - in SW% of SW% of S. 17 and 22° E. 1250 feet from SW corner S. 17; No. 3 - in
SE¼ (	of SE% of S. 18 and N. 79° W. 1150 feet from SE corner S. 18; No. 5 - in NE% of SW
of S.	. 20 and S. 75° E. 1800 feet from NW corner of SW% of S. 20 (M preferable, give distance and bearing to section corner)
••••••	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being	within the
	W. M., in the county ofLinn
٠ ٧	5. The
	gth, terminating in the of Sec, Tp,  (Smallest legal subdivision) (N. or S.)
ા દરમ	
R	DESCRIPTION OF WORKS
R	DESCRIPTION OF WORKS
R Diver	DESCRIPTION OF WORKS sion Works—  6. (a) Height of dam feet, length on top feet, length at bottom
R Diver	DESCRIPTION OF WORKS
R	DESCRIPTION OF WORKS  sion Works—  6. (a) Height of dam feet, length on top feet, length at bottom  feet; material to be used and character of construction  brush, timber crib, etc., wasteway over or around dam)
R	DESCRIPTION OF WORKS  sion Works—  6. (a) Height of dam feet, length on top feet, length at bottom  feet; material to be used and character of construction  brush, timber crib, etc., wasteway over or around dam)
R	DESCRIPTION OF WORKS  sion Works—  6. (a) Height of dam feet, length on top feet, length at bottom  feet; material to be used and character of construction  (Loose rock, concrete, masonry,
R	DESCRIPTION OF WORKS  sion Works—  6. (a) Height of dam feet, length on top feet, length at bottom  feet; material to be used and character of construction (Loose rock, concrete, masonry,  a brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

<sup>\*\*</sup>Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem,

(i) The nature of the mines to be served .....

2.0 sec. ft.

8. Location of area to be irrigated, or place of use (See below)

_	Township North or South	Range E. or W. of Williamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
Willamet	te River 13 S	4 W ,	18	SW% of NE%	16.0
	13 S	4 W	18	SE% of NE%	14.6
;	13 S	. 4 W	18	NE% of SE%	25.0
,	13 S_	4 W	18	NW% of SE%	26.8
_	13 S	4 W	18	SW% of SE%	10.0
	13 S	. 4 W	18	SE% of SE%	10.0
			•		102.4 _
-				QUM/ a NUM/	27.0
No. 2	13 S	4 W	17	SW¼ of NW¼	23.0
	13 S	4 W	17	SE% of NW%	1.0
	13 S	4 W	17	NW% of SW%	30.5
	13 S	4 W	1,7	SW/4 of SW/4	<u> </u>
	13 S	4 W	18	SE% of NE%	ut a tul
	13 S	4 W	18	NE% of SE%	15.0
	13 S	4 W	18	SE% of SE%	6.4
					89.0
No. 3	13 S	4 W	17	SW% of SW%	8.0
	13 S	4 W	18	SW% of SE%	16.7
	13 S	4 W	18	SE% of SE%	10.0
	13 S	4 W	19	NE% of NE%	26.0
	13 S	4 W	19	NW% of NE%	40.0 32.5
	13 S	4 W	19	SW% of NE%	32.5 -34.0
	13 S	4 W	19	SE% of NE%	7•3
	13 S	4 W	19	NE% of NW%	8.0
	13 S	4 W	19	SEX of NWX	14.0
	13 S	4 W	19	NE% of SW%	4.0
	13- <del>3</del>	-4-W	19	-NWX-of-SEX	-9.0
	13 S	4 W	20	NW¼ of NW¼	26.0
	13 S	4 W	20	SW% of NW%	2.0
					-205-0
		l. 199		auti/ a souti/	194.5
No. 5 Lake Cr	13 S	4 W	20	SW% of NW%	23.0
from Mo	yo)	4 W	20	SEX of Na	6.0
,	13 S	4 W	20	NE% of SWA	14.0
	13 S	, 4 W	20	NW% of SW%	28.0
	13 S	4 W	20	SW% of SW%	1.0
l				i	72.0
				Total	468.4

incipa	l or Domestic Supply—	34234			
10.	(a) To supply the city of	01404			
••••		of			
	timated population of in 19 in 19	•			
	(b) If for domestic use state number of families to b	e supplied			
`		• •			
,	(Answer questions 11, 12, 13, and 14 in all 6	COLOGE)			
	Estimated cost of proposed works, \$ 37,520.00				
12. Construction work will begin on or before February 28, 1970					
13.	Construction work will be completed on or before October 1, 1971				
14.	The water will be completely applied to the proposed u	se on or before October 1, 1972			
••••••	Hilhert-	Sim Farms Inc			
		(Signature of applicant)			
	<u> </u>	2 2			
Ren	marks:				
		·			
···········					
<del></del>					
		•			
••••••					
••••••					
CATE (	OF OREGON,				
Count	ty of Marion, ss.				
	his is to certify that I have examined the foregoing ap	plication, together with the accompanying			
ane and	d data, and return the same for correction				
aps and	a data, and return the same for				
	order to retain its priority, this application must be re	sturned to the State Engineer with corre			
		cturned to the State Engineer, with corre			
ons on	or beforeJune 2nd, 19.69				
	:	•			
		, 1969.			

MAY 1 2 1969

STATE ENGINEER

Larry W. Jebousek

ASSISTANT

STATE OF OREGON, County of Marion,

> TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

PERMIT

Application No. 45.854

Permit No. 34234

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed .......5.72......... cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from .the Willamette Biver .. and .. Lake Creek, being 4.82 cubic feet per second from the river, and 0.90 cubic feet per second from Lake Creek. The use to which this water is to be applied is \_\_\_\_irrigation\_\_\_\_\_\_ second or its equivalent for each acre irrigated ..and .shall be further limited to a diversion of not to .exceed..21 acre..feet..per..acre..for..each..acre..irrigated.during..the..irrigation..season.... of each year..... and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is .......March...17.,...1969..... Actual construction work shall begin on or before ...... December 10, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.71... Complete application of the water to the proposed use shall be made on or before October 1, 19.72. WITNESS my hand this ......10th....... day of ......December STATE ENGINEER office of the State Engineer at Salem, Oregon, This instrument was first received in the

Ü

S: W o'clock

19(29 at

Returned to applicant:

on the 17th day of March

CHRIS L. WHEELER STATE ENGINEER

Recorded in book No. 34237

page

Permitsion

December 10, 1969

Approved.