CERTIFICATE NO. 46066

To Appropriate the Public Waters of the State of Oregon

I, Leonard Corson	Name of applicant)		•	
Yachats (Malling address)	•		•••••••••••••••••••••••••••••••••••••••	·····,
ate of Dragon, do 1	hereby make applic	ation for a	p ermi t to approj	oriate the
llowing described public waters of the State of				
If the applicant is a corporation, give date a				
	·		***************************************	
1. The source of the proposed appropriation				
, a tri	ibutary of The	Pacific	Ocean	
2. The amount of water which the applicant				
hic feet ner second			***************************************	••••••
	used from more than one s		ity from each)	
**3. The use to which the water is to be applied	ed is (Irrigation, pow	er, mining, manu	facturing, domestic sup	plies, etc.)
rner of Sec. 367.145 R12WWM. OSCIC 1 2410 ft. W. from the NE Corner of	Sec. 36 T. 145	RIZUM	Manda!	third pa
d 24/0 ft. W. from the NE Corner of diversion is located 1280 ft. Sau 36, T/45, R/2 WWN.	Sec. 36 T.145 and 1830 ff. 1	RIZUIU V - France Ener)		
diversion is located 1.280 ft. Suv 34, T145, R12 WWW. (If preferable, give distant Three points is more than one point of diversion, eaching within the Nivik Land (Give smallest legal subdivision)	Sec. 36 T.14S and 1830 ff. 19 the most be described. Use an of Sec.	RIZUIU France France		
d 2410 ft. W. from the NE Corner of diversion is located 1280 ft. S. av - 36, T.145, R.12 WWN.	Sec. 36 T.14S and 1830 ff. 19 the most be described. Use an of Sec.	RIZUIU France France		
diversion is located 1280 ft. Sur diversion is located 1280 ft. Sur 34, T145, R12 WWW. (If preferable, give distance) (If there is more than one point of diversion, each of within the Nivik that 14 (Give smallest legal subdivision) (2 W), W. M., in the country of 4100	Sec. 36 T.145 and 1830 ff. 19 ce and bearing to section co th must be described. Use as of Se n)	RIZUIU FROM Perste sheet if n c. 3/a		
diversion is located 1280 ft. Sur diversion is located 1280 ft. Sur life preferable, give distance than one point of diversion, each of within the New Market for the life (Give smallest legal subdivision) (If there is more than one point of diversion, each one within the New Market for the life (Give smallest legal subdivision) (If there is more than one point of diversion, each of within the Market for the life (Give smallest legal subdivision) (If there is more than one point of diversion, each of within the Market for the life (Give smallest legal subdivision) (If there is more than one point of diversion, each of within the Market for the life (Give smallest legal subdivision) (If there is more than one point of diversion, each of the life (Give smallest legal subdivision) (If there is more than one point of diversion, each of the life (Give smallest legal subdivision) (If there is more than one point of diversion, each of the life (Give smallest legal subdivision) (If there is more than one point of diversion, each of the life (Give smallest legal subdivision) (If there is more than one point of diversion, each of the life (Give smallest legal subdivision) (If there is more than one point of diversion, each of the life (Give smallest legal subdivision) (If there is more than one point of diversion, each of the life (Give smallest legal subdivision) (If the life (Give smallest lega	Sec. 36 T.14S and 1830 ff. 19 ce and bearing to section co th must be described. Use a of Se to	RIZUIU FRANCE FRANCE	(Miles or feet)	,
diversion is located 1280 ft. Sav 34, T145, R12 WWW. (If preferable, give distant (Give smallest legal subdivision) (E or W) 5. The (Main disch. canal or pipe line) length, terminating in the (Smallest legal subdivision)	Sec. 36 T.14S and 1830 ff. 19 be and bearing to section co th must be described. Use as of Sec. it is in the section of Sec. it is in the section of Sec.	RIZUM France	CMILES OF FORLY (N	(. or 8.)
diversion is located 1280 ft. Sav 34. T 145. R 12 WWW. (If preferable, give distant three points of the word in the country of Line (Exerv) 5. The (Smallest legal subdivision) (Smallest legal subdivision)	Sec. 36 T.14S and 1830 ff. 19 be and bearing to section co th must be described. Use as of Sec. it is in the section of Sec. it is in the section of Sec.	RIZUM France	CMILES OF FORLY (N	(. or 8.)
diversion is located 1280 ft. Sur diversion is located 1280 ft. Sur diversion is located 1280 ft. Sur life preferable, give distant life preferable, give distant life points in the country of diversion, each ing within the Niville (Give smallest legal subdivision) (E. or W.) DESCRIPT	Sec. 36 T.14S and 1830 ff. 19 be and bearing to section co th must be described. Use as of Sec. it is in the section of Sec. it is in the section of Sec.	RIZUM France	CMILES OF FORLY (N	(. or 8.)
diversion is located 1280 ft. Sav. 34. T 145. R 12 WWW. (If preferable, give distance of the proposed location of the p	see 36 T.14S ad 1830 ff. 19 ad 1830 ff. 19 be and bearing to section co th must be described. Use as of See livision) being shown throug ION OF WORKS	RIZUM From The man and the state of the man and the man and the state of the stat	(Miles or feet), Tp(N accompanying n	or s.)
124/1 ft. W. from the NE Corner of diversion is located 1280 ft. S. qu 34. T 145. R 12 WWW. (If preferable, give distant (If preferable, give distant (If preferable, give distant (Give smallest legal subdivision) (Question within the Willy of Corw.) 5. The (Main ditch, canal or pipe line) length, terminating in the (Smallest legal subdivision) (E. or W.) DESCRIPT version Works— 6. (a) Height of dam feet	to Sec. 36 T. 14 S and 1830 ff. In the section could be section to section could be section to section could be section. to of Sectivision of Section shown through the section section shows the section shown through the se	Planer From Perner C. 36 be hout on the	(Miles or feet), Tp(N accompanying n feet, length o	or s.)
124/10 ft. W. from the NE Corner of JIVETSION IS Jocated 1280 ft. S. UV (If preferable, give distant If three points is more than one point of diversion, each ing within the Nivigal Alexander legal subdivision (Give smallest legal subdivision (E. cer W.) DESCRIPT version Works— 6. (a) Height of dam feet	to Sec. 36 T. 14 S and 1830 ff. In the section could be section to section could be section to section could be section. to of Sectivision of Section shown through the section section shows the section shown through the se	Planer From Perner C. 36 be hout on the	(Miles or feet), Tp(N accompanying n feet, length o	or s.)
diversion is located 1280 ft. S. av. 31. T 145. R 12 www. (If preferable, give distance of three points of diversion, eaching within the wife of the country of the canal or pipe line) (Ever W.) 5. The (Main ditch, canal or pipe line) (Ever W.) DESCRIPT version Works— 6. (a) Height of dam feet; material to be used and char	to Sec. 36 T. 14 S and 1830 ff. In the section could be section to section could be section to section could be section. to of Sectivision of Section shown through the section section shows the section shown through the se	Planer From Perner C. 36 be hout on the	(Miles or feet), Tp(N accompanying n feet, length o	or s.)
diversion is located 1280 ft. S. qu 34. T. 145. R. 12 W.W. (If preferable, give distant (If preferable, give distant (If preferable, give distant (If preferable, give distant (Give smallest legal subdivision 12. W. M., in the county of	ce and bearing to section co th must be described. Use a of Section of Section of Section shown through the section of Se	Planer Tracer Tracer	(Loose rock, coner	. or S.) nap.
diversion is located 1280 ft. S. av. 31. T 145. R 12 www. (If preferable, give distance of three points of diversion, eaching within the wife of the country of the canal or pipe line) (Ever W.) 5. The (Main ditch, canal or pipe line) (Ever W.) DESCRIPT version Works— 6. (a) Height of dam feet; material to be used and char	ce and bearing to section co th must be described. Use a of Section of Section of Section shown through the section of Se	Planer Tracer Tracer	(Loose rock, coner	. or S.) nap.
All of the NE Corner of All of the NE Corner of All of the NE Corner of All of the NE Corner of All of the NE Corner of All of the NE Corner of All of the New House All of the New House All of the	Sec. 36 T. 14 S ad 1830 ff. 19 ce and bearing to section co th must be described. Use as of Se co / n to of Sec division) being shown throug ION OF WORKS t, length on top cacter of construction cacter of construction	Planer From From	(Miles or feet), Tp(N accompanying n feet, length a (Loose rock, concr	. or S.) . or S.) .ap.
diversion is located 1280 ft. S. qu 34. T. 145. R. 12 W.W. (If preferable, give distant (If preferable, give distant (If preferable, give distant (If preferable, give distant (Give smallest legal subdivision 12. W. M., in the county of	see 36 T.14S ad 1830 ff. 19 at one of Section	Planer From From	(Miles or feet), Tp(N accompanying n feet, length a (Loose rock, concr	. or S.) . or S.) .ap.

^{*}A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the reelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet feet feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake, in.; size at in.; difference in elevation betwee the and place of use, ft. Is grade uniform? Estimated capacity sec. ft. 8. Location of area to be irrigated, or place of use / right fill	(a) Character of (b) Kind of crop	th on bottom feet fall per one t in.; size at pla f t. to be irrigated, o	thousand feet. ft.; size at intake, ice of use ft. Is grade uniform? pr place of use	in.; size at in.; difference in elevation betwe Estimated capaci
feet; width on bottom feet; depth of water feet fell per one thousand feet. (c) Length of pipe, ft.; size at intake, in.; size at at intake, in.; size at min, difference in elevation betwee keep and place of use, ft. Is grade uniform? Estimated capacity see. ft. 3. Location of area to be irrigated, or place of use for the irrigated of area to be irrigated. Township Section Section Foot without the feet of the irrigated of	de	th on bottom feet fall per one t in.; size at pla f t. to be irrigated, o	thousand feet. ft.; size at intake, ice of use ft. Is grade uniform? pr place of use	in.; size at in.; difference in elevation betwe Estimated capaci
(c) Length of pipe, ft.; size at intake, in.; size at since in in; size at intake, in.; size at lace of use in.; size at place of use in.; size at i	(c) Length of pipe, In intake	feet fall per one t in.; size at pla f t. to be irrigated, o	thousand feet. ft.; size at intake, ft. Is grade uniform? pr place of use	in.; size at
(c) Length of pipe, ft.; size at intake, in.; size at intake, in.; size at intake in.; size at place of use in.; difference in elevation betwee ke and place of use. ft. Is grade uniform? Estimated capacity of a control of area to be irrigated, or place of use from the state of a control of area to be irrigated, or place of use from the state of a control of area to be irrigated, or place of use from the state of a control of a con	(c) Length of pipe, n intake	in.; size at pla f. t. to be irrigated, o	ft.; size at intake, it. Is grade uniform? or place of use	in.; difference in elevation between Estimated capacit
thatke in.; size at place of use in.; difference in elevation betwee the and place of use, ft. Is grade uniform? Estimated capaci sec. ft. 8. Location of area to be irrigated, or place of use Irrigated. Township Reserve Genetical Portraces Treet Number Acres To Be Irrigated. The second Irrigated No. 12 No. 14 No. 14 No. 14 No. 16 No.	n intake	in.; size at pla	it. Is grade uniform?	in.; difference in elevation between Estimated capaci
the and place of use, ft. Is grade uniform? Estimated capacity sec. ft. 8. Location of area to be irrigated, or place of use	(a) Character of (b) Kind of crop	t. to be irrigated, o	or place of use	Number Acres To Be Irrigated
Sec. ft. 8. Location of area to be irrigated, or place of use Township To	Sec. f. 8. Location of area Township Rang S. or W Williametts 1 //// S (a) Character of (b) Kind of crop	t. to be irrigated, o	or place of use	Number Acres To Be Irrigated
8. Location of area to be irrigated, or place of use	8. Location of area Township North or South 4	to be irrigated, o	Forty-acre Tract	Number Acres To Be Irrigated
Township Next of Sealth Williams is North as Section Porty-serve Tract Number Acros To Be Irrigated (A) Character of soil North space required, attach separate absent (a) Character of soil North Sealth S	Township Rang S. or Williamete 3 /4 S /2 (a) Character of (b) Kind of crop	re 7. of Section Meridian	Forty-acre Tract	Number Acres To Be Irrigated
Comments of the winds of the state of the st	(a) Character of (b) Kind of crop	d Section		
(a) Character of soil (b) Kind of crops raised (ILALE ALLE CAMPACE TO A STATE AND CAMPACE TO MINING Purposes— 9. (a) Total amount of power to be developed theoretical horsepou (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (No. N. or E.), W. M. (f) Is water to be returned to any stream? (Cross or No.)	(a) Character of (b) Kind of crop	W 36	NW 4 NE	16-6
(a) Character of soil (b) Kind of crops raised (ILLES AND CAMES of a pasture about) (c) Kind of crops raised (ILLES AND CAMES of a pasture and/or Revy Camer or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepow (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (Const.) (Ro. N. or E.) (No. N. or E.) (Const.) (C	(a) Character of (b) Kind of crop			
(a) Character of soil SILL LOWN (b) Kind of crops raised (IASS and Legames for pasture, and or Row Cover or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepow (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (Elegal subdivision) (e) Such works to be located in (Lagral subdivision) (Row N. or S.) (No. E. or W.) (f) Is water to be returned to any stream? (Yea or No)	(b) Kind of crop			
(a) Character of soil SILL LOWN (b) Kind of crops raised (IASS and Legames for pasture, and or Row Cover or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepow (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (Elegal subdivision) (e) Such works to be located in (Lagral subdivision) (Row N. or S.) (No. E. or W.) (f) Is water to be returned to any stream? (Yea or No)	(b) Kind of crop			
(a) Character of soil SILL LOWN (b) Kind of crops raised (IASS and Legames for pasture, and or Row Cover or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepow (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (Elegal subdivision) (e) Such works to be located in (Lagral subdivision) (Row N. or S.) (No. E. or W.) (f) Is water to be returned to any stream? (Yea or No)	(b) Kind of crop			
(a) Character of soil SILL LOWN (b) Kind of crops raised (IASS and Legames for pasture, and or Row Cover or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepout (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (Elegal subdivision) (e) Such works to be located in (Lagal subdivision) (Roo N. or S.) (No. E. or W.) (f) Is water to be returned to any stream? (Yea or No)	(b) Kind of crop			
(a) Character of soil SILL LOWN (b) Kind of crops raised (IASS and Legames for pasture, and or Row Cover or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepout (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (Elegal subdivision) (e) Such works to be located in (Lagal subdivision) (Roo N. or S.) (No. E. or W.) (f) Is water to be returned to any stream? (Yea or No)	(b) Kind of crop			
(a) Character of soil SILL LOWN (b) Kind of crops raised (IASS and Legames for pasture, and or Row Cover or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepow (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (Elegal subdivision) (e) Such works to be located in (Lagral subdivision) (Row N. or S.) (No. E. or W.) (f) Is water to be returned to any stream? (Yea or No)	(b) Kind of crop			
(a) Character of soil SILL LOWN (b) Kind of crops raised (IASS and Legames for pasture, and or Row Cover or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepow (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (Elegal subdivision) (e) Such works to be located in (Lagral subdivision) (Row N. or S.) (No. E. or W.) (f) Is water to be returned to any stream? (Yea or No)	(b) Kind of crop			
(a) Character of soil SILL LOWN (b) Kind of crops raised (IASS and Legames for pasture, and or Row Cover or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepout (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (Elegal subdivision) (e) Such works to be located in (Lagal subdivision) (Roo N. or S.) (No. E. or W.) (f) Is water to be returned to any stream? (Yea or No)	(b) Kind of crop			
(a) Character of soil SILL LOWN (b) Kind of crops raised (IASS and Legames for pasture, and or Row Cover or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepout (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (Elegal subdivision) (e) Such works to be located in (Lagal subdivision) (Roo N. or S.) (No. E. or W.) (f) Is water to be returned to any stream? (Yea or No)	(b) Kind of crop			
(a) Character of soil SILL LOWN (b) Kind of crops raised (IASS and Legames for pasture, and or Row Cover or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepout (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (Elegal subdivision) (e) Such works to be located in (Lagal subdivision) (Roo N. or S.) (No. E. or W.) (f) Is water to be returned to any stream? (Yea or No)	(b) Kind of crop			· · · · · · · · · · · · · · · · · · ·
(a) Character of soil SILL LOWN (b) Kind of crops raised (IASS and Legames for pasture, and or Row Cover or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepout (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (Elegal subdivision) (e) Such works to be located in (Lagal subdivision) (Roo N. or S.) (No. E. or W.) (f) Is water to be returned to any stream? (Yea or No)	(b) Kind of crop			
(a) Character of soil SILL LOWN (b) Kind of crops raised (IASS and Legames for pasture, and or Row Cover or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepow (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (Elegal subdivision) (e) Such works to be located in (Lagral subdivision) (Row N. or S.) (No. E. or W.) (f) Is water to be returned to any stream? (Yea or No)	(b) Kind of crop			
(a) Character of soil SILL LOWN (b) Kind of crops raised (IASS and Legames for pasture, and or Row Cover or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepow (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (Elegal subdivision) (e) Such works to be located in (Lagral subdivision) (Row N. or S.) (No. E. or W.) (f) Is water to be returned to any stream? (Yea or No)	(b) Kind of crop			
(b) Kind of crops raised CHASS and Legames for FOLV Cover or Mining Purposes— 9. (a) Total amount of power to be developed	(b) Kind of crop			
9. (a) Total amount of power to be developed				Live and L. R. C.
9. (a) Total amount of power to be developed theoretical horsepow (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in of Sec (legal subdivision) (f) Is water to be returned to any stream? (Yes or No)			Color Legamics To C. Pa-	21.60.
(b) Quantity of water to be used for power	• •		developed	theoretical horsepow
(c) Total fall to be utilized				
(d) The nature of the works by means of which the power is to be developed	,			•
(e) Such works to be located in of Sec	(c) Total fall to	oe utilizea	(Heed)	et.
(f) Is water to be returned to any stream? (Yee or No)	(d) The nature	of the works by n	means of which the power is	s to be developed
(f) Is water to be returned to any stream? (Yee or No)		•••••••••••••••••••••••••••••••••••••••	·	······································
(f) Is water to be returned to any stream? (Yee or No)	(e) Such works	to be located in		of Sec
(f) Is water to be returned to any stream?(Yes or No)			•	•
		(2.01 2.00 1.0)		
(g) If so, name stream and locate point of return			(2000)	
, Sec, Tp, R, W. (No. E. or W.)			•	

Municipal or Domestic Supply—	34240
10. (a) To supply the city of	***************************************
	nt population of
and an estimated population of '	
(b) If for domestic use state number of	families to be supplied
(Answer questions 1),	(8, 11, and 14 in all cases)
. 11. Estimated cost of proposed works, \$ 500	
	•
	e June 1969
	or before July 1949
14. The water will be completely applied to the	ne proposed use on or before July 1969
· · · · · · · · · · · · · · · · · · ·	
نېنې ماننې	(Signature of applicant)
Remarks:	
	······································
	•
	······································
	······································
	· · · · · · · · · · · · · · · · · · ·
······································	·
	· · · · · · · · · · · · · · · · · · ·
	······································

STATE OF OREGON,)	
County of Marion,	
	foregoing application, together with the accompanying
maps and data, and return the same for	
maps and data, and return the same jor	
In order to retain its priority, this application	on must be returned to the State Engineer, with corre
tions on or before	, 19
<i>Y</i> ·	
WITNESS my hand thisday of	, 19
	STATE ENGINEER
	By

STATE OF OREGON, | ss. County of Marion,

SUBJECT	TO EXISTING	it I have examined the RIGHTS and the follo nted is limited to the a	wing limitati	ons and con	ditions:	
		0.21 cubic feet 1				
		case of rotation with	other water	users, from	Yachats I	
The	use to which this					
***************************************			,			
		appropriation shall be			_	
		each acre irrigated				

						·····
***************************************				······		
•			·			······································
						-A-A
	•	reasonable rotation sy			by the proper	state officer.
		work shall begin on or			10, 1970	and shall
		ith reasonable diligenc				
Con	nplet e applicat ion	of the water to the pr	oposed use sh	all be made	on or before	October 1, 1972.
WI	TNESS my hand t	his 10th day	of Decem	ber	19. 69	
				Krzo	(-sh	STATE ENGINEER
34240	PERMIT APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the			34240	GTATE ENGINEER page 6 L
Application No. 45260 Permit No. 3424(PERMIT PRIATE THES SOFTHES OF OREGON	was firs tgineer of	ii ii		lecember 1.0, 1.96.9. led in book No. 342.	CHRIS L. WHEELER Basin No. 18
ition I No	PE OPRI SRS C	This instrument was followed of the State Enginee on the	Returned to applicant:		Recorded in book No.	n No.
Application Permit No.	PE APPROPR WATERS (This instrum office of the Sta on the	to ap	ਜ਼ੌ ਰ (Recorded in b	CHRIS L. Drainage Basin No.
A Å	OT	This i ice of the	urneo	Approved:	Recor mits	uinage L
	·	on 19.6	Ret	A.P.	Per	Drai Fees

State Printing 98137