

SM-
RECEIVED
MAR 28 1969
STATE ENGINEER
SALEM, OREGON

Permit No. 34271
CERTIFICATE NO. 50674

***APPLICATION FOR PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, Clyde Holiday
(Name of applicant)
of John Day,
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Pine Creek, trib. of John Day River and
(Name of stream)
a Swale, a tributary of John Day River

2. The amount of water which the applicant intends to apply to beneficial use is 9.37
cubic feet per second. from Pine Creek & 0.9 c.f.s. from Swale
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation & Supplemental irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located See separate sheet
ft. and ft. from the
(N. or S.) (E. or W.)
corner of
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the of Sec., Tp.
(Give smallest legal subdivision) (N. or S.)

R., W. M., in the county of
(E. or W.) see separate sheet

5. The to be
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the of Sec., Tp.
(Smallest legal subdivision) (N. or S.)

R., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam gravel & earth dams
feet, length on top feet, length at bottom

..... feet; material to be used and character of construction
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate none
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line— see separate sheet

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
13 S.	32 E.	35	NE $\frac{1}{4}$ NE $\frac{1}{4}$	40.0
		35	NW $\frac{1}{4}$ NE $\frac{1}{4}$	40.0
		35	SW $\frac{1}{4}$ NE $\frac{1}{4}$	40.0
		35	SE $\frac{1}{4}$ NE $\frac{1}{4}$	38.5
		35	SW $\frac{1}{4}$ NW $\frac{1}{4}$	7.5
		35	SE $\frac{1}{4}$ NW $\frac{1}{4}$	23.0
		35	NE $\frac{1}{4}$ SW $\frac{1}{4}$	38.0
		35	NW $\frac{1}{4}$ SW $\frac{1}{4}$	9.0
		35	SW $\frac{1}{4}$ SW $\frac{1}{4}$	0.2
		35	SE $\frac{1}{4}$ SW $\frac{1}{4}$	2.5
		35	NE $\frac{1}{4}$ SE $\frac{1}{4}$	22.5
		35	NW $\frac{1}{4}$ SE $\frac{1}{4}$	40.0

(If more space required, attach separate sheet)

(a) Character of soil rockie and loam

(b) Kind of crops raised pasture grass

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

35	SW $\frac{1}{4}$ SE $\frac{1}{4}$	9.5
35	SE $\frac{1}{4}$ SE $\frac{1}{4}$	6.0
36	NW $\frac{1}{4}$ NW $\frac{1}{4}$	7.4
36	SW $\frac{1}{4}$ NW $\frac{1}{4}$	8.5

The above will be primary irrigation from Pine Creek, water to be diverted from diversion point No. 1. *332.6* ✓

27	NE $\frac{1}{4}$ SE $\frac{1}{4}$	27.3
27	NW $\frac{1}{4}$ SE $\frac{1}{4}$	5.2
27	SW $\frac{1}{4}$ SE $\frac{1}{4}$	3.0
27	SE $\frac{1}{4}$ SE $\frac{1}{4}$	30.0

The above will be primary irrigation from Pine Creek, water to be diverted from diversion point No. 2. *65.5* ✓

27	SE $\frac{1}{4}$ NE $\frac{1}{4}$	11.0
27	NE $\frac{1}{4}$ SE $\frac{1}{4}$	12.5

The above will be supplemental irrigation from Pine Creek, water to be diverted from diversion point No. 2. *23.5* ✓

27	SW $\frac{1}{4}$ NE $\frac{1}{4}$	3.5
27	SE $\frac{1}{4}$ NE $\frac{1}{4}$	29.0

The above will be supplemental irrigation from Swale, water to be diverted from diversion point No. 3 & No. 4. *32.5* ✓

454.1 ✓

Refer to Items #4, #5, & #7

34271

Pine Creek

diversion #1 - located 550 ft. S. & 100 ft. E. from the SW corner of Section 1, being within the NW $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 12, Tp. 14 S. R. 32 E., W. M., in the county of Grant.

The main ditch to be 1 $\frac{1}{4}$ miles in length, terminating in the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 35, Tp. 13 S. R. 32 E. W. M.

Dimensions at headgate: width on top (at water line) 4 feet; width on bottom 2 $\frac{1}{2}$ feet; depth of water 1 $\frac{1}{2}$ feet; grade 10 feet fall per one thousand feet.

Pine Creek

diversion #2 - located 2250 ft. N. & 1800 ft. E. from the SW corner of Section 36, being within the NE $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 36, Tp. 13 S. R. 32 E. W. M., in the county of Grant.

The main ditch to be 2 $\frac{1}{4}$ miles in length, terminating in the NE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 27, Tp. 13 S. R. 32 E. W. M.

Dimensions at headgate: width on top (at water line) 4 feet; width on bottom 2 $\frac{1}{2}$ feet; depth of water 1 feet; grade 8 feet fall per one thousand feet.

Swale

diversion #3 - located 2550 ft. N. & 100 ft. E. from the SW corner of Section 26, being within the NW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 26, Tp. 13 S. R. 32 E., W. M., in the county of Grant.

The main ditch to be 1150 feet in length, terminating in the SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 27, Tp. 13 S. R. 32 E. W. M.

Dimensions at headgate: width on top (at water line) 1 $\frac{1}{2}$ feet; width on bottom $\frac{1}{2}$ feet; depth of water $\frac{1}{2}$ feet; grade 3 feet fall per one thousand feet.

Swale

diversion #4 - located 2750 ft. N. & 50 ft. W. from the SW corner of Section 26, being within the SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 27, Tp. 13 S. R. 32 E. W. M., in the county of Grant.

The main ditch to be 1400 ft. in length, terminating in the SW $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 27, Tp. 13 S. R. 32 E. W. M.

Dimensions at headgate; width on top (at water line) 1 $\frac{1}{2}$ feet; width on bottom $\frac{1}{2}$ feet; eepth of water $\frac{1}{2}$ feet; grade 2 feet fall per one thousand feet.

RECEIVED
MAR 28 1969
STATE ENGINEER
SALEM, OREGON

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 10.17 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Pine Creek and a Swale, being 9.37 cubic feet per second of water from Pine Creek and 0.80 cubic feet per second of water from a Swale.

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 28, 1969

Actual construction work shall begin on or before December 15, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971

Complete application of the water to the proposed use shall be made on or before October 1, 1972

WITNESS my hand this 15th day of December, 1969

Chris L. Wheeler
STATE ENGINEER

PC

Application No. 45896
Permit No. 34271

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 28th day of March 1969, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

December 15, 1969 of 34271 Permits on page

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 6 page 22H Fees \$ 48.35