

RECEIVED  
APR 4 1969

Permit No. 34298

STATE ENGINEER  
SALEM, OREGON

\*APPLICATION FOR PERMIT ASSIGNED, See Misc. Rec., Vol. 5 Page 208

CERTIFICATE NO. 48469

# To Appropriate the Public Waters of the State of Oregon

I, Fred William Carpenter  
(Name of applicant)

of Loraine Route Box 568 Cottage Grove  
(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Fork Gardner Creek and Siuslaw River  
(Name of stream)

, a tributary of Siuslaw River

2. The amount of water which the applicant intends to apply to beneficial use is 1.8  
cubic feet per second. 1.8 CFS from Gardner Creek or 1.8 CFS from South Fork Siuslaw River.  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of  
(N. or S.) (E. or W.)

Temporary diversions to be used from Gardner Creek or South Fork Siuslaw River within boundaries of land owned by F. W. Carpenter, Tax lot 66, Isaac M. Gardner DLC 47. See attached sheet  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Tax lot 66, Isaac M. Gardner DLC 47 of Sec. 23 - 24, Tp. 20 S  
(Give smallest legal subdivision) (N. or S.)

R. 5 W, W. M., in the county of Lane  
(E. or W.)

5. The Pipe line to be 5,200 feet  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the boundaries of tax lot 66 of Sec. 23 - 24, Tp. 20 S  
(Smallest legal subdivision) (N. or S.)

R. 5 W, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

## DESCRIPTION OF WORKS

### Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction   
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate   
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 - 2.71 GMC, 70 HP Deisel engine,  
(Size and type of pump)  
and 1 - Fairbanks Morse centrifugal pump, #5523M, 5" intake and 4" discharge  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)  
800 GPM maximum discharge.

\*A different form of application is provided where storage works are contemplated.  
\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

**RECEIVED**  
JUN 20 1969  
STATE ENGINEER  
SALEM, OREGON

Locations of points of diversion

Diversion #1- 1097' N. 87° 30' W.; #2- 1726' N. 67° W.; #3-  
2437' N. 55° 30' W.; all from S. E. corner I. M. Gardner DLC 47.  
Diversion #4- 1869' N. 24° E.; #5- 2315' N. 9° E.; #6- 1767'  
N. 50° 30' E.; #7- 1198' N. 51° 30' E.; #8- 731' N. 66° E.;  
all from S. W. corner I. M. Gardner DLC 47, being within  
#1- NE $\frac{1}{4}$  SE $\frac{1}{4}$ ; #2- NE $\frac{1}{4}$  SE $\frac{1}{4}$ ; #3- SE $\frac{1}{4}$  NE $\frac{1}{4}$ ; #4- SW $\frac{1}{4}$  NE $\frac{1}{4}$ ; #5-  
NW $\frac{1}{4}$  NE $\frac{1}{4}$ ; #6- SE $\frac{1}{4}$  NE $\frac{1}{4}$ ; #7- NW $\frac{1}{4}$  SE $\frac{1}{4}$ ; #8- NW $\frac{1}{4}$  SE $\frac{1}{4}$ ; Section  
23, T. 20S., R. 5W., County of Lane.

Source - Diversions #1, #2, #3, #4, #5 from S. F. Siuslaw River.

Diversions #6, #7, #8, from Gardner Creek.

Application No. 45910  
Permit No. 34298

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 5,200 ft.; size at intake, 5 in.; size at 15 ft. from intake 4 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 25 Max. ft. Is grade uniform? Yes Estimated capacity, 1.8 sec. ft.

8. Location of area to be irrigated, or place of use .....

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
20 S	5 W	23	NW 1/4 of SE 1/4	9.3 Garner
			NE 1/4 of SE 1/4	25.5 2.0-Garner 23.5-SF Siuslaw
			SW 1/4 of NE 1/4	37.5 13.25-Garner 24.25-SF Siuslaw
			NW 1/4 of NE 1/4	5.0 SF Siuslaw
			SE 1/4 of NE 1/4	11.3 2.27-Garner 9.03-SF Siuslaw
20 S	5 W	24	NW 1/4 of SW 1/4	19.5 SF Siuslaw
			SW 1/4 of NW 1/4	1.7 SF Siuslaw
				109.8 ✓
				26.82 Gardner Cr 82.98 S. Fk. Siuslaw R. 109.8

(If more space required, attach separate sheet)

(a) Character of soil ..... Loam .....

(b) Kind of crops raised ..... Permanent Pasture .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal subdivision)

Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

10. (a) To supply the city of .....

..... County, having a present population of .....  
(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 5,000.00 .....

12. Construction work will begin on or before June 1, 1969 .....

13. Construction work will be completed on or before June 1, 1972 .....

14. The water will be completely applied to the proposed use on or before June 1, 1972 .....

*Fred William Carpenter*  
(Signature of applicant)

Remarks: Description of land: Reference deed filed in Lane County Recorder's office, book 291, page 285, described as follows:

Commencing at the South East corner of Isaac M. Gardner DLC 47, thence North 35 chains, 33 links, thence West 55 chains, 90 links, thence South 35 chains, 33 links, to South West corner of DLC 47, thence East 55 chains, 90 links to place of beginning, containing 197 1/2 acres, more or less.

~~The land shown to be irrigated is in the process of being cleared, and permanent points of diversion cannot now be located. Applicant wants to use temporary diversions from Gardner Creek and S. E. Siuslaw River, anyplace within the boundaries of his land, until the land is cleared. Permanent points of diversion will be determined before completion date, June 1, 1972.~~

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion and correction .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~June 9th~~ July 21st, 19 ~~69~~ 69

WITNESS my hand this ~~7th~~ 20th day of ~~April~~ May, 19 ~~69~~ 69

RECEIVED RECEIVED  
JUN 20 1969 MAY 7 1969

STATE ENGINEER STATE ENGINEER  
SALEM, OREGON SALEM, OREGON

CHRIS L. WHEELER  
STATE ENGINEER

By *Larry W. Jebousek*  
Larry W. Jebousek ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.38 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Gardner Creek and South Fork Siuslaw River being 0.34 cfs from Gardner Creek and 1.04 cfs from South Fork Siuslaw River.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 4, 1969

Actual construction work shall begin on or before January 5, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971.

Complete application of the water to the proposed use shall be made on or before October 1, 1972.

WITNESS my hand this 5th day of January, 1970

*Chris L. Wheeler*

STATE ENGINEER

Application No. 45910  
Permit No. 34298

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 4th day of April 1969, at P.M. o'clock A.M.

Returned to applicant:

Approved:

January 5, 1970  
Recorded in book No. of

Permits on page 34298

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 18 page 26H

Fees \$31.00

pc -