

RECEIVED  
AUG 21 1969

Permit No. 34338

STATE ENGINEER  
SALEM, OREGON

\*APPLICATION FOR PERMIT

CERTIFICATE NO. 40622

# To Appropriate the Public Waters of the State of Oregon

I, Virgil L. Broadwater & Sally B. Broadwater  
(Name of applicant)  
of 1425 S.E. 89th, Portland, Oregon 97216  
(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Spring  
(Name of stream)

a tributary of W. Dairy Creek

2. The amount of water which the applicant intends to apply to beneficial use is

1,500 Gallons Per Day  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Domestic, 1 family use, Lawn & Garden  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)  
under 1/2 acre

4. The point of diversion is located 241.2+ ft. S and 1824+ ft. W from the N.E.  
(N. or S.) (E. or W.)  
corner of Section 26; Said Section corner bears N 78° 28' 07" E, 1,206.8 feet.  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the N.E. 1/4 of N.E. 1/4 of Sec. 26, Tp. 2N  
(Give smallest legal subdivision) (N. or S.)

R. 1/4 W, W. M., in the county of Washington  
(E. or W.)

5. The Pipeline to be 500 Feet  
(Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the N.E. 1/4 of N.E. 1/4 of Sec. 26, Tp. 2N  
(Smallest legal subdivision) (N. or S.)

R. 1/4 W, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

## DESCRIPTION OF WORKS

### Diversion Works—

6. (a) Height of dam \_\_\_\_\_ feet, length on top \_\_\_\_\_ feet, length at bottom

\_\_\_\_\_ feet; material to be used and character of construction \_\_\_\_\_  
(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate \_\_\_\_\_  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description \_\_\_\_\_  
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



Municipal or Domestic Supply—

10. (a) To supply the city of ..... 34338 .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied ..Single Family.....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....\$300.00.....

12. Construction work will begin on or before .....September 30, 1969.....

13. Construction work will be completed on or before .....July 31, 1970.....

14. The water will be completely applied to the proposed use on or before .....October 1, 1971.....

*Fred J. Broadwater*  
(Signature of applicant)  
*Larry W. Jebousek*

Remarks: .....Inasmuch that the use of water being applied for will be.....

.....determined by how soon the construction of a building, sufficient to.....

.....live in while I construct my house, the dates as stated in questions.....

.....11, 12, 13, & 14 are at some spread in dates.....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ..October 22nd....., 19 69..

WITNESS my hand this ..22nd..... day of ..August....., 19 69

RECEIVED  
SEP 2 1969

STATE ENGINEER  
SALEM, OREGON

CHRIS L. WHEELER  
STATE ENGINEER  
By *Larry W. Jebousek*  
LARRY W. JEBOUSEK  
ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.002 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring

The use to which this water is to be applied is for the domestic use of one family including the irrigation of lawn and garden not to exceed 1/2 acre in area.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 21, 1969

Actual construction work shall begin on or before January 5, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971

Extended to Oct. 1 1972 1972

Complete application of the water to the proposed use shall be made on or before October 1, 1972

WITNESS my hand this 5th day of January, 1970

*Chris L. Wheeler*

STATE ENGINEER

Application No. 46337  
Permit No. 34338

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 21st day of August, 1969, at 8:00 o'clock A. M.

Returned to applicant:

Approved: January 5, 1970  
Recorded in book No. of 34338  
Permits on page

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 2 page 628  
Fees \$25.00