

RECEIVED  
MAY 5 1969

STATE ENGINEER  
SALEM, OREGON

Permit No. 34367

\*APPLICATION FOR PERMIT

CERTIFICATE NO. 41415

# To appropriate the Public Waters of the State of Oregon

I, WALTER HEFT (Name of applicant)  
of R.T. 3, Box 463, BEAVER CREEK (Mailing address),  
State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is UNNAMED STREAM & RESERVOIR (Name of stream), a tributary of BEAVER CREEK

2. The amount of water which the applicant intends to apply to beneficial use is 0.1 cubic feet per second. IRRIG: 0.08 / STOCK: 0.01 / FISH: 0.01 (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is IRRIGATION, STOCK WATER & FISH CULTURE (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located at and for from the corner of S 21° 12' E, 1358 FEET FROM THE N.W. CORNER OF SECTION 23, T. 3 S - R. 2 E (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 NW 1/4 of Sec. 23, Tp. 3 S, R. 2 E, W. M., in the county of CLACKAMAS (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The to be (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the of Sec. , Tp. , R. , W. M., (Smallest legal subdivision) (N. or S.) (E. or W.) the proposed location being shown throughout on the accompanying map.

## DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 8 feet, length on top 200 feet, length at bottom 100 feet; material to be used and character of construction EARTH FILL (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)  
W) OUTLET PIPE & SPILLWAY AROUND DAM.

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

34367

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water, line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<b>IRRIGATION:</b>				
3S	2E	23	NW <sup>1</sup> / <sub>4</sub> NW <sup>1</sup> / <sub>4</sub>	2.0
3S	2E	23	SW <sup>1</sup> / <sub>4</sub> NW <sup>1</sup> / <sub>4</sub>	1.0
3S	2E	22	NE <sup>1</sup> / <sub>4</sub> NE <sup>1</sup> / <sub>4</sub>	2.0
3S	2E	22	SE <sup>1</sup> / <sub>4</sub> NE <sup>1</sup> / <sub>4</sub>	1.0
				6.0
<b>STOCK:</b>				
3S	2E	23	NW <sup>1</sup> / <sub>4</sub> NW <sup>1</sup> / <sub>4</sub>	3S HD. CATTLE
<b>FISH:</b>				
3S	2E	23	NW <sup>1</sup> / <sub>4</sub> NW <sup>1</sup> / <sub>4</sub>	TROUT
3S	2E	23	SW <sup>1</sup> / <sub>4</sub> NW <sup>1</sup> / <sub>4</sub>	TROUT

(If more space required, attach separate sheet)  
(a) Character of soil RED HILL SOIL

(b) Kind of crops raised PASTURE & GARDEN

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....

Tp. ...., R. ...., W. M. ....

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2,000<sup>00</sup>

12. Construction work will begin on or before SEPT. 1, 1969

13. Construction work will be completed on or before SEPT. 1, 1970

14. The water will be completely applied to the proposed use on or before SEPT. 1, 1971

*Walter Jeff*  
(Signature of applicant)

Remarks: THE STOCK WATER WILL BE DIVERTED FROM THE RESERVOIR TO THE BARU FOR THE CATTLE.

THE FISH IN THE RESERVOIR WILL BE FOR A NON-COMMERCIAL USE & WILL BE HARVESTED BY HOOK & LINE.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By ..... ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.10 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream and reservoir to be constructed under application No. R-46013, permit No. R-5472.

The use to which this water is to be applied is irrigation, stock, and fish culture, being 0.08 cfs for irrigation, 0.01 cfs for stock, and 0.01 cfs for fish culture.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 5, 1969

Actual construction work shall begin on or before February 2, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971.

Extended to Oct. 1 1972

Complete application of the water to the proposed use shall be made on or before October 1, 1972.

WITNESS my hand this 2nd day of February, 1970.

*Chris L. Wheeler*

STATE ENGINEER

Application No. 46014  
Permit No. 34367

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 5th day of May 19 69 at 8:00 o'clock A. M.

Returned to applicant:

Approved:

February 2, 1970  
Recorded in book No. of 34367  
Permits on page

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 2 page 76 B8  
Fees \$30.00  
Re Fund 111 B 12