

RECEIVED
MAY 7 1969
STATE ENGINEER
SALEM, OREGON

Permit No. 34370

*APPLICATION FOR PERMIT

CERTIFICATE NO. 49254

To appropriate the Public Waters of the State of Oregon

I, Homer K. Williams
(Name of applicant)
of Rt 2, Box 711 1/2, Roseburg
(Mailing address),
State of OREGON, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Not applicable

1. The source of the proposed appropriation is North Umpqua River
(Name of stream), a tributary of Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is _____
cubic feet per second. 6.0125 CFS
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is IRRIGATION
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 45' ft. S and 40' ft. W from the NW
(N. or S.) (E. or W.)
corner of Lot 4, Hidden Valley Acres
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW⁴ NW⁴ of Sec. 23, Tp. 265
(Give smallest legal subdivision) (N. or S.)

R. 6W, W. M., in the county of Douglas
(E. or W.)

5. The Pipeline to be 400'
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SW⁴ NW⁴ of Sec. 23, Tp. 265
(Smallest legal subdivision) (N. or S.)

R. 6W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____
feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1/4 HP-GE
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of Not applicable 34370

County, having a present population of _____

(Name of)

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$500.90

12. Construction work will begin on or before Started

13. Construction work will be completed on or before Complete

14. The water will be completely applied to the proposed use on or before Complete

[Signature]
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 14th, 1969.

WITNESS my hand this 14th day of May, 1969.

RECEIVED
MAY 23 1969
STATE ENGINEER
SALEM, OREGON
CHRIS L. WHEELER
STATE ENGINEER
By [Signature]
Larry W. Jebousek
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Umpqua River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 7, 1969

Actual construction work shall begin on or before February 2, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971.

Complete application of the water to the proposed use shall be made on or before October 1, 1972.

WITNESS my hand this 2nd day of February, 1970

Chris L. Wheeler

STATE ENGINEER

Application No. 46019
 Permit No. 34370

PERMIT
 TO APPROPRIATE THE PUBLIC
 WATERS OF THE STATE
 OF OREGON

This instrument was first received in the
 office of the State Engineer at Salem, Oregon,
 on the 7th day of May
 1969, at 8:00 o'clock A. M.

Returned to applicant:

Approved: February 2, 1970

Recorded in book No. 34370 of
 Permits on page

CHRIS L. WHEELER
 STATE ENGINEER

Drainage Basin No. 16 page 26E
 Fees \$20.00