

**RECEIVED**  
MAY 12 1969  
STATE ENGINEER  
SALEM, OREGON

Permit No. 34379  
CERTIFICATE NO. 3774

**\*APPLICATION FOR PERMIT**

**To appropriate the Public Waters of the State of Oregon**

I, Dallas Batts  
(Name of applicant)  
of Idleyld Rt Box 524B, Roseburg  
(Mailing address)  
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation \_\_\_\_\_

1. The source of the proposed appropriation is North Deer Creek  
(Name of stream)  
a tributary of Deer Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.01  
cubic feet per second.  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation of  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)  
Lawn and garden.

4. The point of diversion is located 80 ft. S and 5 ft. W from the SW  
corner of Lot 13 of Oak Grove Park Sub-division  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SW 1/4 of Sec. 21, Tp. 27S,  
(Give smallest legal subdivision) (N. or S.)  
R. 4W, W. M., in the county of Douglas  
(E. or W.)

5. The Pipeline to be 160 feet  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the NW 1/4 SW 1/4 of Sec. 21, Tp. 27S,  
(Smallest legal subdivision) (N. or S.)  
R. 4W, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

**DESCRIPTION OF WORKS**

**Diversion Works—**

6. (a) Height of dam None feet, length on top \_\_\_\_\_ feet, length at bottom \_\_\_\_\_ feet; material to be used and character of construction \_\_\_\_\_  
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate \_\_\_\_\_  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 1/2" centrifugal pump  
(Size and type of pump)  
3/4 HP electric motor  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)  
10 feet maximum head

\*A different form of application is provided where storage works are contemplated.  
\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 200<sup>00</sup> .....

12. Construction work will begin on or before Completed .....

13. Construction work will be completed on or before Completed .....

14. The water will be completely applied to the proposed use on or before Completed .....

Dallas Batts  
(Signature of applicant)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By ..... ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Deer Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 12, 1969

Actual construction work shall begin on or before February 2, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971...

Complete application of the water to the proposed use shall be made on or before October 1, 1972...

WITNESS my hand this 2nd day of February, 1970

*Chris L. Wheeler*

STATE ENGINEER

Application No. 46034

Permit No. 34379

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 12th day of May 1969, at 8:00 o'clock P. M.

Returned to applicant:

Approved:

February 2, 1970

Recorded in book No. 34379 of Permits on page

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 16 page 37

Fees