

RECEIVED
MAY 28 1969
STATE ENGINEER
SALEM OREGON

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Warren A. McMinimee ASSIGNED, See Misc. Rec., Vol. by Page deed
(Name of applicant)
of 110 Pacific, Tillamook
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed creek
(Name of stream)
no tributary
a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 1.25
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic, including irrigation of
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
domestic lawns and gardens

4. The point of diversion is located 450 ft. South and 2171 ft. East from the West
(N. or S.) (E. or W.)
Quarter corner of Section 19, Township 5 South, Range 10 West, W.M.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the NE 1/4 of SW 1/4 of Sec. 19, Tp. 5 South,
(Give smallest legal subdivision) (N. or S.)
R. 10 West, W. M., in the county of Tillamook
(E. or W.)

5. The Pipe Line to be 7,700 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the Government Lot 12 of Sec. 24, Tp. 5 South,
(Smallest legal subdivision) (N. or S.)
R. 11 West, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 3-1/2 feet, length on top 11 feet, length at bottom
4 feet; material to be used and character of construction Loose Rock and brush
(Loose rock, concrete, masonry)
with waterway around dam
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Set in rock sufficient to receive 6" pipeline.
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

34435

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 7,700 ft.; size at intake, 6 in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, 200 ft. Is grade uniform? No Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Government Lots <small>40-acre tract</small> each less than 40 acres	Domestically Developed & Number Acres To Be Irrigated
5 South	11 West	13	28) approximately 38 acres
5 South	11 West	24	5	
5 South	11 West	24	12	
5 South	11 West	24	4) approximately 58 acres
5 South	11 West	24	3	
5 South	11 West	24	only portion west of Hwy. 101 2	
5 South	11 West	24	only portion west of Hwy. 101 1)
5 South	10 West	19	NE 1/4 of SW 1/4	approximately 15 acres
5 South	10 West	19	W 1/2, NW 1/4, SE 1/4	approximately 10 acres

(If more space required, attach separate sheet)

(a) Character of soil Hillside Loam

(b) Kind of crops raised Pasture - Grass

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 175 (one hundred seventy five)

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$12,500.00

12. Construction work will begin on or before May 20, 1970

13. Construction work will be completed on or before May 20, 1971

14. The water will be completely applied to the proposed use on or before May 20, 1972,

..... as the property is developed.

Barbara M. Minimer
(Signature of applicant)

Remarks: The source of supply consists of 3 springs which join into a small unnamed stream near diversion point. The plan is to use a gravity line to a higher point on Government Lot 3, Section 24, Twp. 5 South, Range 11 West, W. M. where the water will be distributed in various directions to the house sites through a system of smaller lines. It will require all of the available water to meet the needs of the proposed development, particularly during the summer months. An engineering study is being made to determine feasibility and size of storage reservoir on Government Lot 3 at the distribution center.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 4th, 19 69

WITNESS my hand this 4th day of June, 19 69.

RECEIVED
JUL 10 1969

CHRIS L. WHEELER

STATE ENGINEER

STATE ENGINEER
SALEM, OREGON

Larry W. Jeboisek

ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.75 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed creek

The use to which this water is to be applied is the domestic use of 175 families including the irrigation of lawn and garden not to exceed 1/2 acre in area.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 28, 1969

Actual construction work shall begin on or before March 16, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971

Complete application of the water to the proposed use shall be made on or before October 1, 1972

WITNESS my hand this 16th day of March, 1970

Chris L. Wheeler
STATE ENGINEER

Application No. 46085
Permit No. 34435

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 28th day of May, 1969, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

March 16, 1970 of 34435 Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 1 page 6R
Fees \$ 25.00