

8/8/68 RECEIVED JUN 13 1969

CERTIFICATE NO. 42049

STATE ENGINEER SALEM, OREGON

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, David C. Kaufmann (Name of applicant) of 22780 A.W. Francis St., Beaverton (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed Drainage Way & Bastion Reservoir, a tributary of Rock Creek & Multnomah River (Per. No. R-5072)

2. The amount of water which the applicant intends to apply to beneficial use is 0.02 cfs cubic feet per second. 0.8 acre feet from Reservoir

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 540 ft. N and 1135 ft. W from the SE corner of Lot 56, Recdville Homes in Sec. 2, T1S, R2W, W.M. Washington County, Oregon

being within the SE 1/4 SE 1/4 of Sec. 3, Tp. 1S, R. 2W, W.M., in the county of Washington

5. The pipeline to be 6.35 ft. in length, terminating in the SW 1/4 of the SW 1/4 of Sec. 2, Tp. 1S, R. 2W, W.M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 8 1/2 feet, length on top 105 feet, length at bottom 90 feet; material to be used and character of construction Earth Fill

(b) Description of headgate

(c) If water is to be pumped give general description 1 1/2 horse power pump motor with 1 1/2" outlet - total head of water 10 ft.

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 370.00

12. Construction work will begin on or before completed

13. Construction work will be completed on or before completed

14. The water will be completely applied to the proposed use on or before immediately

David C. Kaufmann
(Signature of applicant)

Remarks:

E 1/2 of Lot 56, Block 7, Reedville Homes
in Washington County

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 19th, 1969

WITNESS my hand this 19th day of June, 19 69.

RECEIVED
JUL 28 1969
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
By Larry W. Jebousek
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed drainageway and reservoir constructed under permit No. R-5072.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 13, 1969

Actual construction work shall begin on or before March 16, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971.

Complete application of the water to the proposed use shall be made on or before October 1, 1972.

WITNESS my hand this 16th day of March, 1971.

Chris L. Wheeler

STATE ENGINEER

Application No. 46124
Permit No. 34457

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13th day of June, 1969, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

March 16, 1970

Recorded in book No. 34457 of Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 6208

Fees \$20.00