

## \*APPLICATION FOR PERMIT

CERTIFICATE NO. 43039

## To Appropriate the Public Waters of the State of Oregon

I, Rollyn L. Glassford (Name of applicant)
of Idley 1d Rt. Bax 272-A, Roseburg,
(Mailing address)  State of
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
If the applicant is a corporation, give date and place of theorporation
1. The source of the proposed appropriation is North Umpqua River.
• • =
, a tributary of Umpqua River
2. The amount of water which the applicant intends to apply to beneficial use is 0.06 Cfs.
cubic feet per second. 0.01 do mestic 0.05 irrigation  (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is domestic with ing. maining, maining, maining, domestic supplies, etc.)
***************************************
4. The point of diversion is located 2400 ft. North and 650 ft. East from the S. W.
corner of Sec. 13 (Section or subdivision)
(Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the NW 45W 14 of Sec. 13, Tp. 265, (Give smallest legal subdivision)
$R \neq W  W  M  \text{in the county of}  Douglas$
5. The pipe ine to be 1200 feet to be 1200 feet to be in length, terminating in the 50 /4 50 /4 of Sec. 13 , Tp. 265 , (Smallest legal subdivision)
(Main ditch, canal or pipe line)  (Main ditch, canal or pipe line)
in length, terminating in the SCO14 SW of Sec. 7, Tp. 36 Swallest legal subdivision), (N. or S.)
R. Hu, W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
;
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate(Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description ACTSE POWER - E LECTIC (8120 and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

<sup>&</sup>quot;A different form of application is provided where storage works are contemplated.

<sup>\*\*</sup>Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

71 G4	Dia V			34475
Canal System or 1 7. (a) Giv	-	each point of c	anal where materially change	d in size, stating miles from
			ine)	•
			feet; grade	
housand feet.				•
			adgate: width on top (at water	
			feet; depth of we	ster feet
rade		-	•	
(c) Length	of pipe,	ft.; s	ize at intake,	in.; size at ft
rom intake	in.;	size at place of	use in.; diff	erence in elevation between
ntake and place	of use,	ft. Is	grade uniform?	Estimated capacity
8. Location	•	irrigated, or pla	ce of use	
Township North or South	Range S. or W. of Willemette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
26 S.	4 W	13	S W/45W14	domestic
			SW14 SW14	2.8 ac.
			nw/4 5w/4	1.2 ac.
			, , , , , , , , , , , , , , , , , , , ,	21 i
	. ,			
				· ·
	· · · · · · · · · · · · · · · · · · ·			
·	,			
, ,		(If more space r	equired, attach separate sheet)	
(a) Ch	aracter of soil	heavy	loam	4
(b) Ki	nd of crops raise	ed garder	<b>L</b>	
Power or Mining	-	awan ta ba dana	loped	th constinut homeomore
				-
			owersec	. Jt.
			(Head)	
(d) Th	e nature of the	works by mean	s of which the power is to be o	leveloped
(e) Su	ch works to be l	located in	(Legal subdivision)	of Sec.
Tp(No. N. or 8			•	
(f) Is	water to be reti	ırned to any str	eam?(Yes or No)	
			, · ·	

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served

Legal Description below:j  Remarks: Beginning at a 2" x 25" galvanized line of the State Highway's 1937 of the North Station 781 plus 49.0, and from which the Infoster D.L.C. No. 43 in T.26S., R.4W., W.M. 6° 21' West, 762.9' (equals South 5° 29' West Hickman)  Thence N.2° 19' E. 1202.4' along the West	iron pipe on the North right Humpqua River Highway, at terior "L" Corner of the Re Douglas County, Oregon beat 758.3' as in Deed to Ralp boundary of said Hickman pe N. 87° 41' W. 218.0' to a galvanized Iron Pipe on the	at-of-way Engineer eason D. urs South oh George property a point;
(b) If for domestic use state number of families to  (Answer questions 11, 12, 13, and 14 in  11. Estimated cost of proposed works, \$	iron pipe on the North right terior "L" Corner of the Re Douglas County, Oregon beat t 758.3' as in Deed to Ralp boundary of said Hickman pe N. 87° 41' W. 218.0' to a galvanized Iron Pipe on the	at-of-way Engineer eason D. urs South oh George property a point;
(b) If for domestic use state number of families to  (Answer questions 11, 12, 13, and 14 in  11. Estimated cost of proposed works, \$	iron pipe on the North right terior "L" Corner of the Re Douglas County, Oregon beat t 758.3' as in Deed to Ralp boundary of said Hickman pe N. 87° 41' W. 218.0' to a galvanized Iron Pipe on the	at-of-way Engineer eason D. urs South oh George property a point;
Legal Description below:  14. The water will be completely applied to the proposed line of the State Highway's 1937 of the Nort Station 781 plus 49.0, and from which the In Foster D.L.C. No. 43 in T.26S., R.4W., W.M. 6° 21' West, 762.9' (equals South 5° 29' West Hickman)  Thence N.2° 19' E. 1202.4' along the West	iron pipe on the North right terior "L" Corner of the ReDouglas County, Oregon beat 758.3' as in Deed to Ralp boundary of said Hickman pen. 87° 41' W. 218.0' to a galvanized Iron Pipe on the	t-of-way Engineer eason D. ors South oh George property
Legal Description below:  14. The water will be completely applied to the proposed line of the State Highway's 1937 of the Nort Station 781 plus 49.0, and from which the In Foster D.L.C. No. 43 in T.26S., R.4W., W.M. 6° 21' West, 762.9' (equals South 5° 29' West Hickman)  Thence N.2° 19' E. 1202.4' along the West	iron pipe on the North right terior "L" Corner of the ReDouglas County, Oregon beat 758.3' as in Deed to Ralp boundary of said Hickman pen. 87° 41' W. 218.0' to a galvanized Iron Pipe on the	t-of-way Engineer eason D. ors South oh George property
12. Construction work will begin on or before	iron pipe on the North right terior "L" Corner of the ReDouglas County, Oregon beat 758.3' as in Deed to Ralp boundary of said Hickman pen. 87° 41' W. 218.0' to a galvanized Iron Pipe on the	ext-of-way Engineer eason D. urs South oh George property a point;
12. Construction work will begin on or before  13. Construction work will be completed on or before  14. The water will be completely applied to the proposed  Legal Description below:  Remarks: Beginning at a 2" x 25" galvanized line of the State Highway's 1937 of the North Station 781 plus 49.0, and from which the In Foster D.L.C. No. 43 in T.26S., R.4W., W.M. 6° 21' West, 762.9' (equals South 5° 29' West Hickman)  Thence N.2° 19' E. 1202.4' along the West	Completed  Luse on or before Complete  Lyn L Standard  (Signature of applicant)  iron pipe on the North right h Umpqua River Highway, at terior "L" Corner of the Re Douglas County, Oregon bea t 758.3' as in Deed to Ralp  boundary of said Hickman p e N. 87° 41' W. 218.0' to a galvanized Iron Pipe on the	at-of-way Engineer eason D. urs South the George property a point;
13. Construction work will be completed on or before.  14. The water will be completely applied to the proposed.  Legal Description below: j  Remarks: Beginning at a 2" x 25" galvanized line of the State Highway's 1937 of the North Station 781 plus 49.0, and from which the Information Tools. C. No. 43 in T.26S., R.4W., W.M. 6° 21' West, 762.9' (equals South 5° 29' West Hickman)  Thence N.2° 19' E. 1202.4' along the West	iron pipe on the North right terior "L" Corner of the ReDouglas County, Oregon beat 758.3' as in Deed to Ralp boundary of said Hickman pen. 87° 41' W. 218.0' to a galvanized Iron Pipe on the	at-of-way Engineer eason D. urs South oh George property a point;
Legal Description below:j  Remarks: Beginning at a 2" x 25" galvanized line of the State Highway's 1937 of the North Station 781 plus 49.0, and from which the Infoster D.L.C. No. 43 in T.26S., R.4W., W.M. 6° 21' West, 762.9' (equals South 5° 29' West Hickman)  Thence N.2° 19' E. 1202.4' along the West	iron pipe on the North right terior "L" Corner of the Re Douglas County, Oregon beat 758.3' as in Deed to Ralp boundary of said Hickman pe N. 87° 41' W. 218.0' to a galvanized Iron Pipe on the	at-of-way Engineer eason D. urs South the George property a point;
Legal Description below:j  Remarks: Beginning at a 2" x 25" galvanized line of the State Highway's 1937 of the North Station 781 plus 49.0, and from which the Infoster D.L.C. No. 43 in T.26S., R.4W., W.M. 6° 21' West, 762.9' (equals South 5° 29' West Hickman)  Thence N.2° 19' E. 1202.4' along the West	iron pipe on the North right h Umpqua River Highway, at terior "L" Corner of the Re Douglas County, Oregon beat 758.3' as in Deed to Ralp boundary of said Hickman pe N. 87° 41' W. 218.0' to a galvanized Iron Pipe on the	t-of-way Engineer eason D. urs South oh George croperty a point;
Legal Description below:j  Remarks: Beginning at a 2" x 25" galvanized line of the State Highway's 1937 of the North Station 781 plus 49.0, and from which the Infoster D.L.C. No. 43 in T.26S., R.4W., W.M. 6° 21' West, 762.9' (equals South 5° 29' West Hickman)  Thence N.2° 19' E. 1202.4' along the West	iron pipe on the North righth Umpqua River Highway, at terior "L" Corner of the Re Douglas County, Oregon beat 758.3' as in Deed to Ralp boundary of said Hickman pe N. 87° 41' W. 218.0' to a galvanized Iron Pipe on the	et-of-way Engineer eason D. ers South th George property a point;
Legal Description below:j  Remarks: Beginning at a 2" x 25" galvanized line of the State Highway's 1937 of the North Station 781 plus 49.0, and from which the Infoster D.L.C. No. 43 in T.26S., R.4W., W.M. 6° 21' West, 762.9' (equals South 5° 29' West Hickman)  Thence N.2° 19' E. 1202.4' along the West	iron pipe on the North righth Umpqua River Highway, at terior "L" Corner of the Re Douglas County, Oregon beat 758.3' as in Deed to Ralp boundary of said Hickman pe N. 87° 41' W. 218.0' to a galvanized Iron Pipe on the	et-of-way Engineer eason D. ers South th George property a point;
Remarks: Beginning at a 2" x 25" galvanized line of the State Highway's 1937 of the Nort Station 781 plus 49.0, and from which the In Foster D.L.C. No. 43 in T.26S., R.4W., W.M. 6° 21' West, 762.9' (equals South 5° 29' West Hickman)  Thence N.2° 19' E. 1202.4' along the West	h Umpqua River Highway, at terior "L" Corner of the Re Douglas County, Oregon bea t 758.3' as in Deed to Ralp boundary of said Hickman p e N. 87° 41' W. 218.0' to a galvanized Iron Pipe on the	Engineer eason D. urs South the George eroperty a point; e North
and along a fence line to an iron bar; thence S. 2° 19' W. 1213.3' to a 2" x 25" right-of-way line of said highway. thence I right-of-way line to place of beginning.  Except that 10' strip sold to Douglas Commaintenance of a water pipeline of a width of property along the Westerly boundary, extendabove granted premises and extending thence North Umpqua River, excepting therefrom such Road.	ent for the construction an f 5' across that portion of ing from the NELy Corner of NLy along said WLy boundary	nd her the
		•
STATE OF OREGON, ss.		
County of Marion,		·
This is to certify that I have examined the foregoing		
maps and data, and return the same for		
,		
In order to retain its priority, this application must be	returned to the State Engineer, w	ith correc
tions on or before, 19,		
•		•
WITNESS my hand this day of	, 19	9
		•
	STÄTI	E ENGINEER

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use						
and shall not exceedQ.06 cubic feet per second measured at the point of diversion from the						
stream, or its equivalent in case of rotation with other water users, from North Umpqua River						
The use to which this water is to be applied is for the irrigation, being 0.01 cfs for domestic use and 0.0	domesticuseo	f.one family and				
,		·				
If for irrigation, this appropriation shall be limited to	1/80	of one cubic foot per				
second or its equivalent for each acre irrigated and shall be	further limite	dtoadiversionof				
not to exceed 21 acre feet per acre for each acre	irrigated duri	ng the irrigation				
season of each year,						
·						
· · · · · · · · · · · · · · · · · · ·						
and shall be subject to such reasonable rotation system as may b	, -					
The priority date of this permit is June 20						
Actual construction work shall begin on or before	March 16	, 1971 and shall				
thereafter be prosecuted with reasonable diligence and be comp	oleted on or before	e October 1, 19.71				
Complete application of the water to the proposed use sho						
WITNESS my hand this 16th day of	March	, 19.70				
Ch.	me LA	Kele				
		STATE ENGINEER				
24 1/2	ع ا	m 1.				

Permit No. 34475 Application No. 46.

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

PERMIT

This instrument was first received in t office of the State Engineer at Salem, Orego

19.67, at ... / 20.0 o'clock

Returned to applicant:

March 16, 1970

Approved:

Recorded in book No.

Permits on page

CHRIS L. WIEEIER

Drainage Basin No. 16

Printing 98137