

SM-
RECEIVED
JUN 24 1969

Permit No. **34482**

STATE ENGINEER
SALEM, OREGON

*APPLICATION FOR PERMIT

CERTIFICATE NO. **33732**

To appropriate the Public Waters of the State of Oregon

I, Jack Clifford Smith
(Name of applicant)
of 310 SE Pine Street
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Umpqua River
(Name of stream)
a tributary of Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second. 0.01
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Home garden and lawn (irrigation only. No domestic use)
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 50' ft. N and 50' ft. E from the NW
(N. or S.) (E. or W.)
corner of Aaron Rose #39
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of the NW 1/4 of Sec. 19, Tp. 27S
(Give smallest legal subdivision) (N. or S.)
R. 5W, W. M., in the county of Douglas
(E. or W.)

5. The 380'
(Main ditch, canal or pipe line) to be
(Miles or feet)
in length, terminating in the NW 1/4 of the NW 1/4 of Sec. 19, Tp. 27S
(Smallest legal subdivision) (N. or S.)
R. 5W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 1/2 Horsepower
(Size and type of pump)
centrifugal pump Electric
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied ~~one~~
no domestic use
(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 382.00
- 12. Construction work will begin on or before April 1
- 13. Construction work will be completed on or before April 15
- 14. The water will be completely applied to the proposed use on or before April 15

Jack Clifford Smith
(Signature of applicant)

Remarks: No domestic use of water is planned.
The cost of a filtering plant for domestic
use would be prohibitive for the South
Company.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 27th....., 19 69..

WITNESS my hand this 27th day of June....., 19 69..

RECEIVED
JUL 3 1969
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
By Larry W. Jebousek
LARRY W. JEBOUSEK
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Umpqua River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 30, 1969

Actual construction work shall begin on or before March 16, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1971.

Complete application of the water to the proposed use shall be made on or before October 1, 1972.

WITNESS my hand this 16th day of March, 1970

Chris L. Wheeler

STATE ENGINEER

Application No. 46155

Permit No. 34482

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 30th day of April 1969, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

March 16, 1970

Recorded in book No. of

34482

Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 16 page 304

Fees 420