

RECEIVED
JUL 9 1969

Permit No. **34521**

STATE ENGINEER
SALEM, OREGON

*APPLICATION FOR PERMIT

CERTIFICATE NO. **41177**

To appropriate the Public Waters of the State of Oregon

I, W. H. Wood

(Name of applicant)

of Lostine

(Mailing address)

State of Oregon

, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Wallowa River

(Name of stream)

, a tributary of Grande Ronde River

2. The amount of water which the applicant intends to apply to beneficial use is 1/80 per acre for each acre irrigated but not to exceed 5 1/2 acre feet cubic feet per second during the irrigation season of each year.

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located For Primary filing 500 ft. North and 220 ft. East from the SW corner of Section 2, T 1 S., R 43 E.W.M.

(Section or subdivision)

For supplemental filing in Cross Country Canal, P.O.D. is S 66° 11' W 3378.9 feet to the SW corner of Sec. 11, T 1 S., R 43 E.W.M.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
for Primary filing being within the SW 1/4 SW 1/4 of Sec. 2, T 1 S., R 43 E.W.M. being within the SW 1/4 of Sec. 2, Tp. 1 S.
for supplemental filing, within the NW 1/4 SE 1/4 of Sec. 11, T 1 S., R 43 E.W.M. W. M., in the county of Wallowa.

(E. or W.)

5. The Pipe line to be 725 feet

(Main ditch, canal or pipe line)

(Miles or feet)

in length, terminating in the SE 1/4 SE 1/4 of Sec. 3, Tp. 1 S.

(Smallest legal subdivision)

(N. or S.)

R. 43 E., W. M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____

(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate No headgate is required as water will be pumped

(Timber, concrete, etc., number and size of openings)

directly from Wallowa River

(c) If water is to be pumped give general description 5 1/2 centrifugal electric pump

(Size and type of pump)

with a maximum head of 550 gallons per minute.

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 725 feet ft.; size at intake, 2 1/2" in.; size at 725 ft. from intake 4" in.; size at place of use 3" in.; difference in elevation between intake and place of use, 15 ft. Is grade uniform? Yes Estimated capacity, 0.24 sec. ft.

8. Location of area to be irrigated, or place of use SW 1/4 SW 1/4 of Sec. 2, T 1 S, R 43 E.W.M. SE 1/4 SE 1/4 of Sec. 3, T 1 S, R 43 E.W.M.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
For Primary filing				
T 1 S	R 43	2	SW 1/4 SW 1/4	5 acres
T 1 S	R 43	3	SE 1/4 SE 1/4	14 "
For supplemental Filing				
T 1 S	R 43	10	NE 1/4 NE 1/4	24 acres
				43

(If more space required, attach separate sheet)

(a) Character of soil Sandy loam

(b) Kind of crops raised Pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp., R., W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... 600,000.....

12. Construction work will begin on or before March 1, 1970.....

13. Construction work will be completed on or before August 1, 1970.....

14. The water will be completely applied to the proposed use on or before August 1, 1971.....

M. H. Wood
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.54 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Wallowa River

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 9, 1969

Actual construction work shall begin on or before April 24, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1972

Complete application of the water to the proposed use shall be made on or before October 1, 1973.

WITNESS my hand this 24th day of April, 1970

Chris L. Wheeler

STATE ENGINEER

Application No. 46204
Permit No. 34521

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 9th day of July, 1969, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

April 24, 1970 of
Recorded in book No. 34521
Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 8 page 30 B

Fees \$2195