

*APPLICATION FOR PERMIT

CERTIFICATE NO. 40062

To Appropriate the Public Waters of the State of Oregon

(Name of a	plicant)	······································
of Enterprise (Mailing address)		·····
State ofOragon, do hereby		
following described public waters of the State of Oregon	, SUBJECT TO E2	XISTING RIGHTS:
If the applicant is a corporation, give date and place	e of incorporation	·
1. The source of the proposed appropriation is $^{ m U}$	named spring br	canch a Tributary
of Wallowa River , a tributary	of Grande Rond	le River
2. The amount of water which the applicant intend Per acre for each acre irriga	ted irrigated,	or its equivalent, but
cubic feet per second, not to exceed 3 acre feet d	uring the irrig	gation season of each yes
**3. The use to which the water is to be applied is	Immiration	g, manufacturing, domestic supplies, etc.)
	(Irrigation, power, mining	g, manufacturing, domestic supplies, etc.)
4. The point of diversion is located ft	47' W., 1592 and	ft from theS. &
corner of Section 11, T 2 S., R 44 E.W.M.	subdivision)	
(If preferable, give distance and bea		
(If there is more than one point of diversion, each must be being within the $NE_4^{\frac{1}{4}}$ SW $_4^{\frac{1}{4}}$ (Give smallest legal subdivision)	described. Use separate sh	
being within the $\frac{NE_{4}^{1}}{SW_{5}^{1}}$ (Give smallest legal subdivision) R. $\frac{44}{S}$ E. W. M., in the county of $\frac{Wallowa}{S}$	described. Use separate sh	11 , Tp. 2 S. (N. or S.)
(If there is more than one point of diversion, each must be being within the NE4 SW4 (Give smallest legal subdivision) R. 44 E. W. M., in the county of Wallowa (E. or W.) 5. The Pipe line	described. Use separate sh	700 feet
(If there is more than one point of diversion, each must be being within the NE4 SW4 (Give smallest legal subdivision) R. 44 E. W. M., in the county of Wallowa (E. or W.) 5. The Pipe line	described. Use separate sh	700 feet
(If there is more than one point of diversion, each must be being within the $\frac{NE_{4}^{1}}{2}SW_{4}^{1}$ (Give smallest legal subdivision) R. $\frac{44}{2}E_{\bullet}$, W. M., in the county of Wallowa 5. The Pipe line (Main ditch, canal or pipe line) in length, terminating in the $\frac{SE_{4}^{1}}{4}SW_{4}^{1}$ (Smallest legal subdivision)	described. Use separate sh of Sec	700 feet (Miles or feet) 11 , Tp. 2 S , (N. or S.)
(If there is more than one point of diversion, each must be being within the $\frac{NE_{4}^{1}}{4}SW_{4}^{1}$ (Give smallest legal subdivision) R. $\frac{44}{4}E_{\bullet}$, W. M., in the county of Wallowa (E. or W.) 5. The Pipe line (Main ditch, canal or pipe line) in length, terminating in the $\frac{SE_{4}^{1}}{4}SW_{4}^{1}$ (Smallest legal subdivision) R. $\frac{44}{4}E_{\bullet}$, W. M., the proposed location being should be subdivision.) DESCRIPTION O	to be of Sec	700 feet (Miles or feet) 11 , Tp. 2 S , (N. or S.)
(If there is more than one point of diversion, each must be being within the $\frac{NE_{4}^{1}}{4}SW_{4}^{1}$ (Give smallest legal subdivision) R. $\frac{44}{4}E_{\bullet}$, W. M., in the county of Wallowa (E. or W.) 5. The Pipe line (Main ditch, canal or pipe line) in length, terminating in the $\frac{SE_{4}^{1}}{4}SW_{4}^{1}$ (Smallest legal subdivision) R. $\frac{44}{4}E_{\bullet}$, W. M., the proposed location being should be compared to the county of Wallows (E. or W.) DESCRIPTION O	to be of Sec	700 feet (Miles or feet) 11 , Tp. 2 S , (N. or S.) 11 , Tp. 2 S , (N. or S.) In the accompanying map.
(If there is more than one point of diversion, each must be being within the $\frac{NE_{\frac{1}{4}}^{\frac{1}{4}}SW_{\frac{1}{4}}^{\frac{1}{4}}}{(Give smallest legal subdivision)}$ R. $\frac{44 \text{ E} \bullet}{(E \text{ or } W.)}$, W. M., in the county of Wallowa (E or W.) 5. The Pipe line (Main ditch, canal or pipe line) in length, terminating in the $\frac{SE_{\frac{1}{4}}^{\frac{1}{4}}SW_{\frac{1}{4}}^{\frac{1}{4}}}{(Smallest legal subdivision)}$ R. $\frac{44}{(E \text{ or } W.)}$, W. M., the proposed location being should be considered as $\frac{1}{(E \text{ or } W.)}$. DESCRIPTION O Diversion Works— 6. (a) Height of dam feet, length	to be of Sec	700 feet (Miles or feet) 11, Tp2 S, (N. or S.) In the accompanying map. feet, length at bottom
(If there is more than one point of diversion, each must be being within the $\frac{NE_{\frac{1}{4}}^{\frac{1}{4}}SW_{\frac{1}{4}}^{\frac{1}{4}}}{(Give smallest legal subdivision)}$ R. $\frac{44 \text{ E} \bullet}{(E \text{ or } W.)}$, W. M., in the county of Wallowa (E or W.) 5. The Pipe line (Main ditch, canal or pipe line) in length, terminating in the $\frac{SE_{\frac{1}{4}}^{\frac{1}{4}}SW_{\frac{1}{4}}^{\frac{1}{4}}}{(Smallest legal subdivision)}$ R. $\frac{44}{(E \text{ or } W.)}$, W. M., the proposed location being should be considered as $\frac{1}{(E \text{ or } W.)}$. DESCRIPTION O Diversion Works— 6. (a) Height of dam feet, length	to be of Sec	700 feet (Miles or feet) 11, Tp2 S, (N. or S.) In the accompanying map. feet, length at bottom
(If there is more than one point of diversion, each must be being within the $\frac{NE_{\frac{1}{4}}^{\frac{1}{4}}SW_{\frac{1}{4}}^{\frac{1}{4}}}{(Give smallest legal subdivision)}$ R. $\frac{44 \text{ E} \bullet}{(E \text{ or } W.)}$, W. M., in the county of Wallowa (E or W.) 5. The Pipe line (Main ditch, canal or pipe line) in length, terminating in the $\frac{SE_{\frac{1}{4}}^{\frac{1}{4}}SW_{\frac{1}{4}}^{\frac{1}{4}}}{(Smallest legal subdivision)}$ R. $\frac{44}{(E \text{ or } W.)}$, W. M., the proposed location being should be considered as $\frac{1}{(E \text{ or } W.)}$. DESCRIPTION O Diversion Works— 6. (a) Height of dam feet, length	to be of Sec	700 feet (Miles or feet) 11, Tp2 S, (N. or S.) In the accompanying map. feet, length at bottom
(If there is more than one point of diversion, each must be being within the NE SW SW Give smallest legal subdivision) R. 44 E. W. M., in the county of Wallowa (E. or W.) 5. The Pipe line (Main ditch, canal or pipe line) in length, terminating in the SE SW Give smallest legal subdivision) R. 44 E. (Smallest legal subdivision) R. 45 E. W. M., the proposed location being should be seen to	to be	700 feet (Miles or feet) 11 , Tp. 2 S (N. or S.) In the accompanying map. (Loose rock, concrete, masonry,
(If there is more than one point of diversion, each must be being within the \frac{NE\frac{1}{4}}{4} \SW\frac{1}{2}} \\ (\text{Give smallest legal subdivision})\) R. \frac{44 E \circ W.}{4}, W. M., in the county of \frac{Wallowa}{4} \\ (\text{E. or W.})\) 5. \text{The Pipe line} \\ (\text{Main ditch, canal or pipe line})\) in length, terminating in the \frac{SE\frac{1}{4}}{4} \SW\frac{1}{2}} \\ (\text{Smallest legal subdivision})\) R. \frac{44 E \circ W.}{4}, W. M., the proposed location being shown in the proposed loca	of Sec. to be of Sec. fown throughout of the construction construction concrete, etc., number a	700 feet (Milee or feet) 11, Tp2 S, (N. or S.) In the accompanying map. (Loose rock, concrete, masonry, Ger will be pumped Indexe of openings)
(If there is more than one point of diversion, each must be being within the NE\frac{1}{4} SW\frac{1}{4} \\ (Give smallest legal subdivision) R. 44 E. , W. M., in the county of Wallowa (E. or W.) 5. The Pipe line (Main ditch, canal or pipe line) in length, terminating in the SE\frac{1}{4} SW\frac{1}{4} \\ (Smallest legal subdivision) R. 44 E. , W. M., the proposed location being slace of the county of Wallowa DESCRIPTION O Diversion Works— 6. (a) Height of dam feet, lengt feet; material to be used and character of the county of headgate is directly from stream. (Timbe directly from stream.	to be	700 feet (Milee or feet) 11 , Tp. 2 S (N. or S.) In the accompanying map. feet, length at bottom (Loose rock, concrete, masonry,
(If there is more than one point of diversion, each must be being within the \frac{\text{NE}\frac{1}{4}}{4} \text{SW}\frac{1}{4}} \qquad \text{(Give smallest legal subdivision)} \qquad \text{R. or W.)} \qquad \text{(Give smallest legal subdivision)} \qquad \text{S. The Pipe line} \qquad \text{(Main ditch, canal or pipe line)} \qquad \text{in length, terminating in the SE}\frac{1}{4} \text{SW}\frac{1}{4}} \qquad \text{(Smallest legal subdivision)} \qquad R	to be	700 feet (Milee or feet) 11 , Tp. 2 S (N. or S.) In the accompanying map. (Loose rock, concrete, masonry, cer will be pumped and size of openings) centrifugal 3 hp. Size and type of pump) minute

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem,

				34535
anal System or 1	· -			
7. (a) Giv	e dimensions at a	each point of	canal where materially cha	inged in size, stating miles from
eadgate. At head	igate: width on t	op (at water	line)	feet; width on botton
housand feet.				ater line)
			· · · · · · · · · · · · · · · · · · ·	f water feet
	feet fall			
A 1	•			in.; size at600 t ft
rom intake	in.; :	size at place o	f usein.;	difference in elevation between
ntake and place	of use, 101	ft. Is	grade uniform? yes	Estimated capacity
0.28 8. Location	sec. ft. n of area to be ir	rigated, or pl	ace of use Secoll . T	2 S., R 44 E.W.M.
Township North or South	Range S. or W. of Willemotte Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T 2 S.	R 44 E.	11	NE 4 SW4	3.6 acres
T 2 S.	R 44 E.	11	SE ¹ / ₄ SW ¹ / ₄	7.72 acres
<u></u>			Total acres	11.32 Acres ✓
				,
		(If more space	required, attach separate sheet)	
(a) Cho	aracter of soil	Sandy los	ım	· · · · · · · · · · · · · · · · · · ·
(b) Kin	nd of crops raised	Hay, and	pasture	
Power or Mining	_			
•				theoretical horsepowe
			oower	. sec. ft.
(c) To	tal fall to be ut ili	zed	(Head)	,
,			•	be developed
(e) Su	ch works to be lo	cated in		of Sec.
<i>Tp.</i>	, R	, W. N	(Legal subdivision)	•
() (No. E water to be retur	,		The state of the s
(1/ 10				. 3 % \$417

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

unicipal or Domestic Supply—	34535
10. (a) To supply the city of	
	nt population of
l an estimated population of	in 19
(b) If for domestic use state number of	families to be supplied
	13, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$10.	
12. Construction work will begin on or before	•
13. Construction work will be completed on o	or before August 1, 1971
14. The water will be completely applied to th	se proposed use on or before August 1, 19 72
	Daniel O Enrich
	James O Elleott (Signature of applicant) Oona C. Elleott
	Dona C. Cllest
Remarks:	
<u>, i y i </u>	the state of the s
- 1	
	i
TATE OF OREGON, ss.	
County of Marion,	
	foregoing application, together with the accompany
aps and data, and return the same for	
In order to retain its priority, this application	on must be returned to the State Engineer, with corr
ons on or before	,
WITNESS my hand this day of	, 19
	STATE ENGINEE
	By
	134

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial u
and shall not exceed
stream, or its equivalent in case of rotation with other water users, from an unnamed spring branch
The use to which this water is to be applied is irrigation
If for irrigation, this appropriation shall be limited to1/40 of one cubic foot pe
second or its equivalent for each acre irrigated and shall be further limited to a diversion of
not to exceed 35 acre feet per acre for each acre irrigated during the irrigation
season of each year,
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The priority date of this permit isJuly_15, 1969
Actual construction work shall begin on or before
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1972
Complete application of the water to the proposed use shall be made on or before October 1, 1973
WITNESS my hand this 24th day of April , 1970
aking Latherlan
STATE INGINEER

Application No. 46223 Permit No. 34535

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON PERMIT

This instrument was first received in the

office of the State Engineer at Salem, Oregon, 8. 00 o'clock 19.64 at. on the ...

Z

Returned to applicant:

April 24, 1970...

Approved:

Recorded in book No.

Permits on page

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No.

State Printing 98137