

*APPLICATION FOR PERMIT

CERTIFICATE NO. 43284

To appropriate the Public Waters of the State of Oregon

I, Fred O. Santesson, of Star Rt. 2, Box 49, Foster, State of Oregon 97345, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Spring, a tributary of South Santiam River

2. The amount of water which the applicant intends to apply to beneficial use is 0.03 cubic feet per second, being 0.005 cfs for domestic & 0.025 cfs for irrigation

**3. The use to which the water is to be applied is domestic & irrigation

4. The point of diversion is located 1017 ft. S. and 1362 ft. E from the N.W. corner of SE 1/4 Sec. 26, T13S R1E, W1M

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 SE 1/4 of Sec. 26, Tp. 13S, R. 1E, W. M., in the county of Lincoln

5. The [blank] to be [blank] in length, terminating in the [blank] of Sec. [blank], Tp. [blank], R. [blank], W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam [blank] feet, length on top [blank] feet, length at bottom [blank] feet; material to be used and character of construction [blank]

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate [blank]

(c) If water is to be pumped give general description 1 hp elec. pump

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

34518

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
13S	1E	26	NE 1/4 SE 1/4	1.75 & domestic
			SE 1/4 SE 1/4	0.40
				2.15 ✓

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised *Lawn & garden*

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied ONE

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 300

12. Construction work will begin on or before Summer 1969

13. Construction work will be completed on or before 10/1/71

14. The water will be completely applied to the proposed use on or before 10/1/72

Fred O Santesson
(Signature of applicant)

Remarks:

This application is a refiling of Applica No. 40149, Permit No. 29928 which was canceled use same map, - legal description, & Spring description

Fred O Santesson

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed spring

The use to which this water is to be applied is for the domestic use of one family and irrigation, being 0.005 cfs for domestic use and 0.025 cfs for irrigation.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 23, 1969

Actual construction work shall begin on or before April 24, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1972.

Complete application of the water to the proposed use shall be made on or before October 1, 1973.

WITNESS my hand this 24th day of April, 1970.

Chris L. Wheeler

STATE ENGINEER

Application No. 46241

Permit No. 34548

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23 day of July, 1969, at 11:19 o'clock A. M.

Returned to applicant:

Approved:

April 24, 1970

Recorded in book No. of

34548

Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 42X

Fees \$2000