

*APPLICATION FOR PERMIT

CERTIFICATE NO. 43222

To Appropriate the Public Waters of the State of Oregon

I, Mrs Ronald A. Shapland (Name of applicant) of Rt 2 Box 238 A Canby (Mailing address) State of Oregon 97013, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Molalla River (Name of stream), a tributary of Willamette

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. 0.04 being 0.01 for domestic & 0.03 for irrigation (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic & irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 200 ft. N. and 700 ft. E. from the E 1/4 corner of Sec 14 T55R7E (Section or subdivision) (Sealed from final proof map Per 7852)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NW 1/4 of Sec. 14, Tp. 5 S, R. 2 E, W. M., in the county of Clackamas

5. The See remarks to be in length, terminating in the of Sec. of Tp. R. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 3/4 horse - wisc motor (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied/.....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 100⁰⁰/_{xx}

12. Construction work will begin on or before started

13. Construction work will be completed on or before 10-1-1971

14. The water will be completely applied to the proposed use on or before 10-1-1972

Mrs. Ronald A. Shapland
(Signature of applicant)

Remarks: Diversion from River will be through
The Mollie Irr Co & old Liberal Irr to ditch

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, } ss.
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.04 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Molalla River

The use to which this water is to be applied is for the domestic use of one family and irrigation, being 0.01 cfs for domestic use and 0.03 cfs for irrigation.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 24, 1969

Actual construction work shall begin on or before April 24, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1972.

Complete application of the water to the proposed use shall be made on or before October 1, 1973.

WITNESS my hand this 24th day of April, 1970

Chris J. Wheeler
STATE ENGINEER

Application No. 46247
Permit No. 34552

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24 day of July 1969, at 11:11 o'clock A. M.

Returned to applicant:

Approved:

April 24, 1970
Recorded in book No. of
Permits on page 34552

CHRIS J. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 30A
Fees \$30.00