To Appropriate the Public Waters of the State of Oregon

I, Lyle E. Beyers	·
of At. 1 Box 302-A, Indep	pendence, Oregon,
following described public waters of the State of Oregon,	, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place	e of incorporation
	(Name of stream)
2. The amount of water which the applicant intends	to apply to beneficial use is
cubic feet per second. for irrigation & O. C	ozels for fish culture-total-0.04
**3. The use to which the water is to be applied is	Irrigotion & Fish (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located	Nors.) and ft. (E.orw.) from the SE
N 46° 19'W a distance of	subdivision) f 1059.7 ft.
(If there is more than one point of diversion, each must be o	Continue society Continue soc
being within the SE /4 SE /4 (Give smallert legal subdivision)	of Sec. 28 Tp. 75
R. $\frac{4}{(E. \text{ or } W)}$, W. M., in the county of $\frac{Polk}{}$	
5. The Pipe line	to be 1000 ft.
in length, terminating in the SE/4SE/4 (Smallert legal subdivision)	of Sec. 28 , Tp. 75 , (N. or 8.)
R. 4 W., W. M., the proposed location being sh	own throughout on the accompanying map.
DESCRIPTION OF Diversion Works—	F WORKS
	on top feet, length at bottom
feet; material to be used and character of	f construction (Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)	
1004 2112 51 5111, 21115 6111, 11111 1111 1111 1111 1111	
(b) Description of headgate	r concrete etc. number and size of openings)
(Timbe	r, concrete, etc., number and size of openings)
(Timbe	r, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description (c) If water is to be pumped give general description (Size and type of engine or motor to be used to be seed 18 ft. Sprinklers	r, concrete, etc., number and size of openings)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the all Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem,

••••••	feet; depth of w	ater	feet; grade	feet fall per one
and feet.		milas from l	headgate: width on top (at wate	re lina)
•••••	feet; width on b	ottom	feet; depth of u	vater feet;
···	feet fall	per one tho	usand feet.	
(c) Lenat	h of pipe. 100	O ft	.; size at intake,3	in.; size at 20 ft.
	_		of use	
	_	_		
e and place	of use,	5 ft.	Is grade uniform?	Estimated capacity,
	sec. ft.		_	,
8. Locatio	on of area to be i	rrigated, or 1	place of use	
Township North or South	Range E. or W. of Williamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
75	4 W	28	SE 14 SE 14	3.5 2 ac. & Fish
		33	SE 4 SE 14 NE'L NE'L	,
			782.79 77274	
, , , , , , , , , , , , , , , , , , ,			<u> </u>	· · · · · · · · · · · · · · · · · · ·
				· · · · · ·
	,			
		(If more spe	ce required, attach separate sheet)	<u> </u>
(a) Cl	naracter of soil	Clay.	loam	
			den, Berries, La	
•	g Purposes—			
9. (a) To	otal amount of po	wer to be de	eveloped	theoretical horsepower.
(b) Q	nantity of water	to be used for	r powerse	ec. ft.
	- •			
(c) Te	otal fall to be util	ized	(Head)	' 、
(d) T	he nature of the t	vorks by me	ans of which the power is to be	developed
••••••••••				
(e) S	uch works to be l	ocated in	(Legal subdivision)	of Sec,
	, R		•	
	•			
(f) Is	water to be retu	rned to any	stream?(Yes or No)	
(m) T	so, name stream	and locate	point of return	
(9) 1			,	

funicipal or Domestic Supply—			3456	8
10. (a) To supply the city of			••••••••••••••••••••••••••••••••••••••	
(Name of)	present populatio	n of	•••••••	•••••••
nd an estimated population of	in 19			
(b) If for domestic use state numb	er of families to	be supplied		*************
(Answer quest	ions 11, 42, 13, and 14 in a	(I cames)		
11. Estimated cost of proposed works, \$		·····		
12. Construction work will begin on or	before			·····
13. Construction work will be completed	d on or before			••••
11. Estimated cost of proposed works, \$ 12. Construction work will begin on or 13. Construction work will be completed 14. The water will be completely applied	i to the proposed	use on or before	6 /	- <i>f</i>
· · · · · · · · · · · · · · · · · · ·	······	بالمرين		?
	Lu	lo EBei	ners	
		(Signature of	applicant)	***************************************
F:I	· '			tract
Remarks:	DOMA G	FE FOR 11.	6000	11001
planted 1000 Pry. May change to		······································		
May change t	o warm	water	fish	luter
· ·			*******	
	***************************************	•••••		
	······································	***************************************	•••••••	

	* -			·····

STATE OF OREGON,	į			
County of Marion,				
This is to certify that I have examine	d the foregoing a	pplication, togethe	er with the	accompanyir
maps and data, and return the same for				
······································	:			S
	······································			
In order to retain its priority, this app	olication must be	returned to the St	ate Engine	er, with corre
tions on or before	, 19			
WITNESS my hand this day	y of			, 19
				•
· · · · · · · · · · · · · · · · · · ·				
	***************************************	·		STATE ENGINEER
	Bu			

建一种

STATE OF OREGON, County of Marion,

PREGON

OF.

J S

No.

Permit

o'clock

M

2

at

Returned to applicant:

day of

Υ

on the

This is to certify that I have examined the foregoing application and do hereby grant the same,

SUBJECT TO EXISTING RIGHTS and the following limitations and conditions: The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.045...... cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Rickreall Creek and reservoir to be constructed under application No. R-46271, permit No. R-5505 The use to which this water is to be applied is irrigation and fish culture, being 0.025 cfs for irrigation and 0.02 cfs for fish culture. second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 22 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under permit No. R-5505, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is July 31, 1969 Actual construction work shall begin on or before April 24, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.72... Complete application of the water to the proposed use shall be made on or before October 1, 19.73. WITNESS my hand this 24th day of April STATE ENGINEER office of the State Engineer at Salem, Oregon This instrument was first received in the CHRIS L. WHESLER STATE ENGINEER APPROPRIATE THE PUBLIC WATERS OF THE STATE Application No. 46272

April 24, 1970

Recorded in book No.

Permits on page

No.

Basin