

RECEIVED
AUG 4 1969

Permit No. 34570

STATE ENGINEER
SALEM, OREGON

*APPLICATION FOR PERMIT

PERMIT NO. 49246

To appropriate the Public Waters of the State of Oregon

I, Mark L. Hanna
(Name of applicant)
of Route 3, Box 105, Roseburg
(Mailing address)
State of Oregon 97470, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Umpqua River
(Name of stream)
Umpqua River
, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.0125 cfs.
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 145 ft. N. and 60 ft. E. from the NE
(N. or S.) (E. or W.)
corner of Lot 6 of Short Acres
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE¹/₄ SE¹/₄ of Sec. 16, Tp. 27S.
(Give smallest legal subdivision) (N. or S.)

R. 6W., W. M., in the county of Douglas
(E. or W.)

5. The pipeline to be 240 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SE¹/₄ SE¹/₄ of Sec. 16, Tp. 27S.
(Smallest legal subdivision) (N. or S.)

R. 6W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction
(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Electric 220 Volt 1 1/2"-1 1/4"
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of

..... County, having a present population of
(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 395.

12. Construction work will begin on or before completed

13. Construction work will be completed on or before completed

14. The water will be completely applied to the proposed use on or before completed

x *Mark L. Hamo*
(Signature of applicant)

Remarks: Legal Description: Lot 6, Block 1, Short Acres, Township 27 South,
Range 6 West, Section 16, Douglas County, Oregon.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Umpqua River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 4, 1969

Actual construction work shall begin on or before April 24, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1972.

Complete application of the water to the proposed use shall be made on or before October 1, 1973.

WITNESS my hand this 24th day of April, 1970

Chris L. Wheeler
STATE ENGINEER

Application No. 46277
Permit No. 34570

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 4th day of July August 1969, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

April 24, 1970

Recorded in book No. of

Permits on page 34570

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 16 page 306

Fees \$20.00