

*APPLICATION FOR PERMIT

RECEIVED

AUG 6 1969

STATE ENGINEER SALEM, OREGON

To appropriate the Public Waters of the State of Oregon

I, Elton R. Holt (Name of applicant) of Star rte., Tidewater (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is an un-named stream (Name of stream), a tributary of The Clsea River.

2. The amount of water which the applicant intends to apply to beneficial use is 0.02 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic supplies 0.01 cfs and stock use 0.01 cfs (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 215 ft. S (N. or S.) and 2060 ft. E (E. or W.) from the W 1/4 corner of Sec. 27 T13S, R11W W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 SW 1/4 (Give smallest legal subdivision) of Sec. 27, Tp. 13S, (N. or S.)

R. 11W, W. M., in the county of Lincoln (E. or W.)

5. The 1 1/4 in. plastic pipe (Main ditch, canal or pipe line) to be 2850 feet (Miles or feet) in length, terminating in the SW 1/4 NW 1/4 (Smallest legal subdivision) of Sec. 27, Tp. 13S, (N. or S.)

R. 11W, W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Will use gravity flow. (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 3

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1150.00

12. Construction work will begin on or before Oct. 1, 1970

13. Construction work will be completed on or before Oct. 1, 1971

14. The water will be completely applied to the proposed use on or before Oct 1, 1972

Elden R. Halt
(Signature of applicant)

Remarks: These domestic supplies will be furnished to three owners as follows: Elden R. Halt whose ownership is marked (A) on the map, J. A. Wilson whose ownership is marked (B) on the map, and Lowell G. Bell whose ownership is marked (C) on the map. A & B are now in use, C to be constructed.

Stock use will be 10 head of cattle plus general farm animals

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is for the domestic use of 3 families including the irrigation of lawn and garden not to exceed 1/2 acre in area, and stock, being 0.01 cfs for domestic use and 0.01 cfs for stock.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 6, 1969

Actual construction work shall begin on or before April 24, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1972.

Complete application of the water to the proposed use shall be made on or before October 1, 1973

WITNESS my hand this 24th day of April, 1970

Chris L. Wheeler

STATE ENGINEER

Application No. 46288
Permit No. 34576

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6th day of August, 1969, at 12:56 o'clock P. M.

Returned to applicant:

Approved:

April 24, 1970

Recorded in book No. of

Permits on page 34576

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 18 page 12E

Fees \$25.00