

*APPLICATION FOR PERMIT

4/296

To Appropriate the Public Waters of the State of Oregon

1, pionas C. Hantfiel
of 1362 Walling address) and Cult 7 achung
State of
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is 10. Unity of Line (Name of stream), a tributary of Unity file Milly
2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second. (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located 2/6 ft. 1. and 20 ft. W from the NE corner of Section 25
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the AE14 Manual of Sec. 25, Tp. 265, (N. or S.)
R. G. W. M., in the county of Augusta
5. The to be 125
R. (E. or W.) 5. The (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the NW A North Of Sec. 30, Tp. 265, (N. or S.)
R
DESCRIPTION OF WORKS Diversion Works—
6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate
(c) If water is to be pumped give general description /2 HP FLECT vice (Size and type of pump)

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem,

Canal System	or Pipe	Line-
--------------	---------	-------

	feet; depth of w	ater	feet	; grade	feet f a ll per o
usand feet. (b) At		miles from h	eadgate: width	on top (at wate	r line)
		-	٠,	•	pater fee
	feet fall			jece, acpete of a	,
			-		
					in.; size at
m intake	in.;	size at place (of use	in.; dif	ference in elevation betwe
ake and place	of use,	ft. I	s grade uniforn	า?	Estimated capacit
8. Locatio	•	rigated, or pl	ace of use		
Township	Range				
North or South	Willemette Meridian	Section		cre Tract	Number Acres To Be Irrigated
265	6 W	_25	NE/4	NE14	1.6
	5 W	30	NW 1/4	NW14	.3
					2 9 KCHG
				-	
:					
		····			
		(If more space	required, attach separ	ate sheet)	
		-			<u>-</u>
(b) K	ind of crops raised	: till	i, la	ud	
wer or Minin	g Purposes—				
• .			1		theoretical horsepow
(b) Q	uantity of water t	o be used for	power	se	c. ft.
(c) To	otal fall to be utili	zed	(Head)	feet.	
(d) T	he nature of the u	orks by mean	s of which the	power is to be	developed
•••••	·				
(e) S1	ich works to be lo	cated in			of Sec
	, R			apqivision)	•
(======================================	water to be retur				
			(Yes or)	No)	
					, R, W.
		Sac			

funicipal or Domestic Supply—		34629
10. (a) To supply the city of		
	resent population of	
nd an estimated population of	in 19	
(b) If for domestic use state numbe	er of families to be supplied	
(Answer questic	ons 11, 42, 13, and 14 in all cases)	
11. Estimated cost of proposed works, \$		
	1	
12. Construction work will begin on or b		
13. Construction work will be completed	on or before	a 11.A
14. The water will be completely applied	to the proposed use on or before	comfelle
	176 022 1	7-1-0-0
	Unomay (o (Signature of applie	nwayel
	,	
Remarks:	······	
•		
		·
		•••••
,	;	
STATE OF OREGON, ss.	•	
County of Marion,		447. 47
This is to certify that I have examined		
naps and data, and return the same for	······································	
	<u></u>	
In order to retain its priority, this appl	ication must be returned to the State	Engineer, with correc
ions on or before	, 19	
		•
WITNESS my hand this day	of	, 19
		STATE ENGINEER
	D	
	By	TATTERESA

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount	unt of water which can be applied to beneficial use
and shall not exceedQ.Q3 cubic feet per s	second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other	er water users, fromNorth .Umpqua River
The use to which this water is to be applied is	irrigation
If for irrigation, this appropriation shall be limi	ted to1/80 of one cubic foot per
second or its equivalent for each acre irrigatedands	shall be further limited to a diversion of
nottoexceed2½acrefeetperacreforeac	ch.acre.irrigated.during.the.irrigation
season of each year,	
	······································
	· · · · · · · · · · · · · · · · · · ·
•	· · · · · · · · · · · · · · · · · · ·
and shall be subject to such reasonable rotation system	n as may be ordered by the proper state officer.
The priority date of this permit is	August 28, 1969
Actual construction work shall begin on or bef	ore June 4, 1971 and shall
thereafter be prosecuted with reasonable diligence ar	ed be completed on or before October 1, 19.72
Complete application of the water to the propos	sed use shall be made on or before October 1, 1973.
WITNESS my hand this4th day of	June? , 19.70 .
•	STATE ENGINEER
	:

Application No. 46357
Permit No. 34629

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

office of the State Engineer at Salem, Or on the 28.40. day of Agust

19 Gg, at G:00 o'clock A

Returned to applicant:

June 4, 1970

Approved:

Recorded in book No.

Permits on page 34629

CHRIS L. WEELER STATE ENGINEER

State Printing 98137