

*APPLICATION FOR PERMIT

CERTIFICATE NO. 38921

To Appropriate the Public Waters of the State of Oregon

##3. The use to which the water is to be applied is DOMESTIC (1 HOUSE) LAWN & FLOW (Brigation, power, mining, manufacturing, degreestic supplies, of the point of diversion is located 1015	reby make application for a permit to appropriate the regon, SUBJECT TO EXISTING RIGHTS: It place of incorporation WOAHINK LAKE (Name of stream) stary of attends to apply to beneficial use is 0.01 sof from more than one source, give quantity from each) is DOMESTIC (1 HOUSE) LAWN & FLOWERS (thrightion, power, mining, manufacturing, domestic supplies, etc.) ft. N. and 2361 ft. W. from the East (R. or W.) quantities of Sec. 14 , Tp. 195 (R. or S.) to be 230 FEET (stitles or feet) of Sec. 14 , Tp. 195 (R. or S.)	~		MOLL			
ate of OREGON , do hereby make application for a permit to appropriate llowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is WOAHINK LAKE (Name of stream) 2. The amount of water which the applicant intends to apply to beneficial use is 0.01. blic feet per second. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is DOMESTIC (1 HOUSE) LAWN & FLOW (trigation, power, mining, manufacturing, despectic supplies, etc.) 4. The point of diversion is located 1015 ft. N. and 2361 ft. W. from the East river of SECTION 14 (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Vse separate sheet if secondary) ing within the SW & NE & NE & Of Sec. 14 T. Tp. 198. (Cite or East (Cite	reby make application for a permit to appropriate the regon, SUBJECT TO EXISTING RIGHTS: I place of incorporation WOAHINK LAKE (Name of stream) stary of stends to apply to beneficial use is		ROUTE 1,	BOX 4209A, Flor	ence		
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is	woahink lake Woahink lake (Name of stream) atary of atends to apply to beneficial use is 0.01 sed from more than one source, give quantity from each) is DOMESTIC (1 HOUSE) Lawn & FLOWERS (thrigation, power, mining, manufacturing, doquestic supplies, etc.) ft. N. and 2361 ft. W. from the East (N. or S.) qua ction or subdivision) and bearing to section corner) must be described. Use separate sheet if necessary) of Sec. 14 , Tp. 19S (N. or S.) to be 230 FEET (Milles or feet) aton)		(Mailing ad	dress)			
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is WOAHINK LAKE (Name of stream) 1. The source of the proposed appropriation is WOAHINK LAKE (Name of stream) 2. The amount of water which the applicant intends to apply to beneficial use is 0.01 bic feet per second. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is DOMESTIC (1 HOUSE) LAWN & FLOW (Prigation, power, mining, manufacturing, domestic supplies, of the point of diversion is located 1015 ft. N. and 2361 ft. W. from the East (K. er W.) (If there is more than one point of diversion, each must be described. Use separate sheet if seconsary) ing within the SW \(\frac{1}{2} \) NE \(\frac{1}{2} \) (Circ et a) (Circ et al.)	WOAHINK LAKE (Name of stream) stary of atends to apply to beneficial use is 0.01. sed from more than one source, give quantity from each) is DOMESTIC (1 HOUSE) LAWN & FLOWERS (Brigation, power, mining, manufacturing, despectic supplies, etc.) ft. N and 2361 ft. W from the East (N. or S.) quantity of Sec. 14 , Tp. 195 (N. or S.) to be 230 FEET (Miles or feet) of Sec. 14 , Tp. 195 (N. or S.)	ate of	OREGON	, do her	eby make application	n for a permit	to appropriate th
1. The source of the proposed appropriation is WOAHINK LAKE (Name of stream) 2. The amount of water which the applicant intends to apply to beneficial use is 0.01 bic feet per second. (If water is to be used from more than one source, give quantity from each) 2. The use to which the water is to be applied is DOMESTIC (1 HOUSE) LAWN & FLOW (Brightion, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located 10.15. ft. N. and 2.36.1. ft. W. from the East (S. or W.) (Rection or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use apparate sheet if necessary) ing within the SW 1 NE 1 (Give smallest legal subdivision) (R. or S.)	WOAHINK LAKE (Name of stream) stary of stends to apply to beneficial use is 0.01 sed from more than one source, give quantity from each) is DOMESTIC (1 HOUSE) LAWN & FLOWERS (Brigation, power, mining, manufacturing, domestic supplies, etc.) ft. N and 2361 ft. W from the East (N. or S.) quantity or section corner) and bearing to section corner) and bearing to section corner) of Sec. 14 , Tp. 195 (N. or S.) to be 230 FEET (Miles or feet) of Sec. 14 , Tp. 195 (N. or S.)	lowing de	escribed public w	aters of the State of Or	regon, SUBJECT TO	EXISTING R	IGHTS:
1. The source of the proposed appropriation is WOAHINK LAKE (Name of stream) 2. The amount of water which the applicant intends to apply to beneficial use is 0.01 (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is DOMESTIC (1 HOUSE) LAWN & FLOW (brightton, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located 10.15 ft. N. and 2.361 ft. W. from the East (N. or S.) (E. or W.) (E. or W.) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ting within the SW ½ NE ½ Of Sec. 14 , Tp. 195 (Cive smallest legal subdivision)	WOAHINK LAKE (Name of stream) stary of stends to apply to beneficial use is 0.01 sed from more than one source, give quantity from each) is DOMESTIC (1 HOUSE) LAWN & FLOWERS (Brigation, power, mining, manufacturing, domestic supplies, etc.) ft. N and 2361 ft. W from the East (N. or S.) quantity or section corner) and bearing to section corner) and bearing to section corner) of Sec. 14 , Tp. 195 (N. or S.) to be 230 FEET (Miles or feet) of Sec. 14 , Tp. 195 (N. or S.)	If the	amplicant is a con	moration dive date and	nlace of incorporati	on -	
, a tributary of 2. The amount of water which the applicant intends to apply to beneficial use is	stary of stends to apply to beneficial use is	2) 5/10	applicant is a con	poration, give date and	place of theorporali	·	
, a tributary of 2. The amount of water which the applicant intends to apply to beneficial use is	stary of stends to apply to beneficial use is			•		·	
, a tributary of 2. The amount of water which the applicant intends to apply to beneficial use is	stary of stends to apply to beneficial use is 0.01. sed from more than one source, give quantity from each) is DOMESTIC (1 HOUSE) LAWN & FLOWERS (hrigation, power, mining, manufacturing, despective supplies, etc.) ft. N. and 2361 ft. W. from the East (N. or S.) quantity of Sec. 14 , Tp. 195 (N. or S.) to be 230 FEET (Miles or feet) of Sec. 14 , Tp. 195 (N. or S.)	1. Th	e source of the pr	oposed appropriation is	WOAHINK L	AKE	•••••
2. The amount of water which the applicant intends to apply to beneficial use is	sed from more than one source, give quantity from each) is DOMESTIC (1 HOUSE) LAWN & FLOWERS (Brigation, power, mining, manufacturing, domestic supplies, etc.) ft. N. and 2361. ft. W. from the East (N. or S.) (E. or W.) qua etion or subdivision) and bearing to section corner) nust be described. Use separate sheet if necessary) of Sec. 14, Tp. 195 (N. or S.) to be 230 FEET (Miles or feet) of Sec. 14, Tp. 195 (N. or S.)				•	(Name of Factor)	•
ibic feet per second. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is	is DOMESTIC (1 HOUSE) LAWN & FLOWERS (Irrigation, power, mining, manufacturing, dosposite supplies, etc.) ft. N and 2.361 ft. W from the East (N. or S.) (E. or W.) qua ction or subdivision) and bearing to section corner) nust be described. Use separate sheet if necessary) of Sec. 14 , Tp. 19S (N. or S.) to be 2.30 FEET (Miles or feet) of Sec. 14 , Tp. 19S (N. or S.)			.:	•		
##3. The use to which the water is to be applied is DOMESTIC (1 HOUSE) LAWN & FLOW (hrigation, power, mining, manufacturing, domestic supplies, of 4. The point of diversion is located 1015 ft. N and 2361 ft. W from the East (N. or S.) (E. or W.) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ching within the SW 1/2 NE 1/2 of Sec. 14 Tp. 195 (N. or S.) (R. or S.)	is DOMESTIC (1 HOUSE) LAWN & FLOWERS (Brigation, power, mining, manufacturing, domestic supplies, etc.) ft. N. and 2361 ft. W. from the East (N. or S.) (E. or W.) qual ction or subdivision) and bearing to section corner) nust be described. Use separate sheet if necessary) of Sec. 14 , Tp. 19S (N. or S.) to be 230 FEET (Miles or feet) of Sec. 14 , Tp. 19S (N. or S.)	2. Th	e amount of wate	r which the applicant in	tends to apply to ber	reficial use is	0.01
##3. The use to which the water is to be applied is DOMESTIC (1 HOUSE) LAWN & FLOW (hrigation, power, mining, manufacturing, domestic supplies, of 4. The point of diversion is located 1015 ft. N and 2361 ft. W from the East (N. or S.) (E. or W.) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ching within the SW 1/2 NE 1/2 of Sec. 14 Tp. 195 (N. or S.) (R. or S.)	is DOMESTIC (1 HOUSE) LAWN & FLOWERS (Brigation, power, mining, manufacturing, domestic supplies, etc.) ft. N. and 2361 ft. W. from the East (N. or S.) (E. or W.) qual ction or subdivision) and bearing to section corner) nust be described. Use separate sheet if necessary) of Sec. 14 , Tp. 19S (N. or S.) to be 230 FEET (Miles or feet) of Sec. 14 , Tp. 19S (N. or S.)	bic feet po	er second		A from more than one more	ales quantite from	
4. The point of diversion is located 10.15 ft. N and 2.361 ft. W from the Easterner of SECTION 14 (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ring within the SW 1/2 NE 1/4 of Sec. 14 , Tp. 195 (Give smallest legal subdivision)	ft. N and 2361 ft. W from the East qual ction or subdivision) and bearing to section corner) must be described. Use separate sheet if necessary) of Sec. 14 , Tp. 19S (N. or S.) to be 230 FEET (Miles or feet) of Sec. 14 , Tp. 19S (N. or S.)						
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ring within the SW 1/2 NE 1/4 of Sec. 14 , Tp. 198 (Give smallest legal subdivision) (N. or S.)	ction or subdivision) and bearing to section corner) nust be described. Use separate sheet if necessary) of Sec. 14 , Tp. 19S (N. or S.) to be 230 FEET (Miles or feet) of Sec. 14 , Tp. 19S (N. or S.)	J. 17	e use to which the	e water is to be applied	(Irrigation, power, mi	ning, manufacturing	, domestic supplies, etc.)
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ing within the SW 1/4 NE 1/4 of Sec. 14 , Tp. 19S (Give smallest legal subdivision) (N. or S.)	to be 230 FEET (Miles or feet) of Sec. 14 , Tp. 19S (N. or S.)			(Sec	rtion or subdivision)		
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ring within the SW 1/4 NE 1/4 of Sec. 14 , Tp. 19S (Give smallest legal subdivision) (N. or S.)	to be 230 FEET (Miles or feet) of Sec. 14 , Tp. 19S (N. or S.)		***************************************				
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) Pring within the SW 1/4 NE 1/4 of Sec. 14 , Tp. 19S (Give smallest legal subdivision) (N. or S.)	to be 230 FEET (Miles or feet) of Sec. 14 , Tp. 19S (N. or S.)						
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) Pring within the SW 1/4 NE 1/4 of Sec. 14 , Tp. 19S (Give smallest legal subdivision) (N. or S.)	to be 230 FEET (Miles or feet) of Sec. 14 , Tp. 19S (N. or S.)	*************	·····				
eing within the SW 1/4 NE 1/4 of Sec. 14 , Tp. 198 (Give smallest legal subdivision)	to be 230 FEET (Notes) of Sec. 14 , Tp. 198 (N. or 8.)					·	4
eing within the SW 1/4 NE 1/4 of Sec. 14 , Tp. 198 (Give smallest legal subdivision) of Sec. 14 , Tp. 198 (N. or S.)	to be 230 FEET (Miles or feet) of Sec. 14 , Tp. 195 (N. or 8.)	,		(If preferable, give distance a			
(Give smallest legal subdivision) (N. or S.)	to be 230 FEET (Miles or feet) of Sec. 14 , Tp. 195 (N. or S.)		(If there is more t		and bearing to section corner)		
14 W M in the county of Lights	to be 230 FEET (Miles or feet) of Sec. 14 , Tp. 195 (N. or 8.)	ring withir		han one point of diversion, each m	and bearing to section corner)	e sheet if necessary)	
(E. or W.)	of Sec. 14 , Tp. 198 , (N. or 8.)	_	the SW 1/2 N	than one point of diversion, each E (Give smallest legal subdivision)	aust be described. Use separate	sheet if necessary)	
5. The PIPE LINE to be 230 FEET (Main ditch, canal or pipe line) (Miles or feet)	of Sec. 14 , Tp. 195 , (N. or S.)	_	the SW 1/2 N	than one point of diversion, each E (Give smallest legal subdivision)	aust be described. Use separate	sheet if necessary)	
		12 W	the SW 1/4 N	than one point of diversion, each E (Give smallest legal subdivision) county ofLANE	aust be described. Use separat	e sheet if necessary) 14	Tp. 198
	ing shown throughout on the accompanying man	12 W (E. or W.) 5. Th	the SW 1/2 N, W. M., in the	than one point of diversion, each model is the second of the subdivision county of LANE INE (Main ditch, canal or pipe line)	nust be described. Use separate of Sec	230 FE	Tp. 19S (N. or S.) ET
$\frac{12 \text{ W}}{\text{(B. or W.)}}$, W. M., the proposed location being shown throughout on the accompanying map.	a	12 W (E. or W.) 5. The length, te	the SW 1/4 N, W. M., in the e PIPE L rminating in the	than one point of diversion, each me E Give smallest legal subdivision) County of LANE INE (Main ditch, canal or pipe line) SW NE (Smallest legal subdivision)	aust be described. Use separate of Sec	230 FE	Tp. 19S (N. or S.) ET
DESCRIPTION OF WORKS		12 W (E. or W.) 5. The length, te	the SW 1/4 N, W. M., in the e PIPE L rminating in the	than one point of diversion, each me E Give smallest legal subdivision) County of LANE INE (Main ditch, canal or pipe line) SW NE (Smallest legal subdivision)	aust be described. Use separate of Sec	230 FE	Tp. 19S (N. or S.) ET
DESCRIPTION OF WORKS iversion Works—	W OF WORKS	12 W (E. or W.) 5. The length, te	the SW 1/4 N, W. M., in the e PIPE L rminating in the	than one point of diversion, each me E	aust be described. Use separate of Sec	230 FE	Tp. 19S (N. or S.) ET
	ON OF WORKS	12 W (E. or W.) 5. The length, te	the SW 1/2 No., w. M., in the PIPE L rminating in the W. M., th	than one point of diversion, each me E	aust be described. Use separate of Sec	230 FE	Tp. 19S (N. or S.) ET
6. (a) Height of dam feet, length on top feet, length at bo		5. The length, te	the SW 1/4 N, W. M., in the PIPE L rminating in the, W. M., th	than one point of diversion, each me E	to be	230 FE 14 230 FE (Mil) 14 t on the accom	Tp. 19S (N. or S.) ET or or feet) Tp. 19S (N. or S.) spanying map.
6. (a) Height of dam feet, length on top feet, length at bo	length on top feet, length at bottom	5. The length, te 12 W (E. or W.) 5. The length, te	the SW 1/2 N, W. M., in the e PIPE L rminating in the, W. M., th w.) orks—) Height of dam	than one point of diversion, each me E	ind bearing to section corner) sust be described. Use separate of Sec. to be of Sec. sion) ing shown throughou NOF WORKS length on top	230 FE (Mil) t on the accom	Tp. 19S (N. or S.) ET Tp. 19S (N. or S.) spanying map.
6. (a) Height of dam feet, length on top feet, length at bot feet; material to be used and character of construction (Loose rock, concrete, material feet)	length on top feet, length at bottom	12 W (E. or W.) 5. The length, te 12 W (E. or iversion W 6. (a)	the SW 1/2 N, W. M., in the e PIPE L rminating in the, W. M., th w.) orks—) Height of dam	than one point of diversion, each me E	ind bearing to section corner) sust be described. Use separate of Sec. to be of Sec. sion) ing shown throughou NOF WORKS length on top	230 FE (Mil) t on the accom	Tp. 19S (N. or S.) ET Tp. 19S (N. or S.) spanying map.
feet; material to be used and character of construction	length on top feet, length at bottom	12 W (E. or W.) 5. The length, te 12 W (E. or iversion W 6. (a)	the	than one point of diversion, each me E	ind bearing to section corner) sust be described. Use separate of Sec. to be of Sec. sion) ing shown throughou NOF WORKS length on top	230 FE (Mil) t on the accom	Tp. 19S (N. or S.) ET Tp. 19S (N. or S.) spanying map.
feet; material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Loose rock, concrete, material to be used and character of construction	length on top feet, length at bottom cter of construction(Loose rock, concrete, masonery.	5. The length, te	the SW 1/4 N, W. M., in the PIPE L rminating in the, W. M., th w.) Torks— Height of dam feet; materi	than one point of diversion, each me E \(\frac{1}{4} \) (Give smallest legal subdivision) county of LANE INE (Main ditch, canal or pipe line) SW \(\frac{1}{4} \) (Smallest legal subdivision) DESCRIPTIO feet, if al to be used and charact over or around dam)	to be	230 FE (Mil) 14 t on the accomp	Tp. 19S (N. or S.) ET es or feet) Tp. 19S (N. or S.) spanying map. t, length at botto
feet; material to be used and character of construction (Loose rock, concrete, ma	length on top feet, length at bottom cter of construction(Loose rock, concrete, masonery.	5. The length, te	the SW 1/4 N, W. M., in the PIPE L rminating in the, W. M., th w.) Torks— Height of dam feet; materi	than one point of diversion, each me E \(\frac{1}{4} \) (Give smallest legal subdivision) county of LANE INE (Main ditch, canal or pipe line) SW \(\frac{1}{4} \) (Smallest legal subdivision) DESCRIPTIO feet, if al to be used and charact over or around dam)	to be	230 FE (Mil) 14 t on the accomp	Tp. 19S (N. or S.) ET es or feet) Tp. 19S (N. or S.) spanying map. t, length at botto
feet; material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Loose rock) (Loose ro	length on top feet, length at bottom cter of construction(Loose rock, concrete, masonery.	5. The length, te	the SW 1/4 N, W. M., in the PIPE L rminating in the, W. M., th w.) Torks— Height of dam feet; materi	than one point of diversion, each me E \(\frac{1}{4} \) (Give smallest legal subdivision) county of LANE INE (Main ditch, canal or pipe line) SW \(\frac{1}{4} \) (Smallest legal subdivision) DESCRIPTIO feet, if al to be used and charact over or around dam)	to be	230 FE (Mil) 14 t on the accomp	Tp. 19S (N. or S.) ET es or feet) Tp. 19S (N. or S.) spanying map. t, length at botto
feet; material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Dose rock, concrete, material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Dose rock, concrete, material to be used and character of construction (Dose rock, concrete, material to be used and character of construction	length on top feet, length at bottom cter of construction	12 W (E. or W.) 5. The length, te length, te 12 W (E. or iversion W 6. (a	the	than one point of diversion, each me E \(\frac{1}{4} \) (Give smallest legal subdivision) county of LANE INE (Main ditch, canal or pipe line) SW \(\frac{1}{4} \) (Smallest legal subdivision) DESCRIPTIO feet, (all to be used and character over or around dam) dgate	to be	230 FE (Mil) 14 t on the accom	Tp. 19S (N. or S.) ET es or feet) Tp. 19S (N. or S.) spanying map. t, length at botto
feet; material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Loose rock, concrete, material to be used and character of construction	length on top feet, length at bottom cter of construction	12 W (E. or W.) 5. The length, te length, te 12 W (E. or iversion W 6. (a	the	than one point of diversion, each me E \(\frac{1}{4} \) (Give smallest legal subdivision) county of LANE INE (Main ditch, canal or pipe line) SW \(\frac{1}{4} \) (Smallest legal subdivision) DESCRIPTIO feet, (all to be used and character over or around dam) dgate	to be	230 FE (Mil) 14 t on the accom	Tp. 19S (N. or S.) ET es or feet) Tp. 19S (N. or S.) spanying map. t, length at botto
	W OF WODIES	12 W (E. or W.) 5. The	the SW 1/4 N, W. M., in the e PIPE L rminating in the	than one point of diversion, each me E	aust be described. Use separate of Sec	230 FE	Tp. 19S (N. or S.) ET
	ON OF WORKS	12 W (E. or W.) 5. The length, te 12 W (E. or	the SW 1/2 No., w. M., in the PIPE L rminating in the W. M., th	than one point of diversion, each me E	aust be described. Use separate of Sec	230 FE	Tp. 19S (N. or S.) ET
A / 1 to / 1		12 W (E. or W.) 5. The length, te 12 W (E. or	the SW 1/4 N, W. M., in the PIPE L rminating in the, W. M., th	than one point of diversion, each me E	to be	230 FE 14 230 FE (Mil) 14 t on the accom	Tp. 19S (N. or S.) ET or or feet) Tp. 19S (N. or S.) spanying map.
6. (a) Height of dam feet, length on top feet, length at bo		12 W (E. or W.) 5. Th length, te 12 W (E. or	the SW 1/4 N, W. M., in the PIPE L rminating in the, W. M., th	than one point of diversion, each me E	to be	230 FE 14 230 FE (Mil) 14 t on the accom	Tp. 19S (N. or S.) ET or or feet) Tp. 19S (N. or S.) spanying map.
	length on top feet, length at bottom	12 W (E. or W.) 5. The length, te 12 W (E. or version W)	the SW 1/2 N, W. M., in the e PIPE L rminating in the, W. M., th w.) orks—) Height of dam	than one point of diversion, each me E	ind bearing to section corner) sust be described. Use separate of Sec. to be of Sec. sion) ing shown throughou NOF WORKS length on top	230 FE (Mil) t on the accom	Tp. 19S (N. or S.) ET Tp. 19S (N. or S.) spanying map.
	length on top feet, length at bottom	12 W (E. or W.) 5. The length, te 12 W (E. or version W)	the SW 1/2 N, W. M., in the e PIPE L rminating in the, W. M., th w.) orks—) Height of dam	than one point of diversion, each me E	ind bearing to section corner) sust be described. Use separate of Sec. to be of Sec. sion) ing shown throughou NOF WORKS length on top	230 FE (Mil) t on the accom	Tp. 19S (N. or S.) ET Tp. 19S (N. or S.) spanying map.
	length on top feet, length at bottom	12 W (E. or W.) 5. The length, te 12 W (E. or version W)	the SW 1/2 N, W. M., in the e PIPE L rminating in the, W. M., th w.) orks—) Height of dam	than one point of diversion, each me E	ind bearing to section corner) sust be described. Use separate of Sec. to be of Sec. sion) ing shown throughou NOF WORKS length on top	230 FE (Mil) t on the accom	Tp. 19S (N. or S.) ET Tp. 19S (N. or S.) spanying map.
feet; material to be used and character of construction	length on top feet, length at bottom	12 W (E. or W.) 5. The length, te 12 W (E. or version W 6. (a)	the	than one point of diversion, each me E	ind bearing to section corner) sust be described. Use separate of Sec. to be of Sec. sion) ing shown throughou NOF WORKS length on top	230 FE (Mil) t on the accom	Tp. 19S (N. or S.) ET Tp. 19S (N. or S.) spanying map.
feet; material to be used and character of construction	length on top feet, length at bottom cter of construction(Loose rock, concrete, masonery.	12 W (E. or W.) 5. The length, te 12 W (E. or version W 6. (a.	the SW 1/4 N, W. M., in the PIPE L rminating in the, W. M., th w.) Torks— Height of dam feet; materi	than one point of diversion, each me E \(\frac{1}{4} \) (Give smallest legal subdivision) county of LANE INE (Main ditch, canal or pipe line) SW \(\frac{1}{4} \) (Smallest legal subdivision) DESCRIPTIO feet, if al to be used and charact over or around dam)	to be	230 FE (Mil) 14 t on the accomp	Tp. 19S (N. or S.) ET es or feet) Tp. 19S (N. or S.) spanying map. t, length at botto
feet; material to be used and character of construction	length on top feet, length at bottom cter of construction(Loose rock, concrete, masoner,	12 W (E. or W.) 5. The length, te 12 W (E. or exercise with the second with th	the SW 1/4 N, W. M., in the PIPE L rminating in the, W. M., th w.) Torks— Height of dam feet; materi	than one point of diversion, each me E \(\frac{1}{4} \) (Give smallest legal subdivision) county of LANE INE (Main ditch, canal or pipe line) SW \(\frac{1}{4} \) (Smallest legal subdivision) DESCRIPTIO feet, if al to be used and charact over or around dam)	to be	230 FE (Mil) 14 t on the accomp	Tp. 19S (N. or S.) ET es or feet) Tp. 19S (N. or S.) spanying map. t, length at botto
feet; material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Loose rock, concrete, material to be used and character of construction	length on top feet, length at bottom cter of construction(Loose rock, concrete, masonery.	12 W (E. or W.) 5. The length, te 12 W (E. or iversion W 6. (a)	the SW 1/4 N, W. M., in the PIPE L rminating in the, W. M., th w.) Torks— Height of dam feet; materi	than one point of diversion, each me E \(\frac{1}{4} \) (Give smallest legal subdivision) county of LANE INE (Main ditch, canal or pipe line) SW \(\frac{1}{4} \) (Smallest legal subdivision) DESCRIPTIO feet, if al to be used and charact over or around dam)	to be	230 FE (Mil) 14 t on the accomp	Tp. 19S (N. or S.) ET es or feet) Tp. 19S (N. or S.) spanying map. t, length at botto
feet; material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Dose rock, concrete, material to be used and character of construction (Loose rock, concrete, material to be used and character of construction	length on top feet, length at bottom cter of construction	5. The length, tender with the length	the	than one point of diversion, each me E \(\frac{1}{4} \) (Give smallest legal subdivision) county of LANE INE (Main ditch, canal or pipe line) SW \(\frac{1}{4} \) (Smallest legal subdivision) DESCRIPTIO feet, (all to be used and character over or around dam) dgate	to be	230 FE (Mil) 14 t on the accom	Tp. 19S (N. or S.) ET es or feet) Tp. 19S (N. or S.) spanying map. t, length at botto
feet; material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Loose rock, concrete, material to be used and character of construction (Timber, concrete, etc., number and size of openings)	length on top feet, length at bottom cter of construction	12 W (E. or W.) 5. The length, te 12 W (E. or iversion W 6. (a. or (b) L	the	than one point of diversion, each me E \(\frac{1}{4} \) (Give smallest legal subdivision) county of LANE INE (Main ditch, canal or pipe line) SW \(\frac{1}{4} \) (Smallest legal subdivision) DESCRIPTIO feet, (all to be used and character over or around dam) dgate	to be	230 FE (Mil) 14 t on the accom	Tp. 19S (N. or S.) ET es or feet) Tp. 19S (N. or S.) spanying map. t, length at botto

^{*}A different form of application is provided where storage works are contemplated.

^{*}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem,

eadgate. At hea	dgate: width on t	op (at wate	r line)	feet; width on botto
			feet; grade	
rou sa nd feet.			neadgate: width on top (at wat	
	feet; width on bo	ttom	feet; depth of	water fee
rade	feet fall	per one tho	usand feet.	
(c) Lengt	h of pipe, 230	ft.	; size at intake, 3/4	in.; size at
om intake	in.; s	size at place	of use3/4 in.; di	fference in elevation betwe
itake and place	of use, 15	ft.	Is grade uniform? YES	Estimated capacit
0.05	sec. ft.			
••••••		rigated, or p	place of use	
Township North or South	Range 2. or W. of Willimette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
198	12W	14	SW ½ NE ½	0.023
		<u> </u>		0.020
				
		· · · · · · · · · · · · · · · · · · ·		
· · · · · · · · · · · · · · · · · · ·		· · · · · ·	<u> </u>	•
· · · · ·		·		
*				
· · · · · · · · · · · · · · · · · · ·			<u> </u>	
<u> </u>				
		• .		
(a) Ch	aracter of soil		required, attach separate sheet)	
	Ţ.		AWN AND FLOWERS	
ower or Mining	· . •		30.00. AND	
	-	ver to be de	veloped	theoretical horsepow
(b) Q1	uantity of water to	be used for	powers	ec. ft.
(c) To	tal fall to be utili	zed	(Head)	
			(Head) Ins of which the power is to be	e developed
(4) 1.	or navare of the a	orne og med	int of which the power is to oc	. developed
(a) S	ak marka ta ba la	4-3:	1	
			(Legal subdivision)	of Sec
	, R. (No. E.			
		_	Stream?(Yes or No)	
(g) If	so, name stream	and locate p	point of return	
***************************************		Sec	, Tp(No. N. or S.)	, R, W.
(h) T	he use to which po	wer is to be	applied is	

SEP 2 2 1969 CHRIS L. WHEELER
STATE ENGINEER
SALEM. OREGON
By

Larry N. Jebousek

STATE OF OREGON. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use stream, or its equivalent in case of rotation with other water users, from Woshink Lake.... The use to which this water is to be applied is for the domestic use of one family, including the irrigation of lawn and garden not to exceed a sore in area. If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.72... Complete application of the water to the proposed use shall be made on or before October 1, 1973.... WITNESS my hand this23rd day ofJune STATE ENGINEER

Application No. 4656

No.

Permit

APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON JO

office of the State Engineer at Salem, Oregon This instrument was first received in the the 12th day of September

o'clock 1969 at 8.00

Returned to applicant

Approved:

Recorded in book No.

Permits on page

STATE ENGINEER CHRIS L. WHEELER