

**\*APPLICATION FOR PERMIT**

**To Appropriate the Public Waters of the State of Oregon**

I, Frank and Jeanne Moore  
(Name of applicant)  
of Box 36, Toketee Route, Idleyld Park  
(Mailing address)  
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is 5 springs  
(Name of stream)  
North Umpqua River, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.06 cfs.  
0.03 cfs. from spring no. 1 and 0.01 cfs. from spring no. 2.  
0.01 from spring no. 3 .005 from spring no. 4 and 0.005 from spring no. 5  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is 6 domestic including not to exceed  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)  
irrigation of 1/2 acre lawn and garden for each domestic.

4. The point of diversion is located ft. and ft. from the  
(N. or S.) (E. or W.)  
corner of Section 9  
(Section or subdivision)

- #1. S. 77° 57' E.; 1286.6 feet from the W<sup>1</sup>/<sub>4</sub> corner of Section 9
- #2. S. 81° 00' E.; 1716.6 feet from the W<sup>1</sup>/<sub>4</sub> corner of Section 9
- #3. S. 83° E.; 1855 feet from the W<sup>1</sup>/<sub>4</sub> corner of Section 9 (being within NE<sup>1</sup>/<sub>4</sub> SW<sup>1</sup>/<sub>4</sub>)
- #4. S. 5° 30' E.; 450 feet from the W<sup>1</sup>/<sub>4</sub> corner of Section 9 (being within NW<sup>1</sup>/<sub>4</sub> SW<sup>1</sup>/<sub>4</sub>)  
(If preferable, give distance and bearing to section corner)
- #5. 500 feet North and 1320 feet East from the W<sup>1</sup>/<sub>4</sub> corner of Sec. 9 (being within SE<sup>1</sup>/<sub>4</sub> NW<sup>1</sup>/<sub>4</sub>)  
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the #1. NW<sup>1</sup>/<sub>4</sub> SW<sup>1</sup>/<sub>4</sub> #2. NE<sup>1</sup>/<sub>4</sub> SW<sup>1</sup>/<sub>4</sub> of Sec. 9, Tp. 26S.  
(Give smallest legal subdivision) (N. or S.)

R. W. M., in the county of Douglas  
(E. or W.)

5. The pipeline to be 1500 feet  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the NW<sup>1</sup>/<sub>4</sub> SW<sup>1</sup>/<sub>4</sub> of Sec. 9, Tp. 26S.  
(Smallest legal subdivision) (N. or S.)

R. W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

**DESCRIPTION OF WORKS**

**Diversion Works—**

6. (a) Height of dam feet, length on top feet, length at bottom feet;  
material to be used and character of construction (Loose rock, concrete, masonry,  
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.  
\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Table with 5 columns: Township North or South, Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Includes entries for 26S., 1W., 9, NE 1/4 SW 1/4, and NW 1/4 SW 1/4.

(If more space required, attach separate sheet)

(a) Character of soil ..... Umpqua formation .....
(b) Kind of crops raised ..... Lawn and garden .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet. (Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. .... (Legal subdivision)

Tp. .... R. .... W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? ..... (Yes or No)

(g) If so, name stream and locate point of return .....

..... Sec. .... Tp. .... R. .... W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied ..... 6 families .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ ..... 2,000. ....

12. Construction work will begin on or before ..... 10-1-70 .....

13. Construction work will be completed on or before ..... 10-1-71 .....

14. The water will be completely applied to the proposed use on or before ..... 10-1-72 .....

*Frank Moore*  
(Signature of applicant)

*Jeanne Moore*

Remarks: Legal Description:

The North Half of the Southwest quarter of Section 9, Township  
26 South, Range 1 West., W.M., Douglas County, Oregon, excepting  
that portion beginning at a 1 1/2" angle iron on the southerly side of  
the Old North Umpqua road from which the 1/4 corner to Section 8 and 9,  
T. 26, S., R. 1 W., W.M., bears N. 36° 32' W. 840.26 feet; thence  
northeasterly along the southerly side of the Old North Umpqua road  
to a 3/4 inch iron pipe, the chord of which bears N. 57° 08' E.  
338.26 feet; thence S. 45° 25' E. 239.71 feet to a 1 1/2" angle iron;  
thence S. 34° 34' W. 340.75 feet to a 1 1/2 inch angle iron; thence No.  
1/4° 36' W. 372.43 feet to the place of beginning; containing 2.34  
acres more or less

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying  
maps and data, and return the same for completion .....

In order to retain its priority, this application must be returned to the State Engineer, with correc-  
tions on or before November 25th ....., 19 69.

WITNESS my hand this 25th day of September ....., 19 69.

CHRIS L. WHEELER

STATE ENGINEER

RECEIVED  
NOV 4 1969

STATE ENGINEER  
SALEM, OREGON

By

*Larry W. Jebousek*

ASSISTANT

Larry W. Jebousek

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from 5 springs, being 0.03 cfs from spring No. 1, 0.01 cfs from spring No. 2, 0.01 cfs from spring No. 3, 0.005 cfs from spring No. 4, and 0.005 cfs from spring No. 5

The use to which this water is to be applied is for the domestic use of 6 families including the irrigation of lawn and garden not to exceed 1/2 acre in area

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 17, 1969

Actual construction work shall begin on or before June 23, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1972

Complete application of the water to the proposed use shall be made on or before October 1, 1972

WITNESS my hand this 23rd day of June 1970

*Chris L. Wheeler*  
STATE ENGINEER

Application No. 44420  
Permit No. 34685

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of September, 1969, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

June 23, 1970 of  
Recorded in book No. 34685  
Permits on page

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 16 page 26E  
Fees \$25.00