

*APPLICATION FOR PERMIT

CERTIFICATE NO. 40623

To Appropriate the Public Waters of the State of Oregon


1, .	DA 1 Daw 117	Te Tulau	(Name of applic	eant)		
nf .	Rt. 1 Box 117	Cornelius,	1			a constitution of the second
·	(Mailing	address)				
State of	Oregon	,	do hereby ma	ike application	n for a permi	t to appropriate the
followin	g described public	waters of the State	of Oregon, S	SUBJECT TO	EXISTING I	RIGHTS:
If	the applicant is a c	orporation, give do	te and place	of incorporati	on	***************************************
•			-			
***************************************	••••••	······································	••••••	,		
. 1 .	The source of the p	proposed appropria	tion isDai	ry Crock	(Name of stream)	
				,		
2.	•	er which the appli 1958	cant intenas t	o appiy to bei	reficial use u	
cubic fee	et per second	(17,2000	to be used from mo	ere then one enurse.	elve aventity from	each1
J.						g, domestic supplies, etc.)
4.	The point of diver	sion is located	ft <u></u>	and	ft <u></u>	from the
	•		(3f. c	or 8.)	⟨Œ. of ₩	.)
corner o	J		(Section or sui	bdivision)		•••••••••••••••••••••••••••••••••••••••
***************************************	436' N 89	133 E of S.	W. corner	of Sec	15	
			•			
••••••			····	••••••	•••••••••	
		(U preferable, give	·.··			
		(II preferable, give	distance and pastrul	g wo section corner)		
	(If there is mor	e than one point of diversion	n, each must be des	cribed. Use separat	e sheet if necessary)
being wi	thin the SWA	Give smallest legal sub	division)	of Sec	15	Tp. 2.H,
R	3 W. M., in th	e county of	۱. ′) Tp. 2(N. or S.)
(E . c	or ₩.)	·			•	
5.	The	(Main ditch, canal or pig	e line)	to be .	(34	les or feet)
						Tp,
_		(Smallest leg	al subdivision)			(N. or S.)
R	, W. M.,	the proposed locat	ion being sho	wn throughou	t on the accor	npanying map.
		DESCE	RIPTION OF	WORKS		
Diversio	n Works—	DESCI				
6.	(a) Height of dam		feet, length	on top	fe	et, length at bottom
		• •	:			
•••••	jeet; mate	riai to be usea ana	cnaracter of c	construction	(1	oose rock, concrete, masonry,
	ush, timber crib, etc., wastev	ray over or around dem)		*****		
						ings)
()	Description of in					
***************************************	••••••					
(6	e) If water is to be	pumped give gener	: al description			f pump)
,,	., -,	*				
***************************************	(81)	e and type of engine or mo	tor to be used, total	head water is to be	lifted, etc.)	

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem,

^{*}A different form of application is provided where storage works are contemplated.

CONTRACTOR OF THE SECOND

(Name of) estimated population (b) If for domesti Estimated cost of p Construction work Construction work The water will be	County, having of	a present popular in mber of familia in	ilation of	ed		
(Name of) estimated population (b) If for domesting Estimated cost of particular construction work Construction work	Answer a (Answer a coroposed works, a will begin on a comple	mber of famili 1500.00 or before JUN eted on or before	19 ies to be supplie 114 in all cases) NE 1970	ed		
(b) If for domests Estimated cost of p Construction work	(Answer queroposed works, will begin on the will be complete	mber of famili	ies to be supplie			•••
Estimated cost of p Construction work Construction work	(Answer question of the complete will be	\$1500.00 or before JUN eted on or before	114 in all cases) NE 1970			
. Construction work	oroposed works, will begin on will be comple	or before JUN	NE 1970	· · · · · · · · · · · · · · · · · · ·		
. Construction work	will begin on will be comple	or before JUN	YE 1970	•	·	
. Construction work	will begin on will be comple	or before JUN	YE 1970	;		
. Construction work	will be comple	eted on or befo				
			re	1970		
		lied to the prop				
		/.	Martin	It acles	ncin	
the southwest thence North pipe; thence an iron pipe of the place of the 1050 feet east to the place of 1050 feet east to the place of 1050 feet east thence East to the place of 1050 feet to the and 791.7 feet and running th 128, page 175 to, Beginning 15, T2N, R3W, the recognized east line of 159 W 329.0 feet tract conveyed	corner th 4.30 chain No 06 W 9. In the west eginning. Of the so 28.8 feet; If beginning of the so North 59 f place of b t east of ence East e place of of Washing at a point W.M. whic center of the southwe ounty road N89 57 E 2 I and descr	s to an in 40 chains line of S Also: Fi uthwest co thence Se g. Second uthwest co eet; thence eet; thence eginning. the southwest beginning ton County on the Ee h said poi section It set quarter NO 43 W S #12; thence libed in vo	running Ea on pipe; to to an iron section 15; irst tract: orner of Se 55° 42'W 31. I tract: Corner of Se ce S18° 49'E Third tract: thence S6 thence S6 y, Oregon, ast line of int bears S or section 2.8 feet; ce N29°26'W to the pictume 135,	hence Eas pipe; the thence Sommence Commence Com	t 19.88 chainence West 35 0=111W 15.70 ing 77.8 fee T2N, R3W, Thence North 557.8 feet T2N, R3W, t; thence encing 492.4 chainence the ract descrit rds. hwest quart 6 feet from mining thence h 485.4 feet 19.57 W 1966 he center of mining of said Deec	inspections of the second of t
E OF OREGON)	··. · · · · · · · · · · · · · · · · · ·		<u></u>			
inty of Marion,	s s .					/
	ıt I have e xami	ined the forego	oing application.	together with	the accompanyi	ng
ind data, and return	the same for	completion				
In order to retain it.	s priority, this o	application mu	st be returned to	o the State En	gineer, with corre	ec-
n or beforeJanu	,•					
•		,				
	the southwest thence North pipe; thence in Iron pipe of the place of the 1050 feet east to the place of 1050 feet east to the place of 1050 feet east to the place of 1050 feet east thence East to the place of 1050 feet to the and 791.7 feet and running th 128, page 175 The recognized the re	the southwest corner the thence North 4.30 chain pipe; thence No°06'W 9. In Iron pipe on the west the place of beginning. 1050 feet east of the southing thence East 28.8 feet; to the place of beginning 1050 feet east of the southing thence North 59 for feet to the place of beand 791.7 feet east of and running thence East 3.0 feet to the place of 128, page 175 of Washing 15, T2N, R3W, W.M. which recognized center of east line of the southwest 13.0 feet; thence N89°57'E 2 tract conveyed and described Records. E OF OREGON, and also less that tracted Records. This is to certify that I have examined also less that tracted and data, and return the same for and data.	the southwest corner thereof and thence North 4.30 chains to an Ir pipe; thence No°06'W 9.40 chains an Iron pipe on the west line of Sche place of beginning. Also: Fill 1050 feet east of the southwest continuous the place of beginning. Second 1050 feet east of the southwest comming thence North 59 feet; thence of the place of beginning. In and 791.7 feet east of the southwest of the southwest of the place of beginning and running thence East 82.5 feet; 3.0 feet to the place of beginning 128, page 175 of Washington County of Beginning at a point on the East 13.0 feet to the southwest quarter 59'W 329.0 feet; thence NO°43'W see center of county road #12; thence 159'W 329.0 feet; thence NO°43'W see center of county road #12; thence feet; thence N89°57'E 2517.8 feet tract conveyed and described in void also less that tract conveyed and Records. **EOF OREGON, and the southwest conveyed and data, and return the same for completion and data, and return the same for completion and data, and return the same for completion.	the southwest corner thereof and running Ea thence North 4.30 chains to an iron pipe; thence No°06'W 9.40 chains to an iron an iron pipe; thence No°06'W 9.40 chains to an iron an iron pipe on the west line of Section 15; the place of beginning. Also: First tract: Lo50 feet east of the southwest corner of Seg thence East 28.8 feet; thence S65°42'W 31. To the place of beginning. Second tract: Comming thence North 59 feet; thence S18°49'E of feet to the place of beginning. Third trace and 791.7 feet east of the southwest corner and running thence East 82.5 feet; thence S63.0 feet to the place of beginning. There are an an including the seast of the southwest corner and running thence East 82.5 feet; thence S63.0 feet to the place of beginning. Corner and running thence East 82.5 feet; thence S63.0 feet to the place of beginning. Oregon, by Beginning at a point on the East line of 15, T2N, R3W, W.M. which said point bears Sine recognized center of Section 15, T2N, R3W, east line of the southwest quarter of section 59°W 329.0 feet; thence N0°43'W 92.8 feet; feet; thence N89°57'E 2517.8 feet to the place center of county road #12; thence N29°26'W feet; thence N89°57'E 2517.8 feet to the place center of county road #12; thence N29°26'W feet; thence N89°57'E 2517.8 feet to the place of the southwest conveyed and described Records. EOF OREGON, and described in volume 135, and also less that tract conveyed and described Records.	thence North 4.30 chains to an iron pipe; thence Eas pipe; thence No°06'W 9.40 chains to an iron pipe; the pipe; thence No°06'W 9.40 chains to an iron pipe; the miron pipe on the west line of Section 15; thence She place of beginning. Also: First tract: Commence Commence East 28.8 feet; thence Sc5.42'W 31.4 feet; the the place of beginning. Second tract: Commencing Coso feet east of the southwest corner of Section 15, maining thence North 59 feet; thence S18.49'E 55.0 feet of feet to the place of beginning. Third tract: Commencing and 791.7 feet east of the southwest corner of Section 16.0 feet to the place of beginning. Less those two the comming thence East 82.5 feet; thence S69.32'W 76.8.0 feet to the place of beginning. Less those two the comming thence East 82.5 feet; thence S69.32'W 76.8.0 feet to the place of beginning. Less those two the comming thence East 82.5 feet; thence S69.32'W 76.8.0 feet to the place of beginning. Less those two the seast line of Washington County, Oregon, Deed Recools, Beginning at a point on the East line of the south 15. T2N, R3W, W.M., reast line of the southwest quarter of section 15 Sout 59.W 329.0 feet; thence N0.43'W 92.8 feet; thence 38 ecenter of county road #12; thence N29.26'W along the feet; thence N89.57'E 2517.8 feet to the place of betract conveyed and described in volume 135, page 160 and also less that tract conveyed and described in volume 135, page 160 and also less that tract conveyed and described in volume 135, page 160 and data, and return the same for completion.	E OF OREGON, ss. Inty of Marion, ss. This is to certify that I have examined the foregoing application, together with the accompanyind data, and return the same for completion



STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use stream, or its equivalent in case of rotation with other water users, from Dairy Creek The use to which this water is to be applied is irrigation second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. Actual construction work shall begin on or beforeJuly 13, 1971..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.72... Complete application of the water to the proposed use shall be made on or before October 1, 19.73. WITNESS my hand this 13th day of July STATE ENGINEER

Application No. 4653

No.

Permit

APPROPRIATE THE PUBLIC WATERS OF THE STATE J Q

office of the State Engineer at Salem, Oregon This instrument was first received in

the 10th day of Nevem.

A.C.O. o'clock at

D

Returned to applicant.

Recorded in book No.

Permits on page

L. MHEELER CHRIS

No. Basin