*APPLICATION FOR PERMIT

CERTIFICATE NO. 41906

To Appropriate the Public Waters of the State of Oregon

-,	, Harp (Name o	f applicant)	······
f Imnaha (Mailing ad	Mana	•	•••••
State of Oregon		y make application for	r a permit to appropriate th
ollowing described public wo			
•			
If the applicant is a cor	poration, give date and p	lace of incorporation.	
		(Nam	tary of Imnaha River,
and Imnaha River	, a tributa	ry of Snake River	
2. The amount of water	r which the applicant inte	nds to apply to benefic	ial use is 1/40 (1-9)
rubic feet per second. per ac	re. 1.05 cfs from I	mnaha, and 0.04cf	s from Deer Creek
**3. The use to which the	•	Tarret maket am	manufacturing, domestic supplies, etc.)
	••	(Irrigation, power, mining,	manufacturing, domestic supplies, etc.)
For points of di	version see separate	sheet	6
4. The point of diversi	on is located jt.	(N. or S.)	ft from the
corner of	(Section	n or subdivision)	
		······································	
•		<u></u>	
			••••
	(If preferable, give distance and	bearing to section corner)	
	than one point of diversion, each must	ξ.	
eing within the .S.aosapara			(N. or S.)
R, W. M., in the	county of Wallowa Flood	i system used from	Deer Creek
5. The Varried from	n Imnaha River. (Main ditch, canal or pipe line)	to be	(Miles or feet)
n length, terminating in the		7	
R, W. M., th			•
(E. or W.)		•	
Diversion Works—	DESCRIPTION	OF WORKS	•
	feet, let	ngth on top	feet, length at botton
, , ,			
feet: materia	al to he weed and characte		
No headgate is require	ed as water will be	pumped directly fr	om stream.
No headgate is require	ed as water will be	pumped directly fr	om stream.
No headgate is require rock and brush, timber crib, etc., wasteway (b) Description of head	ed as water will be your or around dam) dgate	pumped directly fr	om stream.
(b) Description of head	ed as water will be your or around dam) dgate	pumped directly fr	om stream. size of openings) motor. 62 hp.
No headgate is requirement and brush, timber crib, etc., wasteway (b) Description of head (c) If water is to be put	ed as water will be prover or around dam) dgate (T) umped give general descri	pumped directly frumber concrete, etc., number and	(1.0000 FOCK, concrete, masons com stream, d size of openings) motor, 62 hp, ze and type of pump)

^{*}A different form of application is provided where storage works are contemplated.

^{*}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

JAN 16 1970 STATE ENGINEER SALEM. OREGON

Points of Diversion

No. 3

Point of diversion from Imnaha River is, 120 feet South and 620 feet East, from the North West corner of Sec. 21, T 1 No. R 48 E.W.M. Being in the NW1/4 NW1/4 of Sec. 21, T 1 No. R 48 E.W.M. Irrigating 2.5 acres. 2 acres in the SW1/4 SW1/4 of Sec. 16 and 0.5 acres in the NW1/4 NW1/4 of Sec. 21, T 1 No. R 48 E.W.M. Terminating in the SW1/4 SW1/4 of Sec. 16, T 1 No. R 48, E.W.M. Point of Diversion from Imnaha River is, 1210 feet South, and 430 feet East from the North West corner of Sec. 21. T 1 No. R 48 E.W.M. Being in the NW1/4 NW1/4 of Sec. 21, T 1 No. R 48 E.W.M. Irrigating 39.5 acres. 1 acre in the SW1/4 SW1/4 of Sec. 16, 20 acres in the NW1/4 NW1/4, 7 acres in the NE1/4 NW1/4, 7.5 acres in the SW1/4 NW1/4, and 4 acres in the SE1/4 NW1/4, and The

 $SE_{4}^{\frac{1}{2}}$ $NW_{4}^{\frac{1}{2}}$, of Sec. 21, T1 N., R 48 E.W.M.

Point of Diversion from Deer Creek or Finley Creek is 3040 feet South and 2850 feet East from the NW corner of Sec. 21 T 1 N., R 48 E.W.M. Being in the $NW_{4}^{\frac{1}{2}}$ $SE_{4}^{\frac{1}{2}}$ of Sec. 21, T 1 N., R 48 E.W.M.

Irrigating 1.5 acres in the SW $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 21, T 1 N., R 48 E.W.M. Terminating in the SW $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 21, T 1 N., R 48 E.W.M.

RECEIVED
NOV 19 1969
STATE ENGINEER
SALEM OREGON

Application No. 46550
Permit No. 34776

anal System or I 7. (a) Give		ach point of	canal where materially change	ged in size, stating miles from
				1
eadgate. At head	lgate: width on t	op (at water	line)	feet; width on bottom
	feet; depth of wo	iter	feet; grade	feet fall per one
ousand feet.	_	uilas foamu b	and and a suidely an ear (see suse	er line)
, ,		•		•
	feet; width on bo	ttom	feet; depth of	water feet;
rade	feet fall	per one thou	isand feet.	
(c) Length	of nine Varr	Led ft	· size at intake 5 ⁿ	in.; size at ft.
		_	1.	fference in elevation between
take and place	of use, 60'	ft. 1	Is grade uniform? YOS	Estimated capacity,
	sec ft			
8. Location	n of area to be ir	rigated, or p	lace of use Sec. 16& 21,	T 1 N., R 48 E.W.M.
Township	Range 2. or W. of	Section	Forty-acre Tract	Number Acres To Be Irrigated
North or South	Williamette Meridian			
TN	R 48 E	16	SW ¹ / ₄ SW ¹ / ₄	3 acres
TIN	R 48 E	21	NW ¹ / ₄ NW ¹ / ₄	0.3 acres
T 1 N	R 48 E	21	SW ¹ / ₄ NW ¹ / ₄	√ 7.5 from Imnaha Ri ✓ 1.5 ** Deer Creek
<u>T1N</u>	R 48 E	21	NE NW	7.0 acres
TIN	R 48 E	21	SE ¹ / ₄ NW ¹ / ₄	4.0 "
				5.5
				ment.
	 			
· · · · · · · · · · · · · · · · · · ·	<u> </u>	/If more men	e required, attach separate sheet)	
(a) Ch	aracter of soil		oam	
	•		•	
	•		nay, grain , and past	zure
Power or Mining	_	40 10 40	lamad	theoretical homeonesses
9. (a) 10	tal amount of po	wer to be de	velopea	theoretical horsepower.
(b) Qu	iantity of water t	o be used for	powers	ec. ft.
(c) To	tal fall to be util	zed	(Heed)	
			•	e developed
(4) 1	ie nasare oj trie a	orne og mee	into of which the power to to o	
•				·
(e) Su	ich works to be lo	cated in	(Legal subdivision)	of Sec.
	, R		: /	•
(#) Io	water to be retur	rned to any s	stream?(Yes or No)	
()/ 18				-
	so, name stream	and locate 1	point of return	

(i) The nature of the mines to be served

10. (a) To supply the city of	
	ing a present population of
(Name of) an estimated population of {	1 .
	number of families to be supplied
•	
r v	ver questions 11, 48, 13, and 14 in all cases)
11. Estimated cost of proposed work	
	on or beforeIs completed
	upleted on or before Is Completed
14. The water will be completely ap	pplied to the proposed use on or before Has been applied
	Pay of Harry Jay Buy Pray A
Remarks:	;
Terraines.	
	~
	~
ATE OF OREGON,	
County of Marion,	
This is to certify that I have exa	amined the foregoing application, together with the accompany
ps and data, and return the same for	correction
,	
In order to retain its priority, thi	is application must be returned to the State Engineer, with corr
ns on or before January 21st	, 19.70
	1
	1
WITNESS my hand this21st	day of





CHRIS L. WHEELER

STATE ENGINEER

Larry W. Jebowsek

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to	the amount of water which can be applied to beneficial use				
and shall not exceed0.59 cubic	feet per second measured at the point of diversion from the				
stream, or its equivalent in case of rotation	with other water users, from Imnaha River and Deer				
Craek, being 0.55 cfs from the Imnaha River and 0.04 cfs from Deer Creek					
•	plied isirrigation				
	ll be limited to				
not to exceed 4 acre feet per acre f	or each acre irrigated during the irrigation				
and the second s					
•					
and shall be subject to such reasonable rotati	ion system as may be ordered by the proper state officer.				
The priority date of this permit is	November 19, 1969				
Actual construction work shall begin	on or beforeJuly13,1971 and shall				
	igence and be completed on or before October 1, 19.72				
• • • • • • • • • • • • • • • • • • • •	he proposed use shall be made on or before October 1, 19.73				
WITNESS my hand this 13th	day of July , 19.70				
	When I get le-				
	STATE ENGINEER				

Application No. 46550

3

Permit No. 34776

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON PERMIT

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 19th day of Morksmb

19 69, at 2.00. o'clock

Returned to applicant:

July 13, 1970

Approved:

Recorded in book No. ...

Permits on page

CHRIS. L. WHEELER STATE ENGINEER

Basi Drainage