

## \*APPLICATION FOR PERMIT

TERRETATE NO 38994

## To Appropriate the Public Waters of the State of Oregon

State of CALIFORNIA do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is WOAHINK LAKE (Them of stream)  2. The amount of water which the applicant intends to apply to beneficial use is 0.01.  **2. The use to which the water is to be applied is DOMESTIC SUPPLY AND TRANSATION (Brighten, power, minle, meanite-turine, consents emplies, ste)  **3. The use to which the water is to be applied is DOMESTIC SUPPLY AND TRANSATION (Brighten, power, minle, meanite-turine, consents emplies, ste)  **6. The point of diversion is located 1204 ft. NORTH and 2158 ft WEST from the EAST ONE-OCCUPY.  **6. The point of diversion is located 1204 ft. NORTH and 2158 ft WEST from the EAST ONE-OCCUPY.  **7. The point of diversion is located 1204 ft. NORTH and 2158 ft WEST from the EAST ONE-OCCUPY.  ***Office with the state of diversion is described. The separate sheet is accountry for the state of diversion.  ***Office with the state of diversion is described. The separate sheet is accountry.  ***Office with the state of diversion.  ***Office with the country of LANE  ***Office with the country of LANE  ***Office with the country of LANE  ***Office with the country of the state of diversion.  ***Office with the country of the state of diversion.  ***Office with the country of the state of diversion.  ***Office with the country of the state of diversion.  ***Office with the country of the state of diversion.  ***Office with the country of the state of diversion.  ***Office with the country of the state of diversion.  ***Office with the country of the state of diversion.  ***Office with the country of the state of diversion.  ***Office with the state of the state of diversion.  ***Office with the state of the state o	I,LARS LIND	•	
State of CALIFORNIA , do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is MOAHINK LAKE (Rume of stream)  2. The amount of water which the applicant intends to apply to beneficial use is9.01  **3. The use to which the water is to be applied is	(Name of applie	·	
Comparison of the proposed appropriation is   WOAHINK LAKE   Ordered of the proposed of the proposed appropriation is   WOAHINK LAKE   Ordered of the proposed of the proposed appropriation is   WOAHINK LAKE   Ordered of the proposed of the proposed appropriation is   WOAHINK LAKE   Ordered of the proposed o	(Mailing address)	ANDRO	····,
If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is	State ofCALIFORNIA , do hereby mo	ake application for a permit to appropriate	the
1. The source of the proposed appropriation is	ollowing described public waters of the State of Oregon, S	SUBJECT TO EXISTING RIGHTS:	•
	If the applicant is a corporation, give date and place	of incorporation	·
	The source of the proposed appropriation is	WOAHINK LAKE	······
The use to which the water is to be used from more than one source, give quality from sech.  **3. The use to which the water is to be applied is			
**3. The use to which the water is to be applied is	2. The amount of water which the applicant intends t	to apply to beneficial use is0.01	·5:
**3. The use to which the water is to be applied is	rubic feet per second.		
4. The point of diversion is located 120.4 ft. NORTH and 215.8 ft. WEST from the EAST ONE—QUAR (R. or R.) (R. or W.) (R. or W.) (QUAR OR	**3. The use to which the water is to be applied is	DOMESTIC SUPPLY AND IRRIGATI	<u>ON</u>
(If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (if there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (if the mailer legal subdivision)  (if the mailer legal sub	FOR LAWN AND SHRUBBERY IMMEDIATELY AD	JACENT	•••••
(If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  being within the SW ½ NE½ of Sec. 14 , Tp. 19 SOUTH,  (Cive smallest legal subdivision)  R. 12 WEST, W. M., in the county of LANE  (Stand dich, canal or pipe line)  (Maine dich, canal or pipe line)  (Maine or feet)  (Ronalist legal subdivision)  (R. or 8.)  (Smallest legal subdivision)  (R. or 8.)  (Smallest legal subdivision)  (R. or 8.)  (Ronalist legal subdivision)  (R. or 8.)  (Ronalist legal subdivision)  (R. or 8.)  (Ronalist legal subdivision)  (R. or 8.)  (R. or 8.)  (Ronalist legal subdivision)  (R. or 8.)	4. The point of diversion is located 1204 ft. NO	ORTH and 2158 ft. WEST from the EAS' (E. or W.)	ONE-
(If preferable, five distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  being within the SW 1/2 NE 1/4 NE 1/4 of Sec. 1.4 ,Tp. 1.9 SOUTH,  (Give smallest legal subdivision)  R. 12 WEST W. M., in the county of LANE  (S. or w.)  (Main ditch. canal or pipe line)  (Smallest legal subdivision)  (R. or s.)  (R. or s.)  (R. or w.)  (R. or w.)  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom  feet; material to be used and character of construction  (Loose rock, concrete, masoner, concrete, sic., number and site of openings)  (c) If water is to be pumped give general description  (Size and type of pump)			
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  peing within the SW \( \frac{1}{2} \) NE \( \frac{1}{2} \) (Cive smallest legal subdivision)  R. 12 WEST W. M., in the county of LANE  (R. or W.)  5. The PIPE LINE  (Main ditch, canal or pipe line)  (Main ditch, canal or pipe line)  (Main ditch, canal or pipe line)  (R. or S.)  (R. or S.)  (R. or S.)  (R. or W.)  (R. or	(Section or sui	bdivision)	
(Main ditch, canal or pipe line)  (Miles or feet)  (N. or S.)  (N. or S.)  (N. or S.)  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom  feet; material to be used and character of construction  (Loose rock, concrete, masonry, cock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description (Size and type of pump)	(If preferable, give distance and bearing	g to section corner)	<u>.</u>
(Main dich, canal or pipe line)  SW1/4 NE1/4 of Sec. 14 , Tp. 19 SOUTH (Smallest legal subdivision)  R. 12 WEST , W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description (Size and type of pump)	(If there is more than one point of diversion, each must be despeing within the SW 1/4 NE 1/4 (Give smallest legal subdivision)	eribed. Use separate sheet if necessary)  of Sec. 14 , Tp. 19 SOU' (N. or S.)	  CH.,
In length, terminating in the SW4 NE4 Of Sec. 14 , Tp. 19 SOUTH (N. or 8.)  R. 12 WEST , W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)	(If there is more than one point of diversion, each must be despeing within the SW 1/4 NE 1/4 (Give smallest legal subdivision)  R. 12 WEST, W. M., in the county of LANE (E. or W.)	eribed. Use separate sheet if necessary)  of Sec. 14 , Tp. 19 SOU (N. or S.)	
DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom  feet; material to be used and character of construction  (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description (Size and type of pump)	(If there is more than one point of diversion, each must be despeing within the SW 1/4 NE 1/4 (Give smallest legal subdivision)  R. 12 WEST, W. M., in the county of LANE (E. or W.)  5. The PIPE LINE	eribed. Use separate sheet if necessary)  of Sec. 14 , Tp. 19 SOU (N. or S.)	
Diversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, cock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description (Size and type of pump)	(If there is more than one point of diversion, each must be despeing within the SW 1/4 NE 1/4  (Give smallest legal subdivision)  R. 12 WEST, W. M., in the county of LANE  (E or W.)  5. The PIPE LINE  (Main ditch, canal or pipe line)	to be 100 FEET (Miles or feet)	
Diversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, cock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description (Size and type of pump)	(If there is more than one point of diversion, each must be despeing within the SW 1/4 NE 1/4  (Give smallest legal subdivision)  R. 12 WEST, W. M., in the county of LANE  (E. or W.)  5. The PIPE LINE  (Main ditch, canal or pipe line)  n length, terminating in the SW 1/4 NE 1/4  (Smallest legal subdivision)	to be 100 FEET  (Miles or feet)  of Sec. 14 , Tp. 19 SOUTH  (N. or S.)	
feet; material to be used and character of construction  (Loose rock, concrete, masonry,  (b) Description of headgate  (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description  (Size and type of pump)	(If there is more than one point of diversion, each must be despeing within the SW 1/4 NE 1/4  (Give smallest legal subdivision)  R. 12 WEST, W. M., in the county of LANE  (E. or W.)  5. The PIPE LINE  (Main ditch, canal or pipe line)  n length, terminating in the SW 1/4 NE 1/4  (Smallest legal subdivision)  R. 12 WEST, W. M., the proposed location being shown	to be 100 FEET  (Miles or feet)  of Sec. 14  to be 7, Tp. 19 SOUTH  (N. or S.)	
(b) Description of headgate	(If there is more than one point of diversion, each must be deadless of the substitution of the smallest legal subdivision)  R. 12 WEST, W. M., in the county of LANE  (E. or W.)  5. The PIPE LINE  (Main ditch, canal or pipe line)  R. 12 WEST  (Smallest legal subdivision)  R. 12 WEST  (E. or W.)  DESCRIPTION OF	to be 100 FEET  (Miles or feet)  of Sec. 14  to be 7, Tp. 19 SOUTH  (N. or S.)	·····
(b) Description of headgate	(If there is more than one point of diversion, each must be deadlesing within the SW 1/4 NE 1/4  (Give smallest legal subdivision)  R. 12 WEST, W. M., in the county of LANE  (E. or W.)  5. The PIPE LINE  (Main ditch, canal or pipe line)  n length, terminating in the SW 1/4 NE 1/4  (Smallest legal subdivision)  R. 12 WEST, W. M., the proposed location being shown  (E. or W.)  DESCRIPTION OF	to be 100 FEET  (Miles or feet)  of Sec. 14  to be 75 SOUTH  (N. or S.)  which is a separate sheet if necessary)  to be 100 FEET  (Miles or feet)  (N. or S.)  which is a separate sheet if necessary)  (N. or S.)  which is a separate sheet if necessary)  (N. or S.)	,
(c) If water is to be pumped give general description (Size and type of pump)	(If there is more than one point of diversion, each must be despeing within the SW 1/4 NE 1/4  (Give smallest legal subdivision)  R. 12 WEST, W. M., in the county of LANE  (E. or W.)  5. The PIPE LINE  (Main ditch, canal or pipe line)  n length, terminating in the SW 1/4 NE 1/4  (Smallest legal subdivision)  R. 12 WEST, W. M., the proposed location being shown  (E. or W.)  DESCRIPTION OF  Diversion Works—  6. (a) Height of dam feet, length	to be 100 FEET  to be 100 FEET  of Sec. 14 , Tp. 19 SOUTH  (N. or 8.)  we throughout on the accompanying map.  WORKS  on top feet, length at both	,
	(If there is more than one point of diversion, each must be described within the SW 1/4 NE 1/4  (Give smallest legal subdivision)  R. 12 WEST, W. M., in the county of LANE  (E. or W.)  5. The PIPE LINE  (Main ditch, canal or pipe line)  The SW 1/4 NE 1/4  (Smallest legal subdivision)  R. 12 WEST (Smallest legal subdivision)  R. 12 WEST (Smallest legal subdivision)  DESCRIPTION OF  Diversion Works—  6. (a) Height of dam feet, length of the state of company to the state of the state	to be 100 FEET  to be 100 FEET  of Sec. 14 , Tp. 19 SOUTH  (N. or 8.)  we throughout on the accompanying map.  WORKS  on top feet, length at both	,
(Size and type of angine or motor to be used total head water is to be lifted atc.)	(If there is more than one point of diversion, each must be described within the SW 1/4 NE 1/4 (Give smallest legal subdivision)  R. 12 WEST, W. M., in the county of LANE (E. or W.)  5. The PIPE LINE (Main ditch, canal or pipe line)  n length, terminating in the SW 1/4 NE 1/4 (Smallest legal subdivision)  R. 12 WEST (Smallest legal subdivision)  DESCRIPTION OF Diversion Works—  6. (a) Height of dam feet, length of the described and character of cook and brush, timber crib, etc., wasteway over or around dam)	of Sec. 14 , Tp. 19 SOUTH  to be 100 FEET  (Miles or feet)  wn throughout on the accompanying map.  WORKS  on top feet, length at botters to see the second	,
	(If there is more than one point of diversion, each must be described within the SW 1/4 NE 1/4 (Give smallest legal subdivision)  R. 12 WEST, W. M., in the county of LANE (E. or W.)  5. The PIPE LINE (Main ditch, canal or pipe line)  n length, terminating in the SW 1/4 NE 1/4 (Smallest legal subdivision)  R. 12 WEST (Smallest legal subdivision)  DESCRIPTION OF Diversion Works—  6. (a) Height of dam feet, length of the described and character of cook and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, or Timber,	of Sec. 14 , Tp. 19 SOUTH  to be 100 FEET  (Milles or feet)  of Sec. 14 , Tp. 19 SOUTH  (N. or S.)  wenthroughout on the accompanying map.  WORKS  on top feet, length at botter  construction (Loose rock, concrete, mass  concrete, etc., number and size of openings)	om onry,


<sup>\*</sup>A different form of application is provided where storage works are contemplated.

<sup>\*</sup>Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

gate. At head	lgate: width on t	op (at water	· line)	feet; width on bottom
sand feet.				ster line)
	feet; width on bo	ottom	feet; depth o	f water feet;
	feet fall			• ,
		•		
	7		•	in.; size at ft.
				difference in elevation between
			Is grade uniform? YES	Estimated capacity,
	sec. ft. (25			
8. Location		rigatea, or p	lace of use	
Township North or South	Range S. or W. of Willemette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
9 SOUTH	12 WEST	14	SW4 NE4	1/4 Acre to be
				os port of dumostic
<u> </u>				
		,		
			<u>'</u>	
			e required, attach separate sheet)	
(a) Cho	racter of soil	SANDY		
	-	LAWN .	AND SHRUBBERY	······································
ver or Mining	-		ualamad	414111
			-	theoretical horsepower.
			power	sec. ft.
(c) Tot	al fall to be utili	ized	(Head)	
(d) Th	e nature of the u	oorks by mea	ns of which the power is to	be developed
(e) Su	ch works to be lo	cated in	1	of Sec,
	, R(No. E			,
,	, , , , , , , , ,			
			tream?(Yes or No)	
	so, name siream	una tocate p	oint of return	•••••

(i) The nature of the mines to be served

10. (a) To es	upply the city of	Y	3483
(Name of)	,	present population of	
and an estimated p	population of	in 19	
(b) If fo	or domestic use state num	iber of families to be supplied1	•
	(Answer que	estions 11, 12, 13, and 14 in all cases)	
11. Estimate	ed cost of proposed works, \$	300.00	
12. Construc	ction work will begin on o	r before1_OCTOBER_1969	
13. Construc	ction work will be complet	ted on or before NOVEMBER	1969
14. The wate	er will be completely appli	ed to the proposed use on or before	1 NOVEMB
	and the second second		
			2
		(Signature of ag	oplicant)
	/ د		
		the Rights Applications	,
Purpos	se if 2011-	restrict Supply for-	Home
1111/2	Trans of styrac	ount lowers the to	1171 lun
		o downesta pormet	
, ,	//	,	
<b></b>			
		,	
***************************************			
		•	
<u></u>			
<u></u>			
STATE OF ORE	FGON )	<u> </u>	
STATE OF ORE	ss.		
County of Mar	rion,		
County of Mar	rion,	ned the foregoing application, together	r with the ac
County of Mar This is to c	rion,		r with the ac
County of Mar This is to c	rion, \bigg\{ ss. \\ certify that I have examin		r with the ac
County of Mar This is to commaps and data, an	rion, ss.  certify that I have examin  and return the same for	correction	•
County of Mar This is to commaps and data, an In order to	rion, ss.  certify that I have examin  and return the same for  o retain its priority, this ap	correction  pplication must be returned to the Sta	•
County of Mar This is to commaps and data, an In order to	rion, ss.  certify that I have examin  and return the same for	correction  pplication must be returned to the Sta	•
County of Mar This is to commaps and data, an In order to	rion, ss.  certify that I have examin  and return the same for  o retain its priority, this ap	correction  pplication must be returned to the Sta	•



STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use						
and shall not exceed						
The use to which this water is to be applied is for ing the irrigation of lawn and garden not to	or the domestic use of or exceed $\frac{1}{2}$ acre in area	ne family includ-				
If for irrigation, this appropriation shall be limite	•	of one cubic foot per				
second or its equivalent for each acre irrigated	· · · · · · · · · · · · · · · · · · ·					
		· · · · · · · · · · · · · · · · · · ·				
and shall be subject to such reasonable rotation system	as may be ordered by the prop	per state officer.				
The priority date of this permit is	ecember 29, 1969					
Actual construction work shall begin on or before	eAugust 11, 1971	and shall				
thereafter be prosecuted with reasonable diligence and	be completed on or before Oc	tober 1, 1972				
Complete application of the water to the proposed						
WITNESS my hand this11th day of	August 19	STATE ENGINEER				
•						

State Printing 98137

Ś

Application No. 46619 Permit No. 24836

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 29th day of Uccember

1969, at 8. CO. o'clock

X

Returned to applicant:

August 11, 1970

Approved:

Recorded in book No. ..

... **o** 

Permits on page

CHRIS L. MEELER STATE ENGINEER

Drainage Basin No.

Fees