*APPLICATION FOR PERMIT

142753

To Appropriate the Public Waters of the State of Oregon

Wje, Thomas W. & Elizabeth H. Hawkin	s, Jack B.	& Ela	ine Ow	ens, and
KK Craig & Maxine Owens of Fort Klamat	h			·····,
State of oregon, do hereby m	nake application	for a pe	rmit to a	opropriate the
following described public waters of the State of Oregon,	SUBJECT TO	EXISTIN	G RIGH	rs:
If the applicant is a corporation, give date and place				
1. The source of the proposed appropriation is				
, a tributary o				
2. The amount of water which the applicant intends	to apply to ben	eficial u	se is6	.89
cubic feet per second(If water is to be used from r	nore than one source,	give quantity	from each)	· -
**3. The use to which the water is to be applied is		al Irı	igatio	n
4. The point of diversion is located ft.	and	ft	froi	n the
corner of S 60° 45' E - 3020 feet from th	ne Witness			
west corner of Section 12, T.34 S., R.7	_	······································		<u> </u>
(If preferable, give distance and bear	ing to section corner)	······································	······································	······
(If there is more than one point of diversion, each must be d	escribed. Use separate			34 S.
(If there is more than one point of diversion, each must be defined within the $SE^{\frac{1}{4}}-NW^{\frac{1}{4}}$ (Give smallest legal subdivision)	escribed. Use separate	12		34 S.,
(If there is more than one point of diversion, each must be debeing within the $SE_{4}^{\frac{1}{4}}-NW_{4}^{\frac{1}{4}}$ (Give smallest legal subdivision) R. $7\frac{1}{2}E$, W. M., in the county of Klamath (E. or W.)	escribed. Use separate	. 12	, Тр	
being within the SE½-NW½ (Give smallest legal subdivision) R. 7½ E., W. M., in the county of Klamath (E. or W.) 5. The Spreader Ditch (Main ditch, canal or pipe line)	of Sec to be	12 4800	feet (Miles or fe	et)
(If there is more than one point of diversion, each must be debeing within the $SE_{4}^{\frac{1}{4}}-NW_{4}^{\frac{1}{4}}$ (Give smallest legal subdivision) R. $7\frac{1}{2}E$, W. M., in the county of Klamath (E. or W.)	of Sec to be	12 4800	feet (Miles or fe	et)
being within the SE½-NW½ (Give smallest legal subdivision) R. 7½ E., W. M., in the county of Klamath (E. or W.) 5. The Spreader Ditch (Main ditch, canal or pipe line)	of Sec to be	12	feet (Miles or fe	et) 34 S. (N. or S.)
(If there is more than one point of diversion, each must be debeing within the $SE_{4}^{\frac{1}{2}}-NW_{4}^{\frac{1}{2}}$ (Give smallest legal subdivision) R. $7\frac{1}{2}$ E. , W. M., in the county of Klamath (E. or W.) 5. The Spreader Ditch (Main ditch, canal or pipe line) in length, terminating in the $NW_{4}^{\frac{1}{2}}-NW_{4}^{\frac{1}{2}}$ and $NW_{4}^{\frac{1}{2}}-SE_{4}^{\frac{1}{2}}$ (Smallest legal subdivision) R. $7\frac{1}{2}$ E. , W. M., the proposed location being shown (E. or W.)	of Sec to be of Sec of sec	12	feet (Miles or fe	et) 34 S. (N. or S.)
(If there is more than one point of diversion, each must be debeing within the $SE_{4}^{\frac{1}{4}}-NW_{4}^{\frac{1}{4}}$ (Give smallest legal subdivision) R. $7\frac{1}{2}$ E. , W. M., in the county of Klamath (E or W.) 5. The Spreader Ditch (Main ditch, canal or pipe line) in length, terminating in the $NW_{4}^{\frac{1}{4}}-NW_{4}^{\frac{1}{4}}$ and $NW_{4}^{\frac{1}{4}}-SE_{4}^{\frac{1}{2}}$ (Smallest legal subdivision) R. $7\frac{1}{2}$ E. , W. M., the proposed location being shown (E. or W.) DESCRIPTION OF	of Sec	12 4800 12	feet (Miles or fe	(N. or S.) ring map.
(If there is more than one point of diversion, each must be debeing within the $SE_{4}^{\frac{1}{2}}-NW_{4}^{\frac{1}{2}}$ (Give smallest legal subdivision) R. $7\frac{1}{2}$ E. , W. M., in the county of Klamath (E. or W.) 5. The Spreader Ditch (Main ditch, canal or pipe line) in length, terminating in the $NW_{4}^{\frac{1}{2}}-NW_{4}^{\frac{1}{2}}$ and $NW_{4}^{\frac{1}{2}}-SE_{4}^{\frac{1}{2}}$ (Smallest legal subdivision) R. $7\frac{1}{2}$ E. , W. M., the proposed location being shown (E. or W.)	of Sec	12 4800 12 t on the a	feet (Miles or fe	(N. or S.) ring map.
(If there is more than one point of diversion, each must be debeing within the $SE_{4}^{\frac{1}{2}}-NW_{4}^{\frac{1}{2}}$ (Give smallest legal subdivision) R. $7\frac{1}{2}$ E. , W. M., in the county of Klamath (E. or W.) 5. The Spreader Ditch (Main ditch, canal or pipe line) in length, terminating in the $NW_{4}^{\frac{1}{2}}-NW_{4}^{\frac{1}{2}}$ and $NW_{4}^{\frac{1}{2}}-SE_{4}^{\frac{1}{2}}$ (Smallest legal subdivision) R. $7\frac{1}{2}$ E. , W. M., the proposed location being show (E. or W.) DESCRIPTION OF Diversion Works— 6. (a) Height of dam feet, length feet; material to be used and character of	of Sec	12 4800 12 t on the a	feet (Miles or fe	(N. or S.) ing map. gth at bottom k, concrete, masonry,
(If there is more than one point of diversion, each must be debeing within the $SE_{4}^{\frac{1}{2}}-NW_{4}^{\frac{1}{2}}$ (Give smallest legal subdivision) R. $7\frac{1}{2}$ E. , W. M., in the county of Klamath (E. or W.) 5. The Spreader Ditch (Main ditch, canal or pipe line) in length, terminating in the $NW_{4}^{\frac{1}{2}}-NW_{4}^{\frac{1}{2}}$ and $NW_{4}^{\frac{1}{2}}-SE_{4}^{\frac{1}{2}}$ (Smallest legal subdivision) R. $7\frac{1}{2}$ E. , W. M., the proposed location being shown (E. or W.) DESCRIPTION OF Diversion Works— 6. (a) Height of dam feet, length	of Sec	12 4800 12 con the a	feet (Miles or fe	(N. or S.) ring map. gth at bottom k, concrete, masonry,
(If there is more than one point of diversion, each must be debeing within the $SE_{4}^{\frac{1}{2}}-NW_{4}^{\frac{1}{2}}$ (Give smallest legal subdivision) R. $7\frac{1}{2}$ E. , W. M., in the county of Klamath (E. or W.) 5. The Spreader Ditch (Main ditch, canal or pipe line) in length, terminating in the $NW_{4}^{\frac{1}{2}}-NW_{4}^{\frac{1}{2}}$ and $NW_{4}^{\frac{1}{2}}-SE_{4}^{\frac{1}{2}}$ (Smallest legal subdivision) R. $7\frac{1}{2}$ E. , W. M., the proposed location being show (E. or W.) DESCRIPTION OF Diversion Works— 6. (a) Height of dam feet, length feet; material to be used and character of rock and brush, timber crib, etc., wasteway over or around dam)	of Sec. to be of Sec. own throughout WORKS con top with Screw	12 4800 12 con the a	feet (Miles or fe (Miles or fe (Miles or fe (Miles or fe (Loose rock (Loose rock Gate i	et) 34 S. (N. or S.) ring map. gth at bottom c, concrete, masonry, nstalled
(If there is more than one point of diversion, each must be debeing within the SE\frac{1}{4}-NW\frac{1}{4}. (Give smallest legal subdivision) R. 7\frac{1}{2} E. W. M., in the county of Klamath (E. or W.) 5. The Spreader Ditch (Main ditch, canal or pipe line) in length, terminating in the NW\frac{1}{4}-NW\frac{1}{4}, and NW\frac{1}{4}-SE\frac{1}{4} (Smallest legal subdivision) R. 7\frac{1}{2} E. W. M., the proposed location being shown as the county of	of Sec. to be of Sec. own throughout WORKS con top construction with Screw, concrete, etc., numb	12 4800 12 con the a	feet (Miles or fe (Miles or	et) 34 S. (N. or S.) ring map. egth at bottom k, concrete, masonry,

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem,

			,	feet; width on botto
ousand feet.	. feet; depth of w	ater1	feet; grade	0.1 feet fall per o
(b) At	Same	miles from h	neadgate: width on top (at u	vater line)
	feet; width on bo	ottom	feet; depth	of water fe
ade	feet fall	per one tho	usand feet.	
		,		in : siza at
				in.; size at
om intake	in.;	size at place	of use in.;	difference in elevation betwe
take and place	e of use	ft.	Is grade uniform?	Estimated capaci
0 * 4 *	•			:
8. Location	<u>, </u>	rigated, or p	olace of use	
Township North or South	Range S. or W. of Willemette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T.34 S.	R.7½ E.	11	NE‡-NE‡	39.9 Acres
			NW4-NE4 SW4-NE4	14.1
			SEŽ-NEŽ	40.0
			NE½-SE½ NW¼-SE¼	40.1 22.1
		12	$NE_{\frac{1}{4}}^{\frac{1}{4}}-NW_{\frac{1}{4}}^{\frac{1}{4}}$	1.6
			NM = NM = NM = = = = = = = = = = = = = =	27.3
			SW = NW = SE = S	41.7 21.1
<u> </u>			NE-L-SW-L NW-L-SW-L	33.0
			NW¼-SE¾	1.1
				344.8 Acres -
(a) C	haracter of soil		nd sandy loam.	
				ses.
ower or Minin		u		
		wer to be de	veloped	theoretical horsepou
			r power	
			•	
			(Head)	
(d) T	he nature of the t	vork s by med	ans of which the power is to	be developed
		· · · · · · · · · · · · · · · · · · ·		
(e) S	uch works to be le	ocated in		of Sec
	, R			•
(170, 171 01	.,			
			stream?(Yes or No)	
	j so, name stream	and locate 1	point of return	
		, Sec	, Tp	, R, W

funicipal or Domestic Supply—	34860
10. (a) To supply the city of	
	resent population of
(Name of) and an estimated population of	
	τ of families to be supplied
	2000 00
11. Estimated cost of proposed works, \$?	
12. Construction work will begin on or be	·
13. Construction work will be completed	on or before October 1, 1972
14. The water will be completely applied t	to the proposed use on or before October 1, 1973
	1 Thomas Withenkins
	(Signature of applicant)
Remarks:	C a P C
	x a could be with
TATE OF OREGON,)	<u> </u>
County of Marion,	
This is to certify that I have examined	the foregoing application, together with the accompanyi
naps and data, and return the same for	
In order to retain its priority, this appliations on or before	ication must be returned to the State Engineer, with correction, 19
•	
WITNESS may hand this	of, 19
withess my hand this day o	oj, 19,
	STATE ENGINEE
	By ASSISTAN

Municipal or Domestic Supply-

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

and shall stream, or	not exceed6. r its equivalent in	•89 cubic feet po	er second other wate	measured at	the point of o	liversion from the
second or	or irrigation, this of its equivalent for exceed 5 acre	appropriation shall be li each acre irrigated and feet per acre for e	imited to I shall heach acre	1/coe further	50 of limited to	one cubic foot per a diversion of irrigation
limited	to any defici	provided further then the ency in the availability and exceed the l	ole suppl	y of any	prior right.	
		reasonable rotation sys				
hereafter Cor	be prosecuted winnelete application	work shall begin on or ith reasonable diligence of the water to the pro	e and be co	empleted on shall be mad	or before Octol le on or before	oer 1, 1972 October 1, 1973.
WI'	TNESS my hand t	his 11th day o	of	August	, 1970	STATE ENGINEER
Application No. 75553	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	his instrument was first received in the se of the State Engineer at Salem, Oregon, he IH II. day of LOUALY. C, at I'C o'clock D. M.	trned to applicant:	roved:	lecorded in book No. 34860	CHRIS L. WIEELER STATE ENGINEER nage Basin No. 18 page 28

Application No. 4665 34860Permit No. This instrument was first received in office of the State Engineer at Salem, Or

on the LLLL. day of

19.7C, at ... / . CC. o'clock

Returned to applicant:

Approved:

34860 Permits on page

Drainage Basin No.

Fees