

**\*APPLICATION FOR PERMIT**

**To appropriate the Public Waters of the State of Oregon**

I, Melvin Wilson (Name of applicant)  
of 3106 S. W. Nye Pendleton 97801 (Mailing address),

CERTIFICATE NO. 46359

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Spring (Name of stream),  
a tributary of Red Hawk Gulch

2. The amount of water which the applicant intends to apply to beneficial use is 0.26  
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located S. 28° E. 1275' ft. and ft. from the E. & corner of Sec. 6 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW SW of Sec. 5, Tp. 1 N. (Give smallest legal subdivision) (N. or S.)

R. 3/4 E., W. M., in the county of Umatilla (E. or W.)

5. The Portable Pipe Line to be in length, terminating in the of Sec. , Tp. (Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) (N. or S.)

R. , W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

**DESCRIPTION OF WORKS**

**Diversion Works—**

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description F.H.P. 220 VOLT PUMP (Size and type of pump)  
1/2 HP INPUT AND OUTPUT PUMP FROM SPRING UP HILL 150 FT. HGT. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.  
\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500.00

12. Construction work will begin on or before May 1970

13. Construction work will be completed on or before July 1970

14. The water will be completely applied to the proposed use on or before July 1970

last years rainy season and moisture was adequate until 1st of July.

Melvin E. Wilson

(Signature of applicant)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By ..... ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.26 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed spring

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 9, 1970

Actual construction work shall begin on or before September 10, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1972.

Complete application of the water to the proposed use shall be made on or before October 1, 1973.

WITNESS my hand this 10th day of September, 1970.

*Chris L. Wheeler*

STATE ENGINEER

PC

Application No. 470

Permit No. 34897

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 9th day of February, 1970, at 2:00 o'clock P. M.

Returned to applicant:

Approved:

September 10, 1970

Recorded in book No. of

Permits on page 34897

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 7 page 161

Fees 20.00