

To Appropriate the Public Waters of the State of Oregon

I, Wayne A. and Elizabeth M. Saunders
(Name of applicant)
of Rt. 1, Box 161, Lebanon
(Mailing address)
State of Oregon 97355, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Santiam River
(Name of stream)
Santiam River
a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.075
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located N. 33° W. 28 chains
ft. and ft. from the SE
(N. or S.) (E. or W.)
corner of S. 19, T. 12 S., R. 1 W.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE¼ of SE¼ of Sec. 19, Tp. 12 S
(Give smallest legal subdivision) (N. or S.)
R. 1 W, W. M., in the county of Linn
(E. or W.)

5. The main pipe line to be 790 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SE¼ of SE¼ of Sec. 19, Tp. 12 S
(Smallest legal subdivision) (N. or S.)
R. 1 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 3 inch centrifugal pump
(Size and type of pump)
powered by 10 H.P. electric motor.
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of

(Name of) County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 732.00

12. Construction work will begin on or before Feb. 9, 1971

13. Construction work will be completed on or before October 1, 1972

14. The water will be completely applied to the proposed use on or before October 1, 1973

Wayne A and Elizabeth M Saunders
(Signature of applicant)
By Wayne A Saunders

Remarks: The applicant is using the pump and main line pipe belonging to Joe H. and Ida M. Regimbal, the holders of Permit No. 32470.

The applicant has purchased 7.1 acres in SE 1/4 of SE 1/4 of S. 19 and approximately 0.7 acres in the NE 1/4 of NE 1/4 of S. 30 T. 12 S., Range 1 W contained in Permit No. 32470. (See State Engineer's letter of December 11, 1969).

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.075 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Santiam River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 9, 1970

Actual construction work shall begin on or before September 10, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1972...

Complete application of the water to the proposed use shall be made on or before October 1, 1973...

WITNESS my hand this 10th day of September, 1970

Chris L. Wheeler

STATE ENGINEER

Application No. 46402
Permit No. 34899

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 9th day of February, 1970, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

September 10, 1970

Recorded in book No. of

Permits on page 34899

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 10 C

Fees 20.00

pc