

RECEIVED
JUL 13 1970

STATE ENGINEER
SALEM, OREGON

Permit No. 34950

*APPLICATION FOR PERMIT

CERTIFICATE NO. 44733

To Appropriate the Public Waters of the State of Oregon

I, HARRY CLARKSON (Name of applicant)
of CHILLOQUIN, OREGON 97624 P.O. Box 175 (Mailing address),
State of OREGON, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is HOG CREEK (Name of stream)

, a tributary of WILLIAMSON RIVER

2. The amount of water which the applicant intends to apply to beneficial use is TWO
cubic feet per second. 14.9610
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is IRRIGATION
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 700 ft. N and 135 ft. (line) from the quarter
corner of SECTION 27 (Section or subdivision)
The pump is located 500 feet North of the quarter corner of
Section 27. being within the SE 1/4 of the SW 1/4
of Section 27
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE of the NE of Sec. 27, Tp. 32

R. 8E, W. M., in the county of KLAMATH

5. The MAIN DITCH to be 2000 feet
in length, terminating in the NW of the SW of Sec. 27, Tp. 32

R. 8E, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
..... feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description DISTEL PUMP (8 inch pump)
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from CANAL headgate. ~~At headgate:~~ width on top (at water line) FOUR FEET..... feet; width on bottom TWO..... feet; depth of water TWELVE INCHES feet; grade TWELVE INCH..... feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, SIXTEEN..... ft.; size at intake, EIGHT..... in.; size at SIX INCHES ft. from intake in.; size at place of use EIGHT..... in.; difference in elevation between intake and place of use, FOUR FEET..... ft. Is grade uniform? YES..... Estimated capacity, TWO CUBIC FT. sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
32	8E	27	SW 1/4 of SW 1/4	10 a.
32	8E	27	NW 1/4 of SW 1/4	20 a.
32	8E	27	NE 1/4 of SW 1/4	15 a.
32	8E	27	SE 1/4 of SW 1/4	10 a.
32	8E	27	SW 1/2 of SW 1/4	25 a.
32	8E	27	NW 1/4 of SW 1/4	20.
32	8E	27	NE 1/4 of SW 1/4	15.
32	8E	27	SE 1/4 of SW 1/4	10a.
32 S	8 East	27	NW 1/4 of SW 1/4	15.77
32 S	8 East	27	NE 1/4 of SW 1/4	4.10
32 S	8 East	27	SE 1/4 of SW 1/4	15.77
32 S	8 East	27	SW 1/4 of SW 1/4	2.00

(If more space required, attach separate sheet)

37.64 acres

(a) Character of soil PLUMICE

(b) Kind of crops raised WILD HAY

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of
(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$...2,000.00.....

12. Construction work will begin on or before ...October 1, 1970.....

13. Construction work will be completed on or before November 15, 1970.....

14. The water will be completely applied to the proposed use on or before June 1, 1971.....

[Handwritten Signature]
(Signature of applicant)

Remarks: Under no circumstances do I waiver my KLAMATH INDIAN RIGHTS, reserved under PUBLIC LAW 587.

There will be no head gate, instead, a canal system.

water shall be pumped from HOG CREEK into the canal system.

Purpose for diverting water is for drainage on the 160 acres and irrigate 70 acres which is located on high ground. By diverting water we could utilize the 160 acres much sooner then previvously possible,; amd, to sow 70 acres in wild hay crops and pasture.

There is too much water of the 160 acres and not enough on the ~~70 acres.~~ 37.64 acres

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ~~correction and completion~~ correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~October 13~~ November 2nd, 1970.

WITNESS my hand this ~~13th~~ 31st day of August, 1970.

RECEIVED SEP 14 1970 STATE ENGINEER SALEM, OREGON
RECEIVED AUG 25 1970 STATE ENGINEER SALEM, OREGON

CHRIS L. WHEELER STATE ENGINEER
[Signature] LARRY W. JEBOUSEK ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.94 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Hog Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 13, 1970

Actual construction work shall begin on or before October 30, 1971 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1972.

Complete application of the water to the proposed use shall be made on or before October 1, 1973.

WITNESS my hand this 30th day of October, 1970.

Chris L. Wheeler

STATE ENGINEER

Application No. 47202

Permit No. 34950

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13th day of July 1970, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

October 30, 1970

Recorded in book No. of

Permits on page 34950

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 17 page 2A

Fee \$1.20

Refund 7.00