

MAR 6 1970

STATE ENGINEER
SALEM, OREGON

*APPLICATION FOR PERMIT

CERTIFICATE NO. 39340

To appropriate the Public Waters of the State of Oregon

I, James Kilgore (Name of applicant)
of Enterprise (Mailing address),
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed spring, a tributary of
(Name of stream)
Wallowa River, a tributary of Grande Ronde River

2. The amount of water which the applicant intends to apply to beneficial use is 1/100
cubic feet per second. for domestic and irrigation of lawn and garden.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic and irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

bears S 76° 18' E. 815 feet
4. The point of diversion is located _____ ft. and _____ ft. from the W 1/4
(N. or S.) (E. or W.)
corner of Section 2, T 2 S., R 44 E., W. M.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SW 1/4 of Sec. 2, Tp. 2 S.,
(Give smallest legal subdivision) (N. or S.)
R. 44 E., W. M., in the county of Wallowa
(E. or W.)

5. The pipe line to be 120 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NW 1/4 SW 1/4 of Sec. 2, Tp. 2 S.,
(Smallest legal subdivision) (N. or S.)
R. 44 E., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom
_____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate concrete box 4' square by 6' deep with
(Timber, concrete, etc., number and size of openings)
2" planking for lid.

(c) If water is to be pumped give general description electric centrifugal type
(Size and type of pump)
pump with a maximum discharge of 50 gallons per minute
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$700.00.....

12. Construction work will begin on or before is completed.....

13. Construction work will be completed on or before is completed.....

14. The water will be completely applied to the proposed use on or before has been applied.....

James Kilgore
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.01..... cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, froman unnamed stream.....

The use to which this water is to be applied is for domestic use and irrigation.....

If for irrigation, this appropriation shall be limited to1/40..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year.....

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit isMarch 6, 1970.....

Actual construction work shall begin on or beforeFebruary 22, 1972..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1972..

Complete application of the water to the proposed use shall be made on or before October 1, 1973..

WITNESS my hand this22nd..... day ofFebruary....., 1971..

Chris L. Wheeler
STATE ENGINEER

Application No. *41190*
Permit No. **34990**

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the *6th* day of *March*, 19*70*, at *1:00* o'clock *P*. M.

Returned to applicant:

Approved:

February 22, 1971
Recorded in book No. of
Permits on page **34990**

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. *8* page *388*
Fees *50.00*