

RECEIVED
SEP 18 1970

Permit No. 35073

STATE ENGINEER
SALEM OREGON

*APPLICATION FOR PERMIT

CERTIFICATE NO. 40194

To Appropriate the Public Waters of the State of Oregon

We, John A. and Virginia M. Schubert
(Name of applicant)

of 2527 Bisbee Street, Klamath Falls
(Mailing address)

State of Oregon 97601, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Spring
(Name of stream)
a tributary of Upper Klamath Lake

2. The amount of water which the applicant intends to apply to beneficial use is
~~cubic feet per second~~ 25 gpm
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic and Commercial = 1 house,
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
1 restaurant, & 1 service station. Domestic - 5 gal/min, Commercial - 20 gal/min.

4. The point of diversion is located _____ ft. _____ and _____ ft. _____ from the
(N. or S.) (E. or W.)
corner of N 30° W - 1010 feet from the meander corner of the meander
(Section or subdivision)
of Upper Klamath Lake which is common to Section 25, T.37 S., R.8 E.,
W.M. and Section 30, T.37 S., R.9 E., W.M.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Lot 1 (NE 1/4 NE 1/4) of Sec. 25, Tp. 37 S.,
(Give smallest legal subdivision) (N. or S.)
R. 8 E., W. M., in the county of Klamath
(E. or W.)

5. The pipeline to be 300 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the Lot 1 of Sec. 25, Tp. 37 S.,
(Smallest legal subdivision) (N. or S.)
R. 8 E., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1" diameter Jet pump driven
(Size and type of pump)
by a 1 HP electric motor. Physical lift = 20 ft. ±
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

APR 17 1970

Canal System or Pipe Line—

35073

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 300 ft.; size at intake, 1 1/4 in.; size at 180 ft. from intake 1/2 in.; size at place of use 1 1/4 & 1/2 in.; difference in elevation between intake and place of use, 20 ft. Is grade uniform? No. Estimated capacity, 25 gpm. ~~XXXXX~~

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T.37 S.	R.8 E.	25	Lot 1 (NE 1/4 NE 1/4)	Domestic & Commercial

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return
....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 1

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... Unknown

12. Construction work will begin on or before Construction already started

13. Construction work will be completed on or before Construction already completed

14. The water will be completely applied to the proposed use on or before Water already
beneficially used.

Virginia M. Schubert
(Signature of applicant)
John A. Schubert

Remarks: Water from this spring has been used for domestic and
commercial use, as applied for above, for approximately 25 years.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed spring, being 0.01 cfs for domestic use and 0.01 cfs for restaurant and service station

The use to which this water is to be applied is for the domestic use of one family and use in restaurant and service station

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 18, 1970

Actual construction work shall begin on or before March 11, 1972 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1972.

Complete application of the water to the proposed use shall be made on or before October 1, 1973.

WITNESS my hand this 11th day of March, 1971.

Chris L. Wheeler
STATE ENGINEER

Application No. 47541
Permit No. 35073

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18th day of Sept. 1970, at 8 o'clock A. M.

Returned to applicant:

Approved: _____
Recorded in book No. _____ of _____
Permits on page 35073

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 17 page 8A
Fees \$500