

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Willamette Council of Camp Fire Girls, Inc. of 2555 State St., Salem, Oregon 97301 State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation 12/8/44 - Salem, Oregon

1. The source of the proposed appropriation is Aldermere Spring, Laurie Spring, Scully Spring + Scotty Spring #1 - Aldermere Lake, #2 - Laurie Lake, #3 - Lake Kiloqua, a tributary of Teal Creek

2. The amount of water which the applicant intends to apply to beneficial use is See attached sheet cubic feet per second #1 - 300 cfs, #2 - 100 cfs, #3 - 200 cfs

3. The use to which the water is to be applied is Recreation - Boating, Swimming + fishing

4. The point of diversion is located No diversion from lake from the corner of Aldermere Spring - 295' S & 895' E from the N 1/4 Cor Sec 32 T8S R6W Laurie Spring - 550' S & 1185' E from the N 1/4 Cor Sec 32 T8S R6W Scully Spring 1660' S & 685' E from the N 1/4 Cor Sec 32 T8S R6W

Scully's Spring being within the S.W. 1/4 of NE 1/4 of Sec 32; Aldermere + Laurie being within the N.W. 1/4 of NE 1/4

being within the N.W. 1/4 of the N.E. 1/4 of Sec. 32, Tp. 8S, R. 6W, W. M., in the county of Polk

5. The proposed location being shown throughout on the accompanying map

DESCRIPTION OF WORKS

Diversion Works— (See Attached)

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
#1 8 S	6 W	32	NW of the NE	Recreation
#3 8 S	6 W	32	NW of the NE	Recreation
#2 { 8 S	6 W	32	NW of the NE	Recreation } Recreation }
	6 W	32	NE of NE.	

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of _____

_____ County, having a present population of _____

(Name of)

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before _____ As built _____

13. Construction work will be completed on or before _____

14. The water will be completely applied to the proposed use on or before In Use

Willamette Council of Camp Fire Girls Inc
Mary M. Lewis
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 20th, 1970

WITNESS my hand this 19th day of May, 1970

RECEIVED
JUL 30 1970
STATE ENGINEER
SALEM OREGON

CHRIS L. WHEELER
STATE ENGINEER

By *Wayne J. Overcash*
Wayne J. Overcash ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use gallons per minute and shall not exceed 15.0 ~~cubic feet per second~~ measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from three springs and reservoirs to be constructed under application No. R-46908, permit No. R-5625, being 5.0 gpm from each spring and reservoir

The use to which this water is to be applied is recreation

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 23, 1970

Actual construction work shall begin on or before April 26, 1972 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1972.

Complete application of the water to the proposed use shall be made on or before October 1, 1972.

WITNESS my hand this 26th day of April 19 71.

Chris L. Wheeler

STATE ENGINEER

Application No. 46907
Permit No. 35093

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23rd day of April 1970, at 3:10 o'clock P. M.

Returned to applicant:

Approved:

April 26, 1971
Recorded in book No. of

Permits on page 35093

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 186
Fees 3500